MUF301071

DTIC FILE CUP+

(4)

AD-A194 691

TECHNICAL REPORT BRI.-TR-2892

BRL

1938 - Serving the Army for Fifty Years - 1983

ANALYTIC SOLUTIONS TO THE CLOSED BOMB

FREDERICK W. ROBBINS FRANZ R. LYNN


**MARCH 1988** 



APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

U.S. ARMY LABORATORY COMMAND

BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND



REPORT DOCUMENTATION PAGE				rm Approved ИВ No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION Unclassified		16 RESTRICTIVE MARKINGS			
2a. SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION / AVAILABILITY OF REPORT			
2b. DECLASSIFICATION / DOWNGRADING SCHEDUL	.E				
4. PERFORMING ORGANIZATION REPORT NUMBER	R(S)	5. MONITORING	ORGANIZATION RE	PORT NUMBE	R(S)
BRL-TR-2892					ľ
6. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL (If applicable) SLCBR-IB-A	7a. NAME OF MONITORING ORGANIZATION			
6c. ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (City, State, and ZIP Code)			
Aberdeen Proving Ground, MD 21005-5066					
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		NUMBER	
Bc. ADDRESS (City, State, and ZIP Code)	<u> </u>	10 SOURCE OF F	UNDING NUMBER	S	
<b>(4.3)</b>		PROGRAM	PROJECT	TASK	WORK UNIT
		ELEMENT NO.	NO.	NO.	ACCESSION NO.
		62618A	LL162618AH8	<u> </u>	
11. TITLE (Include Security Classification)					1
Analytic Solutions to the Closed	i Bomb	a manamagnigati da galah kapatan birkanggal. Andah	(VIII.)		
12. PERSONAL AUTHOR(S)					Į.
Frederick W. Robbins and Franz 13. TYPE OF REPORT 136. TIME CO		14. DATE OF REPO	PT (Vasc Month	Day) 15 PA	GE COUNT
	985 to1986	1988 Ma:			
16. SUPPLEMENTARY NOTATION		1 700 Pid	l Vill		
17. OSATI CODES	18 SUBJECT TERMS				lock number)
FIELD GROUP SUB-GROUP	Closed Bomb,				
19 01	Analytical So	fution, Synti	nesizing Pre	essure Tim	e.
21 02 19. ABSTRACT (Continue on reverse if necessary	and identify by block i	number)		<del></del>	
Closed vessel tests are ro solid propellant for interior be simulate closed vessel firings extensions to existing models, different methods of smoothing provide predictions for guiding evident in the JANNAF-sponsored communicated validation and comproblem of synthesizing closed of assumptions which then allow perforated grains. Seven algebral calculation of the pressure, definition and area which	allistic studie is done to vali assess the sens and differentia the decisions round robin on parison procedu vessel pressure two closed~for raic formulas a pth burned, mas	s. Generation date new burn itivity of conting the function of test enginelooped bomber would have data can be made finite soluted we burned, t	on of synthening rate recomputational damental predects. These methods who simplified attions for a high permitheir respect	etic presseduction plangorith assure dat se needs be useful.  by means a charge casy completive derive	aire traces to crograms, test ms to a, and secame acutely isily. The general of a number of single—outer catives, and
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT  ☐ UNCLASSIFIED/UNLIMITED ☑ SAME AS RPT ☑ DTIC USERS  Unclassified  Unclassified					
22a. NAME OF RESPONSIBLE INDIVIDUAL 22b TELEPHONE (Include Area code) 22c. OFFICE SYMBOL					
Frederick W. Robbins	(301)278-6	201	SLCBR-	B-A	

program. The first assumes the covolume equals the reciprocal of the density; the second removes this restriction. f(n)

# TABLE OF CONTENTS

		Page
ī.	INTRODUCTION	5
11.	GLOSSARY OF SYMBOLS	5
111.	ASSUMPTIONS	6
I۷.	ANALYS IS	7
۷.	FIRST SOLUTION: RESTRICTION ON THE COVOLUME	10
VI.	SECOND SOLUTION: THE GENERAL COVOLUME	12
VII.	VALIDATION CHECK OF THE GENERAL COVOLUME ANALYSIS	14
	REFERENCES	15
	APPENDIX A FORTRAN LISTING OF BOTH ANALYSES AND A TEST COMPUTER RUN OF GENERAL COVOLUME ANALYSIS	17
	APPENDIX B AN IBHVG2 COMPUTER RUN TO COMPARE TO THE TEST COMPUTER RUN	53
	DISTRIBUTION LIST	85

COPY INSPITE

Accession For				
NTIS	GRA&I		U	
DTIC T	AB		C.3	
Unannounced []				
Justif	Cloatic	n	<del></del>	
	labili	a∕ t <b>y</b> Co		
	Avail		or	
Dist	Spec	ial		
A-1				

CONTROL CONTROL ADMINISTRACIO

#### I. INTRODUCTION

Closed vessel tests are routinely performed to determine the linear burning rates of solid propellant for interior ballistic studies. There are several established techniques 1,2,3,4,5 for calculating burning rates from the experimentally recorded pressure-time data together with relevant properties of the test sample, igniter, and pressure vessel.

Generation of synthetic pressure traces to simulate closed vessel firings is done to validate new burning rate reduction programs, test extensions to existing models, assess the sensitivity of computational algorithms to different methods of smoothing and differentiating the fundamental pressure data, and provide predictions for guiding the decisions of test engineers. These needs became acutely evident in the JANNAF-sponsored round robin on closed bomb methods when some easily communicated validation and comparison procedure would have been very useful.

The usual procedure 1,7 is the numerical integration of a burning rate law to yield the depth burned into the individual propellant grains of a charge with specified thermodynamic properties. The grain geometry determines burning surface area implying the mass-generation rate of combustion gases, which is in turn integrated. Once the mass of evolved gas is known, the energy equation and gas law yield the gas temperature and pressure at that instant. If P is required, it may either be found analytically from the gas law and energy equation or via numerical differentiation of the pressure.

Alternatively, the general problem of synthesizing closed vessel pressure data can be simplified by means of a number of assumptions which then allow two closed-form finite solutions for a charge of single-perforated grains as detailed below. Seven algebraic formulas are derived which permit easy computer calculation of the pressure, depth burned, mass burned, their respective derivatives, and instantaneous surface area which can then be used as input to a burning rate reduction program. The first assumes the covolume equals the reciprocal of the density; the second removes this restriction.

#### II. GLOSSARY OF SYMBOLS

a constant grouping

- b constant grouping
- c constant grouping
- d initial perforation diameter of propellant grain
- D initial outer diameter of propellant grain
- f constant grouping
- g constant grouping
- H energy loss proportionality constant
- k constant grouping

```
initial length of propellant grain
L
        mass of air
ma
m i
        mass of igniter
        mass of propellant burned at time t
        original mass propellant
\mathfrak{m}_{\text{po}}
m
        mass-generation rate of propellant gases at time t
        molecular weight of igniter and propellant gases
М
P
        gas pressure at time t
         actual maximum pressure with energy loss
Pact
         theoretical maximum pressure with no energy loss
P<sub>theo</sub>
P
         time-rate-of-change of pressure at time t
R
         universal gas constant
         burning surface area of the charge
S
         elapsed time from ignition
Т
         flame temperature of propellant, igniter gases, and air
         gas temperature
V(x)
         volume of each propellant grain at distance burned x
Vъ
         volume of empty bomb
         free volume for combustion gases
V<sub>free</sub>
         depth burned into each grain at time t
х
         depth burned at grain extinction
xext
         linear burning rate at time t
х
         exponent in burning rate law
         coefficient in burning rate law
         covolume of propellant and igniter gases
         density of solid propellant
```

#### III. ASSUMPTIONS

A number of simplifying assumptions are made in order to render an analytic solution possible for a closed-form calculation. The propellant is taken to possess constant density, flame temperature, molecular weight, and covolume. The igniter material and air, if present, have the same molecular weight, flame temperature, heat capacity, and covolume as the propellant during combustion. Energy loss is considered as being proportional to the mass of propellant burned. The combustion gases are completely mixed, producing a uniform pressure and temperature throughout the bomb at all times related by the Noble-Abel equation of state. The propellant grains are identical single-perforated cylinders all the surfaces of which are ignited at t = 0 and burn uniformly thereafter

according to the linear burning rate law  $\dot{x}$  =  $\beta P^{\alpha}$  with  $\alpha$ = 1. The igniter, by contrast, is all burned at t = 0.

#### IV. ANALYSIS

For a charge of identical single-perforated propellant grains of uniform density, the mass-fraction burned at depth x may be expressed as

$$\frac{m}{m}_{po} = \frac{V(0) - V(x)}{V(0)}$$
 (4.01)

$$= \frac{1/_{4} \pi L (D^{2} - d^{2}) - 1/_{4} \pi (L - 2x)[(D - 2x)^{2} - (d + 2x)^{2}]}{1/_{4} \pi L (D^{2} - d^{2})}$$

that, upon rearrangement, yields

$$m_{p} = \frac{8m_{p}}{L(D - d)} \left[ \frac{1}{4} (D - d + 2L)x - x^{2} \right]$$
 (4.02)

or

$$m_p = a(2bx - x^2)$$
 (4.03)

with the constant groupings

$$a = \frac{8m}{\frac{p_0}{L(D-d)}}$$
 (4.04)

and

$$b \equiv \frac{D - d + 2L}{8}$$

which is valid for depths burned over the range

$$0 \le x \le x_{\text{ext}} = \frac{1}{2} \min[L_1^{1/2}(D - d)]. \tag{4.05}$$

We write the equation of state in the form

$$PV_{free} = (m_p + m_i + m_a) \frac{R}{M} T_g$$

where

$$V_{\text{free}} = V_b - m_{p_0}/\rho - m_{p_0}(\eta - 1/\rho) - m_i \eta - m_a \eta$$
 (4.06)

with

$$T_g = (m_p + m_i + m_a - m_p 11) T/(m_p + m_i + m_a).$$

The heat loss correction factor  $\boldsymbol{m}_{D}\boldsymbol{H}$  is derived from

$$(m_p + m_i + m_a) c_v (T - T_g) = heat loss$$

where  $\mathbf{c}_{\mathbf{v}}$  is the heat capacity at constant volume

or

$$T_g = \frac{(m_p + m_i + m_a) c_v T - \text{heat loss}}{(m_p + m_i + m_a) c_v}.$$

Letting heat loss =  $H c_V T m_D$ 

then

$$T_g = \frac{(m_p + m_i + m_a - m_p H) T}{(m_p + m_i + m_a)}$$

Substituting  $\boldsymbol{T}_{\boldsymbol{g}}$  into the equation of state

$$pv_{free} = \frac{R}{M} T(m_p + m_i + m_a - m_p H).$$
 (4.07)

Since the actual maximum pressure,  $P_{act}$ , occurs when all the propellant is burned the numerical value of H is obtained from (4.07) yielding

$$H = 1 - \left\{ \frac{P_{act}}{RT} (V_b - (m_{p_o} + m_i + m_a) \eta) - (m_i + m_a) \right\} / m_{p_o}$$
with
$$0 \le P_{act} \le P_{theo}.$$
(4.08)

With our original assumptions, substitution of

$$\dot{x} = \beta P^{a} = \beta P, \tag{4.09}$$

(4.06) and (4.03) into (4.07) then produces the differential equation

$$\frac{\dot{x}}{\beta} \left[ V_b - m_{p_0} / \rho - a(2bx - x^2)(\eta - 1/\rho) - (m_i + m_a) \eta \right]$$

$$= \left[ m_i + m_a + a(2bx - x^2)(1 - H) \right] \frac{RT}{M}$$
(4.10)

subject to the initial condition x=0 at time t=0.

Further, the total burning surface area (that is, the product of the number of grains and the surface area per grain) is

$$S = \frac{m_{p_{O}}}{\rho V(0)} \cdot \left\{ \pi (L - 2x)(D - 2x) + \pi (L - 2x)(d + 2x) + 2 \cdot \frac{1}{4} \pi \right\}$$

$$\left[ (D - 2x)^{2} - (d + 2x)^{2} \right]$$

or

$$S = \frac{2a}{0} (b - x)$$

with a and b given in (4.04).

# V. FIRST SOLUTION: RESTRICTION ON THE COVOLUME

We can suppose that the increase in free volume due to the burning of the charge is just balanced by the covolume taken up by the combustion gases. That is, we assume

$$\eta = \frac{1}{\Omega}.$$

In this case we can simplify and rearrange (4.10) to produce

$$\dot{x} = \frac{\beta RT \ a \ (1 - H)}{M[V_b - m_p/\rho - (m_i + m_a) n]} \left[ \frac{m_i + m_a}{a (1 - H)} + 2bx - x^2 \right]$$

or

$$\dot{x} = k[c^2 - (x - b)^2]$$
 (5.02)

for the constant groupings

$$k = \frac{\beta RT \ a \ (1 - II)}{M[V_b - m_p/\rho - (m_i + m_a) \ \eta]}$$

and

$$c^{2} = b^{2} + \frac{m_{1}^{2} + m_{a}}{a(1 - 11)} . {(5.03)}$$

Making the substitution u = x-b implies

$$\overset{\bullet}{\mathbf{u}} = \mathbf{k} \left[ \mathbf{c}^2 - \mathbf{u}^2 \right]$$

or

$$\frac{\mathrm{d}u}{\mathrm{c}^2 - \mathrm{u}^2} = \mathrm{k} \, \mathrm{d}t,\tag{5.04}$$

the left hand side of which is a standard form once we observe that

$$b = \frac{1}{4} \left[ \frac{1}{2} (D - d) + L \right] > \frac{1}{4} \cdot 2 \min \left[ L, \frac{1}{2} (D - d) \right] = x_{ext} > x$$
 (5.05)

which guarantees that

$$c > b > b - x = |x - b| = |u| > 0$$
 (5.06)

so that

$$c^2 > u^2$$
.

Then the solution is

$$\frac{1}{2c} \cdot \ln\left[\frac{c + u}{c - u}\right] = kt + C_{1}$$

$$\frac{c - b + x}{c + b - x} = C_{2}e^{2kct}.$$
(5.07)

AND STORES STREET STREETS STREETS PROPER FOREST KIKKEN FORTING KKKKEN FORTING KKKKK

But the required initial condition x=0 at time t=0 forces the integration constant

$$c_2 = \frac{c - b}{c + b} \tag{5.08}$$

which, when substituted into (5.07) produces, after some rearrangement,

$$x = \frac{e^{2kct} - 1}{\frac{1}{c - b} + \frac{1}{c + b}} e^{2kct}$$
 (5.09)

which is valid for all times t such that

$$0 \le t \le \frac{1}{2kc} \cdot \ln\left[\frac{c \div b}{c - b} \cdot \frac{c - b + x_{ext}}{c + b - x_{ext}}\right]. \tag{5.10}$$

Once the special constant groupings have been computed, calculations at any time t in the above range proceed as follows. The depth burned, x, is found from (5.09), the linear burning rate, x, from (5.02), the pressure, P, from (4.09), surface area, S, from (4.11), and the mass of propellant burned,  $\mathfrak{m}_p$ , from (4.03). We differentiate (4.09) in conjunction with (5.02) to determine  $\tilde{P}$ 

$$\dot{\mathbf{p}} = \frac{\mathbf{x}}{\beta} = \frac{-2\mathbf{k}}{\beta} (\mathbf{x} - \mathbf{b}) \dot{\mathbf{x}}$$
 (5.11)

and differentiate (4.03) to determine  $m_{D}$ 

$$m_{p} = 2a(b - x)x. \tag{5.12}$$

#### VI. SECOND SOLUTION: THE GENERAL COVOLUME

If we place no restrictions on the covolume we can simplify (4.10) to

$$\frac{\dot{x} \ a(\eta - 1/\rho)}{\beta} \left[ \frac{V_b - m_p/\rho - (m_i + m_a)\eta}{a(\eta - 1/\rho)} - 2bx + x^2 \right]$$

$$= \frac{RT \ a(1 - 1)}{M} \left[ \frac{m_i + m_a}{a(1 - 1)} + 2b \times - x^2 \right]$$

υr

$$\dot{x}[f + (x -b)^{2}] = g[c^{2} - (x - b)^{2}]$$
 (6.01)

for the constant groupings

$$f = \frac{v_b - m_p/\rho - (m_i + m_a) \eta}{a(\eta - 1/\rho)} -b^2$$

and

$$g = \frac{\beta RT(1-H)}{M(\eta-1/\rho)}.$$
 (6.02)

As in the previous case, we make the substitution u = x - b and solve the resulting standard form thusly

$$\frac{\dot{u} \left[ \frac{f + u^2}{c^2 - u^2} \right] = g}{\left[ \frac{f + c^2}{c^2 - u^2} - 1 \right] du = g dt}$$

$$(f + c^2) \frac{1}{2c} \cdot \ln \left[ \frac{c + u}{c - u} \right] - u = gt + c_3$$

$$\frac{f + c^2}{2c} \cdot \ln \left[ \frac{c - b + x}{c + b - x} \right] - x + b = gt + c_3 .$$
(6.03)

Imposition of the initial condition x=0 at time t=0 forces the integration constant

$$c_3 = \frac{f + c^2}{2c} \cdot \ln\left[\frac{c - b}{c + b}\right] + b$$
 (6.04)

so that elapsed time may be expressed as a function of depth burned

$$t = \frac{f + c^2}{2cg} \cdot \ln\left[\frac{c - b + x}{c + b - x} \cdot \frac{c + b}{c - b}\right] - \frac{x}{g}$$
 (6.05)

for any x up to  $x_{\text{ext}}$ . Because it is not possible to solve this equation for x as a function of t in a finite closed form, this method cannot be used in applications where a constant time between consecutive points is a requirement unless we are willing to iterate (6.05) with successive approximations to x.

Once the constant groupings have been computed, calculations at any depth burned x in the allowed range proceed as follows. The elapsed time, t, is found from (6.05), the linear burning rate,  $_{\rm X}$ , from (6.01), the pressure, P, from (4.09), surface area, S, from (4.11), the mass of propellant burned,  $_{\rm m}$ , from (4.03), and the mass-generation rate,  $_{\rm m}$ , from (5.12). We differentiate (4.09) in conjunction with (6.01) to determine

$$\dot{P} = \frac{\dot{x}}{\beta} = \frac{-2g(f + c^2)}{\beta} \cdot \frac{(x - b)\dot{x}}{[f + (x - b)^2]^2}.$$
 (6.06)

## VII. VALIDATION CHECK OF THE GENERAL COVOLUME ANALYSIS

In Appendix A a FORTRAN listing is provided which incorporates solution techniques for both the restriction on the covolume and the general covolume (with an iterative procedure to get constant-time increments). A sample problem is also provided which was run with the general covolume solution technique with no heat loss. The output can be compared to the same run on IBHVG2<sup>8</sup> (a lumped parameter interior ballistic computer code) which is provided in Appendix B. As can be seen, all eight calculated variables are the same, as they should be, within the print accuracy of the computer codes. Similar runs and comparisons have been performed for the restriction on the covolume analysis with the same excellent agreement with IBHVG2.

### VIII. REFERENCES

- 1. F. W. Robbins and A. W. Horst, "Numerical Simulation of Closed Bomb Performance Based on BLAKE Code Thermodynamic Data," IHMR 76-259, Naval Ordnance Station, Indian Head, MD, November 1976.
- 2. C. Price and A. Juhasz, "A Versatile User-Oriented Closed Bomb Data Reduction Program (CBRED)," BRLR 2018, Ballistic Research Laboratory, Aberdeen Proving Ground, MD, September 1977.
- 3 A. Pallington and M. Weinstein, "Method of Calculation of Interior Ballistic Properties of Propellants from Closed Bomb Data," TR 2005, Picatinny Arsenal, Dover, NJ, June 1954.
- 4. W. Wallace, "New Formulas for Rapid Calculation of Linear Burning Rates of Solid Propellants," TR 2488, Picatinny Arsenal, Dover, NJ, April 1958.
- 5. A. Celmins, "Solid Propellant Burning Rate Measurement in a Closed Bomb," Combustion and Flame, Vol. 23, 1974, pp. 381-397.
- 6. A. A. Juhasz (ed.), "Round Robin Results of the Closed Bomb and Strand Burner," CPIA Publication 361, The Johns Hopkins University, Laurel, MD, July 1982.

- 7. F. Hunt and H. Hinds, "Internal Ballistics," Philosophical Library, NY, 1951, pp. 53-66.
- 8. R. D. Anderson and K. D. Fickie, "IBHVG2 -- A User's Guide," BRLTR-2829, Ballistic Research Laboratory, Aberdeen Proving Ground, MD, July 1987.

APPENDIX A
FORTRAN LISTING OF BOTH ANALYSES
AND A TEST COMPUTER RUN OF GENERAL COVOLUME ANALYSIS

```
C
cccccccccccccccc**
   METHOD DUE TO WORK BY F. W. ROBBINS & F. LYNN
   DATE COMPLETED: OCTOBER 22, 1986
C
CCCCCCCCCCCCCCCCC**
      PROGRAM SPERF
C
CCCCCCCCCCCCCCCCCC**
C A SERIES OF SUBROUTINES TO CALCULATE, FROM A CLOSED BOMB
C SOLUTION, THE PRESSURE-TIME CURVE FOR A CLOSED BOMB.
C ASSOCIATED VARIABLES CALCULATED ARE DISTANCE BURNT, BURNING
C RATE, DP/DT, MASS BURNT, DM/DT, AND THE SURFACE AREA.
C THERE ARE TWO POSSIBLE SOLUTIONS :
C
      SOLN1 --> COVOLUME = 1/DENSITY,
C
C
      SOLN2 --> COVOLUME <> DENSITY, BUT AN ITERATIVE
C
                PROCEDURE IS REQUIRED TO GET TIME AND
C
                PRESSURE AT A CONSTANT DELTA T
C
C ANALYSIS ASSUMES A SINGLE PERFORATED GRAIN WITH AN IGNITOR
C (ALL BURNT AT TIME = 0) WITH OR WITHOUT AIR OR HEAT LOSS
C (AIR AND THE IGNITOR HAVE THE SAME THERMOCHEMISTRY AS THE
C PROPELLANT. A BP'N BURNING RATE LAW IS ASSUMED WITH N = 1.
C
CCCCCCCCCCCCCCCCCC**
        IMPLICIT DOUBLE PRECISION (A-H,O-Z)
C
      COMMON /SPECS/ BIGD, D, EL, EMI, EMPO, EMW, VB, BETA, R, TF, RHO,
     + ETA, PACT, EMAIR
      COMMON METHOD
      CHARACTER HH*1
      DATA HH/Z'OC'/
      DATA NINP/7/, NOUT/8/, TOL/1.0E-04/
**cccccccccccccccccccc
C THE INPUT VARIABLES ARE :
C BIGD - OUTER GRAIN DIAMETER
C D - PERFORATION DIAMETER
C EL - GRAIN LENGTH
C EMI - MASS OF THE IGNITOR
C EMPO - MASS OF THE PROPELLANT
C EMW - MOLECULAR WEIGHT
C VB - VOLUME OF THE BOMB
C BETA - BURNING RATE COEFFICIENT
C TF - FLAME TEMPERATURE
C RHO - DENSITY OF PROPELLANT
C ETA - COVOLUME (IF ETA <= 0 OR 1/RHO, SOLN1 IS USED)
C EMAIR - MASS OF AIR
```

```
C PACT - ACTUAL MAXIMUM PRESSURE
C (USED TO DETERMINE HEAT LOSS; IF <= 0, HEAT LOSS
  NOT CONSIDERED)
C R - UNIVERSAL GAS CONSTANT
C (USED TO CORRECT FOR UNITS
  R = 33378.926 IN-LB F/LB MOLE DEGREE K
  DIMENSIONS OF GRAIN IN INCHES, BURNING RATE
  IN INCHES/SEC, WEIGHT IN POUNDS, VOLUME IN
  CUBIC INCHES, FLAME TEMPERATURE IN DEGREE K,
  DENSITY IN POUNDS/CUBIC INCH, COVOLUME IN
  CUBIC INCHES/POUND AND PRESSURE IN POUNDS/
  SQUARE INCH).
cccccccccccccccccc
        OPEN (7, FILE='ENTER', STATUS='OLD')
        OPEN(8, FILE='OUTSYN', STATUS='NEW')
        REWIND(7)
        REWIND(8)
      READ (NINP, *) BIGD, D, EL, EMI, EMPO, EMW, VB, BETA
      READ (NINP, *) TF, RHO, ETA, EMAIR, PACT, R
      WRITE (NOUT, 99) HH
      WRITE (NOUT, 100) BIGD, D, EL, EMI, EMPO, EMW, VB, BETA, TF,
     + RHO, ETA, EMAIR, PACT, R
      METHOD = 2
      TESTR = 1.0/RHO
C METHOD = 1 FOR SOLN1 (COVOLUME = 1/DENSITY)
C METHOD = 2 FOR SOLN2 (COVOLUME <> 1/DENSITY)
      IF ( ABS ( ETA - TESTR ) .LT. TOL )
                                            METHOD = 1
      IF ( ETA .LT. TOL ) METHOD = 1
      CALL SBOMB
   99 FORMAT(A1)
                                                ,F20.6,/1X,
  100 FORMAT (1X,26HGRAIN DIAMETER=
                  26HPERFORATION DIAMETER=
                                                ,F20.6,/1X,
                                                ,F20.6,/1X,
                  26HGRAIN LENGTH=
                                                ,F20.6,/1X,
                  26HIGNITOR MASS=
                                               ,F20.6,/1X,
                  26HPROPELLANT MASS=
                                                ,F20.6,/1X,
                  26HMOLECULAR WEIGHT=
                                                ,F20.6,/1X,
                  26HBOMB VOLUME=
                  26HBURNING RATE COEFFICIENT= ,F20.6,/1X,
                                                ,F20.6,/1X,
                  26HFLAME TEMPERATURE=
                                                ,F20.6,/1X,
                  26HDENSITY=
                                                ,F20.6,/1X,
                  26HCOVOLUME=
                                                ,F20.6,/1X,
                  26HAIR MASS=
                                                ,F20.6,/1X,
                  26HACTUAL MAXIMUM PRESSURE=
                  26HUNIVERSAL GAS CONSTANT=
                                                ,F20.6//)
         CLOSE (7)
         CLOSE(8)
      END
C
C
       SUBROUTINE SBOMB
         IMPLICIT DOUBLE PRECISION (A-H,O-Z)
```

ZZ OROZOWA WYPYRE SPEKE O SISING WERZER WORKER WORKER WORKER WORKER WORKER WORKER WORKER

```
COMMON /SPECS/ BIGD, D, EL, EMI, EMPO, EMW, VB, BETA, R, TF, RHO,
     + ETA, PACT, EMAIR
      COMMON /CALCS/ T, TEXT, X, XEXT, XDOT, P, PDOT, EMP, EMPDOT, S
      COMMON METHOD
      CHARACTER HH*1
      DATA NSTEP/1200/, ERROR/1.0E-7/, NOUT/8/
      DATA MAXLIN /54/,HH/Z'OC'/
      LCOUNT = 1
      X = 0
      T = 0
      IF (METHOD .EQ. 1) GOTO 10
C INITIALIZE CONSTANTS
C
      CALL SOLN2 (0)
      GOTO 20
 INITIALIZE CONSTANTS
   10 CALL SOLN1 (0)
   20 CONTINUE
      WRITE (NOUT, 98) HH
      WRITE (NOUT, 101)
C GET DELTA T
C
      DELT = TEXT/NSTEP
  GET INITIAL GUESS FOR DISTANCE BURNT FOR
C USE IF METHOD = 2
      X = XEXT/NSTEP
      DO 30 I = 1,NSTEP
      IF (METHOD .NE. 1) GOTO 100
C USE METHOD 1
      T = I*DELT
      CALL SOLN1 (I)
      GOTO 200
  100 CONTINUE
С
  USE METHOD 2 WITH NEWTON-RAPHSON ITERATIVE PROCEDURE
C
      CALL SOLN2 (I)
      IF (ABS(1.0-T/(I*DELT)) .LT. ERROR) GOTO 200
      X = X - (T - I * DELT) * XDOT
      IF (X .Lf. 0.0) X = (X+(T-I*DELT)*XDOT)/10.
      GOTO 100
  200 CONTINUE
      IF (LCOUNT .LE. MAXLIN) GOTO 5
      WRITE (NOUT, 98) HH
      WRITE (NOUT, 101)
      LCOUNT = 1
    5 CONTINUE
```

1220022

XXXXXXX

```
WRITE (NOUT, 99) T, P, PDOT, XDOT, EMP, EMPDOT, S, X
      LCOUNT = LCOUNT + 1
   30 CONTINUE
   98 FORMAT(A1)
   99 FORMAT (1X,8E12.5)
  101 FORMAT (5X,4HTIME,6X,8HPRESSURE,6X,4HPDOT,8X,
               4HXDOT, 2X, 16HPROPELLANT BURNT, 2X, 4HMDOT
               7X,7HSURFACE,2X,14HDISTANCE BURNT//)
      RETURN
      END
C
C
C
C
      SUBROUTINE SOLN1(IPASS)
        IMPLICIT DOUBLE PRECISION (A-H,O-Z)
      COMMON /SPECS/ BIGD, D, EL, EMI, EMPO, EMW, VB, BETA, R, TF, RHO,
     + ETA, PACT, EMAIR
      COMMON /CALCS/ T, TEXT, X, XEXT, XDOT, P, PDOT, EMP, EMPDOT, S
      COMMON METHOD
      DATA NOUT/8/
C SOLUTION METHOD 1 --> COVOLUME = 1/DENSITY
      IF(IPASS.GT.0) GOTO 100
С
C INITIALIZE CONSTANTS, SET COVOLUME <-- 1/DENSITY
      ETA=1.0/RHO
      A=8.0 \times EMPO/(EL \times (BIGD-D))
      B = (BIGD-D+2.0*EL)/8.0
C CALCULATE THEORETICAL MAXIMUM PRESSURE
C (NO ENERGY LOSS)
      PTHEO=(EMPO+EMI+EMAIR)*R*TF/EMW/(VB-(EMPO+EMI+EMAIR)*ETA)
      WRITE (NOUT, 79) PTHEO
C
C DETERMINE IF HEAT LOSS IS TO BE CONSIDERED
       IF (PACT .LE. 1.E-8) PACT = PTHEO
C
C CALCULATE HEAT LOSS FACTOR
      H=1.0-(PACT*EMW*(VB-(EMPO+EMI+EMAIR)*ETA)/(R*TF)-
     + (EMI+EMAIR))/EMPO
      XK=BETA*R*TF*A*(1.-H)/(EMW*(VB-EMPO/RHO-(EMI+EMAIR)*ETA))
       C=SQR'T(B**2+(EMI+EMAIR)/(A*(1.-H)))
C
  CALCULATE DEPTH BURNED AT TIME OF GRAIN EXTINCTION
       XEXT=0.5*DMIN1(EL, 0.5*(BIGD-D))
C CALCULATE TIME OF GRAIN EXTINCTION
```

```
C
      TEXT=1.0/(2.0*XK*C)*DLOG((C**2-B**2+XEXT*(C+B))/
     (C**2-B**2-XEXT*(C-B))
      WRITE(NOUT, 77) H
      WRITE(NOUT, 78) METHOD
      WRITE(7,77) H
      WRITE(7,78) METHOD
                      CALCULATE VARIABLES
C DISTANCE BURNED
  100 X=(EXP(2.0*XK*C*T)-1.0)/(1.0/(C-B)+1.0/(C+B)*EXP(2.0*XK*C*T))
C BURNING RATE
      XDOT=XK*(C**2-(X-B)**2)
C PRESSURE
C
      P=XDOT/BETA
C RATE OF CHANGE OF PRESSURE
      PDOT=-2.0*XK/BETA*(X-B)*XDOT
C
C MASS PROPELLANT BURNT
      EMP=A*(2.0*B*X-X**2)
C RATE OF CHANGE OF MASS OF PROPELLANT
      EMPDOT=2.0*A*(B-X)*XDOT
C SURFACE
      S=2.*A*(B-X)/RHO
C
   77 FORMAT (1X,20HHEAT LOSS FACTOR -- ,F10.7)
   78 FORMAT (1X,10HMETHOD -- ,I1)
   79 FORMAT (1X,29HTHEORETICAL MAXIMUM PRESSURE ,E20.14)
      RETURN
      END
C
C
      SUBROUTINE SOLN2 (IPASS)
         IMPLICIT DOUBLE PRECISION (A-H,O-Z)
      COMMON /SPECS/ BIGD, D, EL, EMI, EMPO, EMW, VB, BETA, R, TF, RHO,
     + ETA, PACT, EMAIR
      COMMON /CALCS/ T, TEXT, X, XEXT, XDOT, P, PDOT, EMP, EMPDOT, S
      COMMON METHOD
      DATA NOUT/8/
C SOLUTION METHOD 2 --> COVOLUME <> 1/DENSITY
```

```
C
      IF(IPASS.GT.0) GOTO 100
C INITIALIZE CONSTANTS
      A=8.0 \times EMPO/(EL*(BIGD-D))
      B=(BIGD-D+2.0*EL)/8.0
C CALCULATE THEORETICAL MAXIMUM PRESSURE
C (NO ENERGY LOSS)
      PTHEO: (EMPO+EMI+EMAIR) *R*TF/EMW/(VB-(EMPO+EMI+EMAIR) *ETA)
      WRITE (NOUT, 79) PTHEO
C
 DETERMINE IF HEAT LOSS IS TO BE CONSIDERED
      IF (PACT .LE. 1.E-8) PACT = PTHEO
C EVALUATE HEAT LOSS FACTOR
      H=1.-(PACT*EMW*(VB-(EMPO+EMI+EMAIR)*ETA)/(R*TF)-(EMI+EMAIR))/EMPO
      C=SQRT(B**2+(EMI+EMAIR)/(A*(1.-H)))
      F=(VB-EMPO/RHO-(EMI+EMAIR)*ETA)/(A*(ETA-1.0/RHO))-B**2
      G=BETA*R*TF*(1.-H)/(EMW*(ETA-1.0/RHO))
C CALCULATE DEPTH BURNED AT TIME OF GRAIN EXTINCTION
      XEXT=0.5*DMIN1(EL,0.5*(BIGD-D))
C CALCULATE TIME OF GRAIN EXTINCTION
      TEXT = (F+C**2)/(2.0*C*G)*DLOG((C**2-B**2+XEXT*(C+B))/
     $ (C**2-B**2-XEXT*(C-B)))-XEXT/G
      WRITE (NOUT, 77) H
      WRITE (NOUT, 78) METHOD
С
                       CALCULATE VARIABLES
C
C TIME
  100 T=(F+C**2)/(2.0*C*G)*DLOG((C**2-B**2+X*(C+B))/
      $ (C**2-B**2-X*(C-B)))-X/G
C BURNING RATE
       XDOT=G*(C**2-(X-B)**2)/(F+(X-B)**2)
C PRESSURE
C
       P=XDOT/BETA
 C RATE OF CHANGE OF PRESSURE
       PDOT=-2.0*G*(F+C**2)*(X-B)*XDOT/(BETA*(F+(X-B)**2)**2)
 C
```

```
C MASS PROPELLANT BURNED

C EMP=A*(2.0*B*X-X**2)

C RATE OF CHANGE OF MASS OF PROPELLANT

C EMPDOT=2.0*A*(B-X)*XDOT

C SURFACE

C S=2.*A*(B-X)/RHO

C 77 FORMAT (1X,20HHEAT LOSS FACTOR -- ,F10.7)

78 FORMAT (1X,10HMETHOD -- ,I1)

79 FORMAT (1X,29HTHEORETICAL MAXIMUM PRESSURE ,E20.14)

RETURN
END
```

GRAIN DIAMETER=	0.250000
PERFORATION DIAMETER=	0.050000
GRAIN LENGTH=	1.000000
IGNITOR MASS=	0.000200
PROPELLANT MASS=	0.125000
MOLECULAR WEIGHT=	28.000000
BOMB VOLUME=	12.510000
BURNING RATE COEFFICIENT=	0.002000
FLAME TEMPERATURE=	3400.000000
DENSITY=	0.060000
COVOLUME=	25.000000
AIR MASS=	0.000000
ACTUAL MAXIMUM PRESSURE=	54099.685000
UNIVERSAL GAS CONSTANT=	33378.926000

THEORETICAL MAXIMUM PRESSURE 0.54099684814499E+05
HEAT LOSS FACTOR -- 0.0000000
METHOD -- 2

POOT

0.25398E-05 0.78207E+02 0.16731E+06 0.15641E+00 0.10895E-05 0.43014E+00 0.45833E+02 0.39618E-06 0.50796E-05 0.78633E+02 0.16823E+06 0.15727E+00 0.21849E-05 0.43248E+00 0.45833E+02 0.79453E-06 0.76194E-05 0.79062E+02 0.16914E+06 0.15812E+00 0.32864E-05 0.43484E+00 0.45833E+02 0.11950E-05 0.10159E-04 0.79492E+02 0.17006E+06 0.15898E+00 0.43938E-05 0.43721E+00 0.45833E+02 0.15977E-05 0.12699E-04 0.79925E+02 0.17099E+06 0.15985E+00 0.55072E-05 0.43959E+00 0.45833E+02 0.20026E-05 0.15239E-04 0.80361E+02 0.17192E+06 0.16072E+00 0.66267E-05 0.44198E+00 0.45833E+02 0.24097E-05 0.17779E-04 0.80799E+02 0.17286E+06 0.16160E+00 0.77523E-05 0.44439E+00 0.45833E+02 0.28190E-05 0.20318E-04 0.81239E+02 0.17380E+06 0.16248E+00 0.88840E-05 0.44681E+00 0.45833E+02 0.32306E-05 0.22858E-04 0.81682E+02 0.17475E+06 0.16336E+00 0.10022E-04 0.44924E+00 0.45833E+02 0.36444E-05 0.25398E-04 0.82127E+02 0.17570E+06 0.16425E+00 0.11166E-04 0.45169E+00 0.45833E+02 0.40604E-05 0.27938E-04 0.82574E+02 0.17666E+06 0.16515E+00 0.12316E-04 0.45415E+00 0.45833E+02 0.44787E-05 0.30478E-04 0.83024E+02 0.17762E+06 0.16605E+00 0.13473E-04 0.45662E+00 0.45833E+02 0.48993E-05 0.33018E-04 0.83476E+02 0.17859E+06 0.16695E+00 0.14636E-04 0.45911E+00 0.45832E+02 0.53222E-05 0.35557E-04 0.83931E+02 0.17956E+06 0.16786E+00 0.15805E-04 0.46161E+00 0.45832E+02 0.57474E-05 0.38097E-04 0.84388E+02 0.18054E+06 0.16878E+00 0.16981E-04 0.46413E+00 0.45832E+02 0.61749E-05 0.40637E-04 0.84848E+02 0.18152E+06 0.16970E+00 0.18163E-04 0.46665E+00 0.45832E+02 0.66047E-05 0.43177E-04 0.85311E+02 0.18251E+06 0.17062E+00 0.19351E-04 0.46920E+00 0.45832E+02 0.70369E-05 9.45717E-04 0.85775E+02 0.18351E+06 0.17155E+00 0.20546E-04 0.47175E+00 0.45832E+02 0.74714E-05 0.48256E-04 0.86243E+02 0.18451E+06 0.17249E+00 0.21747E-04 0.47432E+00 0.45832E+02 0.79083E-05 0.50796E-04 0.86713E+02 0.18551E+06 0.17343E+00 0.22955E-04 0.47690E+00 0.45832E+02 0.83475E-05 0.53336E-04 0.87185E+02 0.18652E+06 0.17437E+00 0.24170E-04 0.47950E+00 0.45832E+02 0.87892E-05 0.55876E-04 0.87660E+02 0.18754E+06 0.17532E+00 0.25391E-04 0.48211E+00 0.45832E+02 0.92333E-05 0.58416E-04 0.88138E+02 0.18856E+06 0.17628E+00 0.26619E-04 0.48474E+00 0.45832E+02 0.96798E-05 0.60955E-04 0.88618E+02 0.18959E+06 0.17724E+00 0.27853E-04 0.48738E+00 0.45832E+02 0.10129E-04 0.63495E-04 0.89101E+02 0.19062E+06 0.17820E+00 0.29095E-04 0.49003E+00 0.45832E+02 0.10580E-04 0.66035E-04 0.89586E+02 0.19166E+06 0.17917E+00 0.30343E-04 0.49270E+00 0.45831E+02 0.11034E-04 0.68575E-04 0.90074E+02 0.19270E+06 0.18015E+00 0.31597E-04 0.49539E+00 0.45831E+02 0.11490E-04 0.71115E-04 0.90565E+02 0.19375E+06 0.18113E+00 0.32859E-04 0.49809E+00 0.45831E+02 0.11949E-04 0.73654E-04 0.91058E+02 0.19481E+06 0.18212E+00 0.34128E-04 0.50080E+00 0.45831E+02 0.12410E-04 0.76194E-04 0.91555E+02 0.19587E+06 0.18311E+00 0.35403E-04 0.50353E+00 0.45831E+02 0.12874E-04 0.78734E-04 0.92053E+02 0.19694E+06 0.18411E+00 0.36685E-04 0.50627E+00 0.45831E+02 0.13340E-04 0.81274E-04 0.92555E+02 0.19801E+06 0.18511E+00 0.37975E-04 0.50903E+00 0.45831E+02 0.13809E-04 0.83814E-04 0.93059E+02 0.19909E+06 0.18612E+00 0.39271E-04 0.51180E+00 0.45831E+02 0.14281E-04 0.86354E-04 0.93566E+02 0.20018E+06 0.18713E+00 0.40574E-04 0.51459E+00 0.45831E+02 0.14755E-04 0.88893E-04 0.94076E+02 0.20127E+06 0.18815E+00 0.41885E-04 0.51739E+00 0.45831E+02 0.15231E-04 0.91433E-04 0.94589E+02 0.20236E+06 0.18918E+00 0.43202E-04 0.52021E+00 0.45831E+02 0.15710E-04 0.93973E-04 0.95104E+02 0.20347E+06 0.19021E+00 0.44527E-04 0.52304E+00 0.45831E+02 0.16192E-04 0.96513E-04 0.95622E+02 0.20457E+06 0.19124E+00 0.45859E-04 0.52589E+00 0.45831E+02 0.16677E-04 0.99053E-04 0.96143E+02 0.20569E+06 0.19229E+00 0.47199E-04 0.52875E+00 0.45830E+02 0.17164E-04 0.10159E-03 0.96667E+02 0.20681E+06 0.19333E+00 0.48545E-04 0.53163E+00 0.45830E+02 0.17653E-04 0.10413E-03 0.97194E+02 0.20794E+06 0.19439E+00 0.49899E-04 0.53453E+00 0.45830E+02 0.18146E-04 0.10667E-03 0.97723E+02 0.20907E+06 0.19545E+00 0.51260E-04 0.53744E+00 0.45830E+02 0.18641E-04 0.10921E-03 0.98256E+02 0.21021E+06 0.19651E+00 0.52629E-04 0.54037E+00 0.45830E+02 0.19139E-04 0.11175E-03 0.98791E+02 0.21135E+06 0.19758E+00 0.54005E-04 0.54331E+00 0.45830E+02 0.19639E-04 0.11429E-03 0.99329E+02 0.21251E+06 0.19866E+00 0.55389E-04 0.54627E+00 0.45830E+02 0.20142E-04 0.11683E-03 0.99871E+02 0.21366E+06 0.19974E+00 0.56780E-04 0.54925E+00 0.45830E+02 0.20648E-04 0.11937E-03 0.10041E+03 0.21483E+06 0.20083E+00 0.58179E-04 0.55224E+00 0.45830E+02 0.21157E-04 0.12191E-03 0.10096E+03 0.21600E+06 0.20192E+00 0.59585E-04 0.55525E+00 0.45830E+02 0.21668E-04 0.12445E-03 0.10151E+03 0.21718E+06 0.20302E+00 0.60999E-04 0.55827E+00 0.45830E+02 0.22183E-04 0.12699E-03 0.10206E+03 0.21836E+06 0.20413E+00 0.62421E-04 0.56131E+00 0.45830E+02 0.22700E-04 0.12953E-03 0.10262E+03 0.21955E+06 0.20524E+00 0.63851E-04 0.56437E+00 0.45829E+02 0.23219E-04 0.13207E-03 0.10318E+03 0.22075E+06 0.20636E+00 0.65288E-04 0.56744E+00 0.45829E+02 0.23742E-04 0.13461E-03 0.10374E+03 0.22195E+06 0.20748E+00 0.66733E-04 0.57053E+00 0.45829E+02 0.24268E-04 0.13715E-03 0.10431E+03 0.22316E+06 0.20862E+00 0.68186E-04 0.57364E+00 0.45829E+02 0.24796E-04

0.13969E-03 0.10488E+03 0.22437E+06 0.20975E+00 0.69647E-04 0.57676E+00 0.45829E+02 0.25327E-04 0.14223E-03 0.10545E+03 0.22560E+06 0.21089E+00 0.71116E-04 0.57991E+00 0.45829E+02 0.25862E-04 0.14477E-03 0.10602E+03 0.22683E+06 0.21204E+00 0.72593E-04 0.58306E+00 0.45829E+02 0.26399E-04 0.14731E-03 0.10660E+03 0.22806E+06 0.21320E+00 0.74078E-04 0.58624E+00 0.45829E+02 0.26939E-04 0.14985E-03 0.10718E+03 0.22930E+06 0.21436E+00 0.75571E-04 0.58943E+00 0.45829E+02 0.27482E-04 0.15239E-03 0.10776E+03 0.23055E+06 0.21553E+00 0.77072E-04 0.59264E+00 0.45829E+02 0.28028E-04 0.15493E-03 0.10835E+03 0.23181E+06 0.21670E+00 0.78581E-04 0.59587E+00 0.45829E+02 0.28576E-04 0.15747E-03 0.10894E+03 0.23307E+06 0.21788E+00 0.80099E-04 0.59912E+00 0.45828E+02 0.29128E-04 0.16001E-03 0.10954E+03 0.23434E+06 0.21907E+00 0.81624E-04 0.60238E+00 0.45828E+02 0.29683E-04 0.16255E-03 0.11013E+03 0.23562E+06 0.22026E+00 0.83158E-04 0.60566E+00 0.45828E+02 0.30241E-04 0.16509E-03 0.11073E+03 0.23690E+06 0.22146E+00 0.84701E-04 0.60896E+00 0.45828E+02 0.30802E-04 0.16763E-03 0.11134E+03 0.23820E+06 0.22267E+00 0.86252E-04 0.61228E+00 0.45828E+02 0.31366E-04 0.17017E-03 0.11194E+03 0.23949E+06 0.22388E+00 0.87811E-04 0.61561E+00 0.45828E+02 0.31933E-04 0.17271E-03 0.11255E+03 0.24080E+06 0.22510E+00 0.89379E-04 0.61896E+00 0.45828E+02 0.32503E-04 0.17525E-03 0.11317E+03 0.24211E+06 0.22633E+00 0.90955E-04 0.62233E+00 0.45828E+02 0.33077E-04 0.17779E-03 0.11378E+03 0.24343E+06 0.22756E+00 0.92540E-04 0.62572E+00 0.45828E+02 0.33653E-04 0.18033E-03 0.11440E+03 0.24476E+06 0.22880E+00 0.94134E-04 0.62913E+00 0.45828E+02 0.34233E-04 0.18287E-03 0.11503E+03 0.24609E+06 0.23005E+00 0.95736E-04 0.63256E+00 0.45828E+02 0.34815E-04 0.18541E-03 0.11565E+03 0.24743E+06 0.23130E+00 0.97347E-04 0.63600E+00 0.45827E+02 0.35401E-04 0.18795E-03 0.11628E+03 0.24878E+06 0.23256E+00 0.98966E-04 0.63947E+00 0.45827E+02 0.35990E-04 0.19049E-03 0.11692E+03 0.25013E+06 0.23383E+00 0.10060E-03 0.64295E+00 0.45827E+02 0.36582E-04 0.19303E-03 0.11755E+03 0.25150E+06 0.23511E+00 0.10223E-03 0.64645E+00 0.45827E+02 0.37178E-04 0.19557E-03 0.11819E+03 0.25287E+06 0.23639E+00 0.10388E-03 0.64997E+00 0.45827E+02 0.37777E-04 0.19811E-03 0.11884E+03 0.25425E+06 0.23767E+00 0.10553E-03 0.65351E+00 0.45827E+02 0.38379E-04 0.20065E-03 0.11948E+03 0.25563E+06 0.23897E+00 0.10720E-03 0.65707E+00 0.45827E+02 0.38984E-04 0.20318E-03 0.12014E+03 0.25702E+06 0.24027E+00 0.10887E-03 0.66065E+00 0.45827E+02 0.39593E-04 0.20572E · 03 0.12079E + 03 0.25842E + 06 0.24158E + 00 0.11055E · 03 0.66425E + 00 0.45827E + 02 0.40204E · 04 0.20826E-03 0.12145E+03 0.25983E+06 0.24290E+00 0.11225E-03 0.66787E+00 0.45827E+02 0.40820E-04 0.21080E-03 0.12211E+03 0.26125E+06 0.24422E+00 0.11395E-03 0.67150E+00 0.45826E+02 0.41438E-04 0.21334E-03 0.12278E+03 0.26267E+06 0.24555E+00 0.11566E-03 0.67516E+00 0.45826E+02 0.42060E-04 0.21588E-03 0.12344E+03 0.26410E+06 0.24689E+00 0.11738E-03 0.67884E+00 0.45826E+02 0.42686E-04 0.21842E-03 0.12412E+03 0.26554E+06 0.24823E+00 0.11911E-03 0.68254E+00 0.45826E+02 0.43314E-04 0.22096E-03 0.12479E+03 0.26699E+06 0.24959E+00 0.12084E-03 0.68625E+00 0.45826E+02 0.43947E-04 0.22350E-03 0.12547E+03 0.26844E+06 0.25095E+00 0.12259E-03 0.68999E+00 0.45826E+02 0.44582E-04 0.22604E-03 0.12616E+03 0.26991E+06 0.25231E+00 0.12435E-03 0.69375E+00 0.45826E+02 0.45221E-04 0.22858E-03 0.12684E+03 0.27138E+06 0.25369E+00 0.12612E+03 0.69753E+00 0.45826E+02 0.45864E+04 0.23112E-03 0.12754E+03 0.27286E+06 0.25507E+00 0.12789E-03 0.70133E+00 0.45826E+02 0.46510E-04 0.23366E-03 0.12823E+03 0.27434E+06 0.25646E+00 0.12968E-03 0.70515E+00 0.45825E+02 0.47160E-04 0.23620E-03 0.12893E+03 0.27584E+06 0.25786E+00 0.13147E-03 0.70899E+00 0.45825E+02 0.47813E-04 0.23874E-03 0.12963E+03 0.27734E+06 0.25926E+00 0.13328E-03 0.71285E+00 0.45825E+02 0.48469E-04 0.24128E-03 0.13034E+03 0.27885E+06 0.26068E+00 0.13509E-03 0.71673E+00 0.45825E+02 0.49130E-04 0.24382E-03 0.13105E+03 0.28037E+06 0.26210E+00 0.13692E-03 0.72063E+00 0.45825E+02 0.49793E-04 0.24636E-03 0.13176E+03 0.28190E+06 0.26352E+00 0.13875E-03 0.72456E+00 0.45825E+02 0.50461E-04 0.24890E-03 0.13248E+03 0.28344E+06 0.26496E+00 0.14060E-03 0.72850E+00 0.45825E+02 0.51132E-04 0.25144E-03 0.13320E+03 0.28498E+06 0.26640E+00 0.14246E-03 0.73247E+00 0.45825E+02 0.51807E-04 0.25398E-03 0.13393E+03 0.28653E+06 0.26785E+00 0.14432E-03 0.73646E+00 0.45825E+02 0.52485E-04 0.25652E-03 0.13466E+03 0.28809E+06 0.26931E+00 0.14620E-03 0.74047E+00 0.45824E+02 0.53167E-04 0.25906E-03 0.13539E+03 0.28966E+06 0.27078E+00 0.14808E-03 0.74450E+00 0.45824E+02 0.53853E-04 0.26160E-03 0.13613E+03 0.29124E+06 0.27226E+00 0.14998E-03 0.74856E+00 0.45824E+02 0.54543E-04 0.26414E-03 0.13687E+03 0.29283E+06 0.27374E+00 0.15188E-03 0.75264E+00 0.45824E+02 0.55236E-04 0.26668E-03 0.13762E+03 0.29443E+06 0.27523E+00 0.15380E-03 0.75673E+00 0.45824E+02 0.55933E-04 0.26922E-03 0.13837E+03 0.29603E+06 0.27673E+00 0.15573E-03 0.76086E+00 0.45824E+02 0.56634E-04 0.27176E-03 0.13912E+03 0.29764E+06 0.27824E+00 0.15767E-03 0.76500E+00 0.45824E+02 0.57339E-04 0.27430E-03 0.13988E+03 0.29927E+06 0.27976E+00 0.15961E-03 0.76917E+00 0.45824E+02 0.58048E-04 である。ことでは、100mmmであるのでは、「「マインのののでは、「「マインのできた。」では、100mmである。「「できた」では、100mmmである。「「できたいのできょうないのできょうないのできょうない。」では、100mmmである。「「できたいのできょうない」では、100mmmである。「「できたいのできょうない」では、100mmmである。「「できたいのできょうない」では、100mmmである。「「できたいのできょうない」では、100mmmである。「「できたいのできょうない」では、100mmmである。「「できたいのできょうない」では、100mmmである。

SYNCO

0.27684E-03 0.14064E+03 0.30090E+06 0.28128E+00 0.16157E-03 0.77335E+00 0.45824E+02 0.58760E-04 0.27938E-03 0.14141E+03 0.30254E+06 0.28281E+00 0.16354E-03 0.77757E+00 0.45823E+02 0.59477E-04 0.28192E-03 0.14218E+03 0.30418E+06 0.28435E+00 0.16552E-03 0.78180E+00 0.45823E+02 0.60197E-04 0.28446E-03 0.14295E+03 0.30584E+06 0.28590E+00 0.16751E-03 0.78606E+00 0.45823E+02 0.60921E-04 0.28740E-03 0.14373E+03 0.30751E+06 0.28746E+00 0.16952E-03 0.79034E+00 0.45823E+02 0.61649E-04 0.28954E-03 0.14451E+03 0.30918E+06 0.28903E+00 0.17153E-03 0.79464E+00 0.45823E+02 0.62381E-04 0.29208E-03 0.14530E+03 0.31087E+06 0.29060E+00 0.17355E-03 0.79897E+00 0.45823E+02 0.63117E-04 0.29462E-03 0.14609E+03 0.31256E+06 0.29219E+00 0.17559E-03 0.80332E+00 0.45823E+02 0.63857E-04 0.29716E-03 0.14689E+03 0.31427E+06 0.29378E+00 0.17763E-03 0.80770E+00 0.45823E+02 0.64601E-04 0.29970E-03 0.14769E+03 0.31598E+06 0.29538E+00 0.17969E-03 0.81210E+00 0.45822E+02 0.65350E-04 0.30224E-03 0.14849E+03 0.31770E+06 0.29699E+00 0.18176E-03 0.81652E+00 0.45822E+02 0.66102E-04 U,30478E-03 0.14930E+03 0.31943E+06 0.29861E+00 0.18384E-03 0.82097E+00 0.45822E+02 0.66858E-04 0.30732E-03 0.15012E+03 0.32117E+06 0.30023E+00 0.18593E-03 0.82544E+00 0.45822E+02 0.67619E-^ 0.30986E-03 0.15093E+03 0.32292E+06 0.30187E+00 0.18803E-03 0.82993E+00 0.45822E+02 0.68383E 0.31240E-03 0.15176E+03 0.32468E+06 0.30351E+00 0.19014E-03 0.83445E+00 0.45822E+02 0.69152E-04 0.31494E-03 0.15258E+03 0.32645E+06 0.3051/E+00 0.19227E-03 0.83900E+00 0.45822E+02 0.69925E-04 0.31748E-03 0.15341E+03 0.32823E+06 0.30683E+00 0.19441E-03 0.84356E+00 0.45822E+02 0.70702E-04 0.32002E-03 0.15425E+03 0.33002E+06 0.30850E+00 0.17655E-03 0.84816E+00 0.45821E+02 0.71484E-04 0.32256E-03 0.15509E+03 0.33182E+06 0.31018E+00 0.19871E-03 0.85278E+00 0.45821E+02 0.72269E-04 0 32510E-03 0.15594E+03 0.33363E+06 0.31187E+00 0.20089E-03 0.85742E+00 0.45821E+02 0.73059E-04 0.32764E-03 0.15679E+03 0.33544E+06 0.31357E+00 0.20307E-03 0.86209E+00 0.45821E+02 0.73853E-04 0.33018E-03 0.15764E+03 0.33727E+06 0.31528E+00 0.20527E-03 0.86679E+00 0.45821E+02 0.74652E-04 0.33272E-03 0.15850E+03 0.33911E+06 0.31700E+00 0.20747E-03 0.87151E+00 0.45821E+02 0.75455E-04 0.33525E-03 0.15936E+03 0.34096E+06 0.31873E+00 0.20969E-03 0.87625E+00 0.45821E+02 0.76262E-04 0.33779E-03 0.16023E+03 0.34282E+06 0.32046E+00 0.21192E-03 0.88102E+00 0.45820E+02 0.77074E-04 0.34033E-03 0.16110E+03 0.34468E+06 0.32221E+00 0.21417E-03 0.88582E+00 0.45820E+02 0.77890E-04 0.34287E-03 0.16198E+03 0.34656E+06 0.32396E+00 0.21642E-03 0.89065E+00 0.45820E+02 0.78711E-04 0.34541E-03 0.16286E+03 0.34845E+06 0.32573E+00 0.21869E-03 0.89550E+00 0.45820E+02 0.79536E-04 0.34795E-03 0.16375E+03 0.35035E+06 0.32750E+00 0.22097E-03 0.90037E+00 0.45820E+02 0.80365E-04 0.35049E-03 0.16464E+03 0.35226E+06 0.32929E+00 0.22327E-03 0.90528E+00 0.45820E+02 0.81199E-04 0.35303E-03 0.16554E+03 0.35418E+06 0.33108E+00 0.22557E-03 0.91021E+00 0.45820E+02 0.82038E-04 0.35557E-03 0.16644E+03 0.35611E+06 0.33289E+00 0.22789E-03 0.91516E+00 0.45820E+02 0.82881E-04 0.35811E-03 0.16735E+03 0.35805E+06 0.33470E+00 0.23022E-03 0.92015E+00 0.45819E+02 0.83729E-04 0.36065E-03 0.16826E+03 0.36000E+06 0.33652E+00 0.23256E-03 0.92516E+00 0.45819E+02 0.86581E-04 0.36319E-03 0.16918E+03 0.36196E+06 0.33836E+00 0.23492E-03 0.93019E+00 0.45819E+02 0.85438E-04 0.36573E-03 0.17010E+03 0.36393E+06 0.34020E+00 0.23729E-03 0.93526E+00 0.45819E+02 0.86300E-04 0.36827E-03 0.17103E+03 0.36592E+06 0.34205E+00 0.23967E-03 0.94035E+00 0.45819E+02 0.87166E-04 0.37081E-03 0.17196E+03 0.36791E+06 0.34392E+00 0.24206E-03 0.94547E+00 0.45819E+02 0.88038E-04 0.37335E-03 0.17290E+03 0.36992E+06 0.34579E+00 0.24447E-03 0.95062E+00 0.45819E+02 0.88913E-04 0.37589E-03 0.17384E+03 0.37193E+06 0.34768E+00 0.24689E-03 0.95580E+00 0.45818E+02 0.89794E-04 0.37843E-03 0.17479E+03 0.37396E+06 0.34957E+00 0.24933E-03 0.96100E+00 0.45818E+02 0.90679E-04 0.38097E-03 0.17574E+03 0.37600E+06 0.35148E+00 0.25177E-03 0.96624E+00 0.45818E+02 0.91570E-04 0.38351E-03 0.17670E+03 0.37805E+06 0.35339E+00 0.25424E-03 0.97150E+00 0.45818E+02 0.92465E-04 0.38605E-03 0.17766E+03 0.38011E+06 0.35532E+00 0.25671E-03 0.97679E+00 0.45818E+02 0.93365E-04 0.38859E-03 0.17863E+03 0.38218E+06 0.35725E+00 0.25920E-03 0.98211E+00 0.45818E+02 0.94270E-04 0.39113E-03 0.17960E+03 0.38426E+06 0.35920E+00 0.26170E-03 0.98746E+00 0.45817E+02 0.95180E-04 0.39367E-03 0.18058E+03 0.38635E+06 0.36116E+00 0.26421E-03 0.99283E+00 0.45817E+02 0.96094E-04 0.39621E-03 0.18156E+03 0.38846E+06 0.36312E+00 0.26674E-03 0.99824E+00 0.45817E+02 0.97014E-04 0.39875E-03 0.18255E+03 0.39058E+06 0.36510E+00 0.26928E-03 0.10037E+01 0.45817E+02 0.97939E-04 0.40129E-03 0.18355E+03 0.39270E+06 0.36709E+00 0.27184E-03 0.10091E+01 0.45817E+02 0.98869E-04 0.40383E-03 0.18455E+03 0.39484E+06 0.36909E+00 0.27441E-03 0.10146E+01 0.45817E+02 0.99804E-04 0.40637E-03 0.18555E+03 0.39700E+06 0.37110E+00 0.27699E-03 0.10202E+01 0.45817E+02 0.10074E-03 0.40891E-03 0.18656E+03 0.39916E+06 0.37313E+00 0.27959E-03 0.10257E+01 0.45816E+02 0.10169E-03 0.41145E-03 0.18758E+03 0.40134E+06 0.37516E+00 0.28220E-03 0.10313E+01 0.45816E+02 0.10264E-03

STATE OF THE PROPERTY OF THE P

TIME

0.41399E-03 0.18860E+03 0.40352E+06 0.37720E+00 0.28483E-03 0.10369E+01 0.45816E+02 0.10359E-03 0.41653E+03 0.18963E+03 0.40572E+06 0.37926E+00 0.28747E+03 0.10426E+01 0.45816E+02 0.10455E+03 0.41907E-03 0.19066E+03 0.40793E+66 0.38132E+00 0.29013E-03 0.10432E+01 0.45816E+02 0.10552E-03 0.42161E-03 0.19170E+03 0.41016E+06 0.38340E+00 0.29280E-03 0.10539E+01 0.45816E+02 0.10649E-03 0.42415E-03 0.19275E+03 0.41239E+06 0.38549E+00 0.29548E-03 0.10597E+01 0.45813E+02 0.10747E-03 0.42669E-03 0.19380E+03 0.41464E+06 0.38759E+00 0.29818E-03 0.10655E+01 0.45815E+02 0.10845E-03 0.42923E-03 0.19485E+03 0.41690E+06 0.38970E+00 0.30089E-03 0.10713E+01 0.45815E+02 0.10944E-03 0.43177E-03 0.19591E+03 0.41917E+06 0.39183E+00 0.30362E-03 0.10771E+01 0.45815E+02 0.11043E-03 0.43431E-03 0.19698E+03 0.42145E+06 0.39396E+00 0.30636E-03 0.10830E+01 0.45815E+02 0.11143E-03 0.43685E-03 0.19805E+03 0.42375E+06 0.39611E+00 0.30912E-03 0.10889E+01 0.45815E+02 0.11243E-03 0.43939E-03 0.19913E+03 0.42606E+06 0.39827E+00 0.31189E-03 0.10948E+01 0.45814E+02 0.11344E-03 0.44193E-03 0.20022E+03 0.42838E+06 0.40044E+00 0.31468E-03 0.11007E+01 0.45814E+02 0.11445E-03 0.44447E-03 0.20131E+03 0.43072E+06 0.40262E+00 0.31749E-03 0.11067E+01 0.45814E+02 0.11547E-03 0.44701E-03 0.20241E+03 0.43306E+06 0.40481E+00 0.32030E-03 0.11128E+01 0.45814E+02 0.11650E-03 0.44955E-03 0.20351E+03 0.43542E+06 0.40702E+00 0.32314E-03 0.11188E+01 0.45814E+02 0.11753E-03 0.45209E-03 0.20462E+03 0.43780E+06 0.40924E+00 0.32599E-03 0.11249E+01 0.45814E+02 0.11857E-03 0.45463E-03 0.20573E+03 0.44018E+06 0.41147E+00 0.32885E-03 0.11310E+01 0.45813E+02 0.11961E-03 0.45717E-03 0.20685E+03 0.44258E+06 0.41371E+00 0.33173E-03 0.11372E+01 0.45813E+02 0.12066E-03 0.45971E-03 0.20798E+03 0.44499E+06 0.41596E+00 0.33463E-03 0.11434E+01 0.45813E+02 0.12171E-03 0.46225E-03 0.20911E+03 0.44742E+06 0.41823E+00 0.33754E-03 0.11496E+01 0.45813E+02 0.12277E-03 0.46479E-03 0.21025E+03 0.44986E+06 0.42051E+00 0.34047E-03 0.11559E+01 0.45813E+02 0.12383E-03 0.46733E-03 0.21140E+03 0.45231E+06 0.42280E+00 0.34341E-03 0.11622E+01 0.45813E+02 0.12491E-03 0.46986E-03 0.21255E+03 0.45477E+06 0.42510E+00 0.34637E-03 0.11685E+01 0.45812E+02 0.12598E-03 C.47240E · 03 O.21371E + 03 O.45725E + 06 O.42742E + 00 O.34935E · 03 O.11749E + 01 O.45812E + 02 O.12707E · 03 0.47494E-03 0.21487E+03 0.45974E+06 0.42975E+00 0.35234E-03 0.11813E+01 0.45812E+02 0.12815E-03 0.47748E-03 0.21605E+03 0.46225E+06 0.43209E+00 0.35535E-03 0.11877E+01 0.45812E+02 0.12925E-03 0.48002E-03 0.21722E+03 0.46477E+06 0.43445E+00 0.35837E-03 0.11942E+01 0.45812E+02 0.13035E-03 0.48256E-03 0.21841E+03 0.46730E+06 0.43681E+00 0.36141E-03 0.12007E+01 0.45811E+02 0.13145E-03 0.48510E-03 0.21960E+03 0.46985E+06 0.4391PE+00 0.36447E-03 0.12072E+01 0.45811E+02 0.13257E-03 0.48764E-03 0.22079E+03 0.47241E+06 0.44159E+00 0.36755E-03 0.12138E+01 0.45811E+02 0.13369E-03 0.49018E-03 0.22200E+03 0.47498E+06 0.44399E+00 0.37064E-03 0.12204E+01 0.45811E+02 0.13481E-03 0.49272E-03 0.22321E+03 0.47757E+06 0.44641E+00 0.37375E-03 0.12270E+01 0.45811E+02 0.13594E-03 0.49526E-03 0.22442E+03 0.48017E+06 0.44884E+00 0.37687E-03 0.12337E+01 0.45810E+02 0.13708E-03 0.49780E-03 0.22564E+03 0.48279E+06 0.45129E+00 0.38001E-03 0.12404E+01 0.45810E+02 0.13822E-03 0.50034E-03 0.22687E+03 0.48542E+06 0.45375E+00 0.38317E-03 0.12472E+01 0.45810E+02 0.13937E-03 0.50288E-03 0.22811E+03 0.48807E+06 0.45622E+00 0.38635E-03 0.12540E+01 0.45810E+02 0.14053E-03 0.50542E-03 0.22935E+03 0.49073E+06 0.45871E+00 0.38954E-03 0.12608E+01 0.45810E+02 0.14169E-03 0.50796E-03 0.23060E+03 0.49340E+06 0.46121E+00 0.39275E-03 0.12677E+01 0.45810E+02 0.14286E-03 0.51050E-03 0.23186E+03 0.49609E+06 0.46372E+00 0.39598E-03 0.12746E+01 0.45809E+02 0.14403E-03 0.51304E-03 0.23312E+03 0.49879E+06 0.46625E+00 0.39923E-03 0.12815E+01 0.45809E+02 0.14521E-03 0.51558E-03 0.23439E+03 0.5015 | E+06 0.46879E+00 0.40249E-03 0.12885E+01 0.45809E+02 0.14640E-03 0.51812E-03 0.23567E+03 0.50425E+06 0.47134E+00 0.40577E-03 0.12955E+01 0.45809E+02 0.14759E-03 0.52066E-03 0.23695F+03 0.50699E+06 0.47391E+00 0.40907E-03 0.13025E+01 0.45809E+02 0.14879E-03 0.52320E-03 0.23825E+03 0.50976E+06 0.47649E+00 0.41239E-03 0.13096E+01 0.45808E+02 0.15000E-03 0.52574E-03 0.23954E+03 0.51254E+06 0.47909E+00 0.41572E-03 0.13168E+01 0.45808E+02 0.15121E-03 0.52828E-03 0.24085E+03 0.51533E+06 0.48170E+00 0.41908E-03 0.13239E+01 0.45808E+02 0.15243E-03 0.53082E-03 0.24216E+03 0.51814E+06 0.48432E+00 0.42245E-03 0.13311E+01 0.45808E+02 0.15366E-03 0.53336E-03 0.24348E+03 0.52096E+06 0.48696E+00 0.42584E-03 0.13384E+01 0.45808E+02 0.15489E-03 0.53590E-03 0.24481E+03 0.52380E+06 0.48962E+00 0.42925E-03 0.13457E+01 0.45807E+02 0.15613E-03 0.53844E-03 0.24614E+03 0.52666E+06 0.49228E+00 0.43267E-03 0.13530E+01 0.45807E+02 0.15738E-03 0.54098E-03 0.24748E+03 0.52953E+06 0.49497E+00 0.43612E-03 0.13604E+01 0.45807E+02 0.15863E-03 0.54352E-03 0.24883E+03 0.53241E+06 0.49766E+00 0.43958E-03 0.13678E+01 0.45807E+02 0.15990E-03 0.54606E-03 0.25019E+03 0.53531E+06 0.50038E+00 0.44307E-03 0.13752E+01 0.45806E+02 0.12116E-03 0.54860E-03 0.25155E+03 0.53823E+06 0.50310E+00 0.44657E-03 0.13827E+01 0.45806E+02 0.16244E-03

PDOT

0.55114E-03 0.25292E+03 0.54116E+06 0.50584E+00 0.45009E-03 0.13902E+01 0.45806E+02 0.16372E-03 0.55368E-03 0.25430E+03 0.54411E+06 0.50860E+00 0.45363E-03 0.13978E+01 0.45806E+02 0.16501E-03 0.55622E-03 0.25569E+03 0.54708E+06 0.51137E+00 0.45719E-03 0.14054E+01 0.45806E+02 0.16630E-03 0.55876E-03 0.25708E+03 0.55006E+06 0.51416E+00 0.46077E-03 0.14131E+01 0.45805E+02 0.16760E-03 0.56130E-03 0.25848E+03 0.55306E+06 0.51696E+00 0.46437E-03 0.14208E+01 0.45805E+02 0.16891E-03 0.56384E-03 0.25989E+03 0.55607E+06 0.51978E+00 0.46799E-03 0.14285E+01 0.45805E+02 0.17023E-03 0.56638E-03 0.26130E+03 0.55910E+06 0.52261E+00 0.47163E-03 0.14363E+01 0.45805E+02 0.17155E-03 0.56892E-03 0.26273E+03 0.56215E+06 0.52546E+00 0.47528E-03 0.14441E+01 0.45805E+02 0.17288E-03 0.57146E-03 0.26416E+03 0.56521E+06 0.52832E+00 0.47896E-03 0.14520E+01 0.45804E+02 0.17422E-03 0.57400E-03 0.26560E+03 0.56829E+06 0.53120E+00 0.48266E-03 0.14599E+01 0.45804E+02 0.17557E-03 0.57654E-03 0.26705E+03 0.57139E+06 0.53409E+00 0.48638E-03 0.14678E+01 0.45804E+02 0.17692E-03 0.57908E-03 0.26850E+03 0.57451E+06 0.537C0E+00 0.49012E-03 0.14758E+01 0.45804E+02 0.17828E-03 0.58162E-03 0.26997E+03 0.57764E+06 0.53993E+00 0.49387E-03 0.14838E+01 0.45803E+02 0.17965E-03 0.58416E-03 0.27144E+03 0.58079E+06 0.54287E+00 0.49765E-03 0.14919E+01 0.45803E+02 0.18102E-03 0.58670E-03 0.27292E+03 0.58395E+06 0.54583E+00 0.50145E-03 0.15000E+01 0.45803E+02 0.18241E-03 U.58924E-03 0.27440E+03 0.58713E+06 0.54881E+00 0.50527E-03 0.15082E+01 0.45803E+02 0.18380E-03 0.59178E-03 0.27590E+03 0.59033E+06 0.55180E+00 0.50911E-03 0.15164E+01 0.45802E+02 0.18519E-03 0.59432E-03 0.27740E+03 0.59355E+06 0.55480E+00 0.51297E-03 0.15247E+01 0.45802E+02 0.18660E-03 0.59686E-03 0.27891E+03 0.59679E+06 0.55783E+00 0.51686E-03 0.15330E+01 0.45802E+02 0.18801E-03 0.59940E-03 0.28043E+03 0.60004E+06 0.56087E+00 0.52076E-03 0.15413E+01 0.45802E+02 0.18943E-03 0.60194E-03 0.28196E+03 0.60331E+06 0.56392E+00 0.52469E-03 0.15497E+01 0.45802E+02 0.19086E-03 0.60447E-03 0.28350E+03 0.60660E+06 0.56699E+00 0.52863E-03 0.15581E+01 0.45801E+02 0.19230E-03 0.60701E-03 0.28504E+03 0.60990E+06 0.57008E+00 0.53260E-03 0.15666E+01 0.45801E+02 0.19374E-03 0.60955E-03 0.28660E+03 0.61323E+06 0.57319E+00 0.53659E-03 0.15752E+01 0.45801E+02 0.19519E-03 0.61209E-03 0.28816E+03 0.61657E+06 0.57631E+00 0.54060E-03 0.15837E+01 0.45801E+02 0.19665E-03 0.61463E-03 0.28973E+03 0.61993E+06 0.57945E+00 0.54464E-03 0.15924E+01 0.45800E+02 0.19812E-03 0.61717E-03 0.29131E+03 0.62331E+06 0.58261E+00 0.54869E-03 0.16010E+01 0.45800E+02 0.19960E-03 0.61971E-03 0.29289E+03 0.62671E+06 0.58579E+00 0.55277E-03 0.16097E+01 0.45800E+02 0.20108E-03 0.62225E-03 0.29449E+03 0.63012E+06 0.58898E+00 0.55687E-03 0.16185E+01 0.45800E+02 0.20257E-03 0.62479 -03 0.29609E+03 0.63356E+06 0.59219E+00 0.56099E-03 0.16273E+01 0.45799E+02 0.20407E-03 0.62733E-03 0.29771E+03 0.63701E+06 0.59542E+00 0.56513E-03 0.16362E+01 0.45799E+02 0.20558E-03 0.62987E-03 0.29933E+03 0.64048E+06 0.59866E+00 0.56930E-03 0.16451E+01 0.45799E+02 0.20710E-03 0.63241E-03 0.30096E+03 0.64397E+06 0.60192E+00 0.57349E-03 0.16540E+01 0.45799E+02 0.20862E-03 0.63495E-03 0.30260E+03 0.64748E+06 0.60520E+00 0.57770E-03 0.16630E+01 0.45798E+02 0.21015E-03 0.63749E-03 0.30425E+03 0.65101E+06 0.60850E+00 0.58194E-03 0.16721E+01 0.45798E+02 0.21170E-03 0.64003E-03 0.30591E+03 0.65456E+06 0.61182E+00 0.58620E-03 0.16812E+01 0.45798E+02 0.21325E-03 0.64257E-03 0.30758E+03 0.65813E+06 0.61515E+00 0.59048E-03 0.16903E+01 0.45798E+02 0.21480E-03 0.64511E-03 0.30925E+03 0.66172E+06 0.61850E+00 0.59478E-03 0.16995E+01 0.45797E+02 0.21637E-03 0.64765E-03 0.31094E+03 0.66532E+06 0.62187E+00 0.59911E-03 0.17088E+01 0.45797E+02 0.21795E-03 0.65019E-03 0.31263E+03 0.66895E+06 0.62526E+00 0.60346E-03 0.17181E+01 0.45797E+02 0.21953E-03 0.65273E-03 0.31433E+03 0.67259E+06 0.62867E+00 0.60784E-03 0.17275E+01 0.45796E+02 0.22112E-03 0.65527E-03 0.31605E+03 0.67626E+06 0.63209E+00 0.61224E-03 0.17369E+01 0.45796E+02 0.22272E-03 0.65781E-03 0.31777E+03 0.67995E+06 0.63554E+00 0.61666E-03 0.17463E+01 0.45796E+02 0.22433E-03 0.66035E-03 0.31950E+03 0.68365E+06 0.63900E+00 0.62111E-03 0.17558E+01 0.45796E+02 0.22595E-03 0.66289E-03 0.32124E+03 0.68738E+06 0.64248E+00 0.62558E-03 0.17654E+01 0.45795E+02 0.22758E-03 0.66543E-03 0.32299E+03 0.69113E+06 0.64599E+00 0.63008E-03 0.17750E+01 0.45795E+02 0.22921E-03 0.66797E-03 0.32475E+03 0.69489E+06 0.64951E+00 0.63460E-03 0.17846E+01 0.45795E+02 0.23086E-03 0.67051E-03 0.32652E+03 0.69868E+06 0.65305E+00 0.63914E-03 0.17944E+01 0.45795E+02 0.23251E-03 0.67305E-03 0.32830E+03 0.70249E+06 0.65660E+00 0.64371E-03 0.18041E+01 0.45794E+02 0.23418E-03 0.67559E-03 0.33009E+03 0.70632E+06 0.66018E+00 0.64831E-03 0.18139E+01 0.45794E+02 0.23585E-03 0.67813E-03 0.33189E+03 0.71017E+06 0.66378E+00 0.65293E-03 0.18238E+01 0.45794E+02 0.23753E-03 0.68067E-03 0.33370E+03 0.71404E+06 0.66740E+00 0.65757E-03 0.18337E+01 0.45793E+02 0.23922E-03 0.68321E-03 0.33552E+03 0.71793E+06 0.67103E+00 0.66224E-03 0.18437E+01 0.45793E+02 0.24092E-03 0.68575E-03 0.33735E+03 0.72184E+06 0.67469E+00 0.66694E-03 0.18538E+01 0.45793E+02 0.24263E-03

PDOT

0.68829E-03 0.33918E+03 0.72578E+06 0.67837E+00 0.67166E-03 0.18639E+01 0.45793E+02 0.24435E-03 0.69083E-03 0.34103E+03 0.72973E+06 0.68206E+00 0.67640E-03 0.18740E+01 0.45792E+02 0.24608E-03 0.69337E-C3 0.34289E+O3 0.73371E+O6 0.68578E+O0 0.68118E-O3 0.18842E+O1 0.45792E+O2 0.24781E-O3 0.69591E-03 0.34476E+03 0.73771E+06 0.68952E+00 0.68597E-03 0.18945E+01 0.45792E+02 0.24956E-03 0.69845E-03 0.34664E+03 0.74173E+06 0.69328E+00 0.69080E-03 0.19048E+01 0.45791E+02 0.25131E-03 0.70099E-03 0.34853E+03 0.74578E+06 0.69705E+00 0.69565E-03 0.19151E+01 0.45791E+02 0.25308E-03 0.70353E-03 0.35043E+03 0.74984E+06 0.70085E+00 0.70053E-03 0.19256E+01 0.45791E+02 0.25486E-03 0.70607E-03 0.35234E+03 0.75393E+06 0.70467E+00 0.70543E-03 0.19360E+01 0.45791E+02 0.25664E-03 0.70861E-03 0.35426E+03 0.75804E+06 0.70851E+00 0.71036E-03 0.19466E+01 0.45790E+02 0.25843E-03 0.71115E-03 0.35619E+03 0.76217E+06 0.71237E+00 0.71532E-03 0.19572E+01 0.45790E+02 0.26024E-03 0.71369E-03 0.35813E+03 0.76632E+06 0.71625E+00 0.72030E-03 0.19678E+01 0.45790E+02 0.26205E-03 0.71623E-03 0.36008E+03 0.77050E+06 0.72016E+00 0.72532E-03 0.19785E+01 0.45789E+02 0.26388E-03 0.71877E-03 0.36204E+03 0.77470E+06 0.72408E+00 0.73035E-03 0.19893E+01 0.45789E+02 0.26571E-03 0.72131E-03 0.36401E+03 0.77892E+06 0.72803E+00 0.73542E-03 0.20001E+01 0.45789E+02 0.26756E-03 0.72385E-03 0.36600E+03 0.78317E+06 0.73200E+00 0.74051E-03 0.20110E+01 0.45788E+02 0.26941E-03 0.72639E-03 0.36799E+03 0.78744E+06 0.73598E+00 0.74564E-03 0.20220E+01 0.45788E+02 0.27127E-03 0.72893E-03 0.37000E+03 0.79173E+06 0.74000E+00 0.75078E-03 0.20330E+01 0.45788E+02 0.27315E-03 0.73147E-03 0.37201E+03 0.79605E+06 0.74403E+00 0.75596E-03 0.20440E+01 0.45787E+02 0.27503E-03 0.73401E-03 0.37404E+03 0.80039E+06 0.74808E+00 0.76117E-03 0.20552E+01 0.45787E+02 0.27693E-03 0.73654E · 03 0.37608E + 03 0.80475E + 06 0.75216E + 00 0.76640E · 03 0.20663E + 01 0.45787E + 02 0.27883E · 03 0.73908E-03 0.37813E+03 0.80914E+06 0.75626E+00 0.77166E-03 0.20776E+01 0.45787E+02 0.28075E-03 0.74162E-03 0.38019E+03 0.81355E+06 0.76038E+00 0.77696E-03 0.20889E+01 0.45786E+02 0.28267E-03 0.74416E-03 0.38226E+03 0.81798E+06 0.76452E+00 0.78228E-03 0.21003E+01 0.45786E+02 0.28461E-03 0.74670E-03 0.38434E+03 0.82244E+06 0.76869E+00 0.78762E-03 0.21117E+01 0.45786E+02 0.28656E-03 0.74924E-03 0.38644E+03 0.82692E+06 0.77288E+00 0.79300E-03 0.21232E+01 0.45785E+02 0.28852E-03 0.75178E-03 0.38855E+03 0.83143E+06 0.77709E+00 0.79841E-03 0.21347E+01 0.45785E+02 0.29048E-03 0.75432E-03 0.39066E+03 0.83596E+06 0.78133E+00 0.80385E-03 0.21464E+01 0.45785E+02 0.29246E-03 0.75686E-03 0.39279E+03 0.84052E+06 0.78558E+00 0.80931E-03 0.21580E+01 0.45784E+02 0.29445E-03 0.75940E-03 0.39493E+03 0.84510E+06 0.78986E+00 0.81481E-03 0.21698E+01 0.45784E+02 0.29645E-03 0.76194E-03 0.39708E+03 0.84971E+06 0.79417E+00 0.82033E-03 0.21816E+01 0.45784E+02 0.29846E-03 0.76448E-03 0.39925E+03 0.85434E+06 0.79850E+00 0.82589E-03 0.21935E+01 0.45783E+02 0.30049E-03 0.76702E-03 0.40142E+03 0.85900E+06 0.80285E+00 0.83148E-03 0.22054E+01 0.45783E+02 0.30252E-03 0.76956E-03 0.40361E+03 0.86368E+06 0.80722E+00 0.83709E-03 0.22174 +01 0.45783E+02 0.30457E-03 0.77210E-03 0.40581E+03 0.86839E+06 0.81162E+00 0.84274E-03 0.22295E+01 0.45782E+02 0.30662E-03 0.77464E-03 0.40802E+03 0.87312E+06 0.81605E+00 0.84842E-03 0.22416E+01 0.45782E+02 0.30869E-03 0.77718E-03 0.41025E+03 0.87788E+06 0.82049E+00 0.85413E-03 0.22538E+01 0.45782E+02 0.31077E-03 0.77972E-03 0.41248E+03 0.88267E+06 0.82496E+00 0.85987E-03 0.22661E+01 0.45781E+02 0.31286E-03 0.78226E-03 0.41473E+03 0.88748E+06 0.82946E+00 0.86564E-03 0.22784E+01 0.45781E+02 0.31496E-03 0.78480E-03 0.41699E+03 0.89232E+06 0.83398E+00 0.87144E-03 0.22908E+01 0.45780E+02 0.31707E-03 0.78734E-03 0.41926E+03 0.89718E+06 0.83853E+00 0.87727E-03 0.23033E+01 0.45780E+02 0.31919E-03 0.78988E-03 0.42155E+03 0.90207E+06 0.84310E+00 0.88314E-03 0.23158E+01 0.45780E+02 0.32133E-03 0.79242E-03 0.42385E+03 0.90699E+06 0.84769E+00 0.88904E-03 0.23284E+01 0.45779E+02 0.32348E-03 0.79496E-03 0.42616E+03 0.91193E+06 0.85231E+00 0.89497E-03 0.23411E+01 0.45779E+02 0.32564E-03 0.79750E-03 0.42848E+03 0.91690E+06 0.85696E+00 0.90093E-03 0.23538E+01 0.45779E+02 0.32781E-03 0.80004E-03 0.43081E+03 0.92190E+06 0.86163E+00 0.90692E-03 0.23666E+01 0.45778E+02 0.32999E-03 0.80258E-03 0.43316E+03 0.92693E+06 0.86632E+00 0.91295E-03 0.23795E+01 0.45778E+02 0.33218E-03 0.80512E-03 0.43552E+03 0.93198E+06 0.87104E+00 0.91901E-03 0.23925E+01 0.45778E+02 0.33439E-03 0.80766E-03 0.43789E+03 0.93706E+06 0.87579E+00 0.92510E-03 0.24055E+01 0.45777E+02 0.33661E-03 0.81020E-03 0.44028E+03 0.74217E+06 0.88056E+00 0.93123E-03 0.24186E+01 0.45777E+02 0.33884E-03 0.81274E-03 0.44268E+03 0.94731E+06 0.88536E+00 0.93739E-03 0.24317E+01 C.45776E+02 0.34108E-03 0.81528E-03 0.44509E+03 0.95247E+06 0.89019E+00 0.94358E-03 0.24450E+01 0.45776E+02 0.34333E-03 0.81782E-03 0.44752E+03 0.95766E+06 0.89504E+00 0.94981E-03 0.24583E+01 0.45776E+02 0.34560E-03 0.82036E-03 0.44996E+03 0.96288E+06 0.89992E+00 0.95607E-03 0.24716E+01 0.45775E+02 0.34788E-03 0.82290E-03 0.45241E+03 0.96813E+ 16 0.90482E+00 0.96236E-03 0.24851E+01 0.45775E+02 0.35017E-03

TIME

0.82544E-03 0.45488E+03 0.97341E+06 0.90975E+00 0.96869E-03 0.74986E+01 0.45775E+02 0.35248E-03 0.82798E-03 0.45735E+03 0.97872E+06 0.91471E+00 0.97505E-03 0.25122E+01 0.45774E+02 0.35479E-03 0.83052E-03 0.45985E+03 0.98405E+06 0.91969E+00 0.98145E-03 0.25259E+01 0.45774E+02 0.35712E-03 0.83306E-03 0.46235E+03 0.98942E+06 0.92471E+00 0.98789E-03 0.25396E+01 0.45773E+02 0.35947E-03 0.83560E-03 0.46487E+03 0.99481E+06 0.92975E+00 0.99435E-03 0.25534E+01 0.45773E+02 0.36182E-03 0.83814E-03 0.46741E+03 0.10002E+07 0.93481E+00 0.10009E-02 0.25673E+01 0.45773E+02 0.36419E-03 0.84068E-03 0.46995E+03 0.10057E+07 0.93991E+00 0.10074E-02 0.25813E+01 0.45772E+02 0.36657E-03 0.84322E-03 0.47251E+03 0.10112E+07 0.94503E+00 0.10140E-02 0.25953E+01 0.45772E+02 0.36896E-03 0.84576E-03 0.47509E+03 0.10167E+07 0.95018E+00 0.10206E-02 0.26095E+01 0.45771E+02 0.37137E-03 0.84830E-03 0.47768E+03 0.10222E+07 0.95536E+00 0.10272E-02 0.26237E+01 0.45771E+02 0.37379E-03 0.85084E-03 0.48028E+03 0.10278E+07 0.96057E+00 0.10339E-02 0.26379E+01 0.45771E+02 0.37622E-03 0.85338E-03 0.48290E+03 0.10334E+07 0.96580E+00 0.10406E-02 0.26523E+01 0.45770E+02 0.37867E-03 0.85592E-03 0.48553E+03 0.10390E+07 0.97106E+00 0.10474E-02 0.26667E+01 0.45770E+02 0.38113E-03 0.85846E-03 0.48818E+03 0.10447E+07 0.97636E+00 0.10542E-02 0.26812E+01 0.45769E+02 0.38360E-03 0.86100E-03 0.49084E+03 0.10504E+07 0.98168E+00 0.10610E-02 0.26958E+01 0.45769E+02 0.38609E-03 0.86354E-03 0.49351E+03 0.10561E+07 0.98703E+00 0.10679E-02 0.27105E+01 0.45769E+02 0.38859E-03 0.86608E-03 0.49620E+03 0.10619E+07 0.99241E+00 0.10748E-02 0.27252E+01 0.45768E+02 0.39110E-03 0.86862E-03 0.49891E+03 0.10677E+07 0.99782E+00 0.10817E-02 0.27401E+01 0.45768E+02 0.39363E-03 0.87115E-03 0.50163E+03 0.10735E+07 0.10033E+01 0.10887E-02 0.27550E+01 0.45767E+02 0.39617E-03 0.87369E-03 0.50436E+03 0.10793E+07 0.10087E+01 0.10957E-02 0.27700E+01 0.45767E+02 0.39873E-03 0.87623E-03 0.50711E+03 0.10852E+07 0.10142E+01 0.11028E-02 0.27850E+01 0.45766E+02 0.40129E-03 0.87877E-03 0.50987E+03 0.10911E+07 0.10197E+01 0.11098E-02 0.28002E+01 0.45766E+02 0.40388E-03 0.88131E-03 0.51265E+03 0.10971E+07 0.10253E+01 0.11170E-02 0.28154E+01 0.45766E+02 0.40647E-03 C.88385E-03 0.51545E+03 0.11031E+07 0.10309E+01 0.11241E-02 0.28307E+01 0.45765E+02 0.40909E-03 0.88639E-03 0.51826E+03 0.11091E+07 0.10365E+01 0.11314E-02 0.28461E+01 0.45765E+02 0.41171E-03 0.88893E-03 0.52108E+03 0.11151E+07 0.10422E+01 0.11386E-02 0.28616E+01 0.45764E+02 0.41435E-03 0.89147E-03 0.52392E+03 0.11212E+07 0.10478E+01 0.11459E-02 0.28772E+01 0.45764E+02 0.41700E-03 0.89401E-03 0.52678E+03 0.11273E+07 0.10536E+01 0.11532E-02 0,28928E+01 0.45763E+02 0.41967E-03 0.89655E-03 0.52965E+03 0.11335E+07 0.10593E+01 0.11606E-02 0.29086E+01 0.45763E+02 0.42236E-03 0.89909E-03 0.53253E+03 0.11397E+07 0.10651E+01 0.11680E-02 0.29244E+01 0.45762E+02 0.42505E-03 0.90163E-03 0.53544E+03 0.11459E+07 0.10709E+01 0.11754E-02 0.29403E+01 0.45762E+02 0.42777E-03 0.90417E-03 0.53835E+03 0.11521E+07 0.10767E+01 0.11829E-02 0.29563E+01 0.45762E+02 0.43049E-03 0.90671E-03 0.54129E+03 0.11584E+07 0.10826E+01 0.11905E-02 0.29724E+01 0.45761E+02 0.43324E-03 0.90925E-03 0.54424E+03 0.11647E+07 0.10885E+01 0.11980E-02 0.29886E+01 0.45761E+02 0.43599E-03 0.91179E-03 0.54720E+03 0.11711E+07 0.10944E+01 0.12056E-02 0.30048E+01 0.45760E+02 0.43876E-03 0.91433E-03 0.55019E+03 0.11775E+07 0.11004E+01 0.12133E-02 0.30212E+01 0.45760E+02 0.44155E-03 0.91687E-03 0.55319E+03 0.11839E+07 0.11064E+01 0.12210E-02 0.30376E+01 0.45759E+02 0.44435E-03 0.91941E-03 0.55620E+03 0.11903E+07 0.11124E+01 0.12287E-02 0.30541E+01 0.45759E+02 0.44717E-03 0.92195E-03 0.55923E+03 0.11968E+07 0.11185E+01 0.12365E-02 0.30707E+01 0.45758E+02 0.45001E-03 0.92449E-03 0.56228E+03 0.12033E+07 0.11246E+01 0.12443E-02 0.30874E+01 0.45758E+02 0.45285E-03 0.92703E-03 0.56534E+03 0.12099E+07 0.11307E+01 0.12522E-02 0.31042E+01 0.45757E+02 0.45572E-03 0.92957E-03 0.56843E+03 0.12165E+07 0.11369E+01 0.12601E-02 0.31211E+01 0.45757E+02 0.45860E-03 0.93211E-03 0.57152E+03 0.12231E+07 0.11430E+01 0.12680E-02 0.31381E+01 0.45756E+02 0.46149E-03 0.93465E-03 0.57464E+03 0.12298E+07 0.11493E+01 0.12760E-02 0.31552E+01 0.45756E+02 0.46440E-03 0.93719E-03 0.57777E+03 0.12365E+07 0.11555E+01 0.12841E-02 0.31723E+01 0.45755E+02 0.46733E-03 0.93973E-03 0.58092E+03 0.12433E+07 0.11618E+01 0.12921E-02 0.31896E+01 0.45755E+02 0.47027E-03 0.94227E-U3 0.58409E+03 0.12500E+07 0.11682F+01 0.13003E-02 0.32069E+01 0.45754E+02 0.47323E-03 0.94481E-03 0.58727E+03 0.12568E+07 0.11745E+01 0.13084E-02 0.32244E+01 0.45754E+02 0.47621E-03 0.94735E-03 0.59047E+03 0.12637E+07 0.11809E+01 0.13166E-02 0.32419E+01 0.45753E+02 0.47920E-03 0.94989E-03 0.59369E+03 0.12706E+07 0.11874E+01 0.13249E-02 0.32596E+01 0.45753E+02 0.48221E-03 0.95243E-03 0.59692E+03 0.12775E+07 0.11938E+01 0.13332E-02 0.32773E+01 0.45752E+02 0.48523E-03 0.95497E-03 0.60018E+03 0.12845E+07 0.12004E+01 0.13416E-02 0.32951E+01 0.45752E+02 0.48827E-03 0.95751E-03 0.60345E+03 0.12915E+07 0.12069E+01 0.13499E-02 0.33130E+01 0.45751E+02 0.49133E-03 0.96005E-03 0.60674E+03 0.12985E+07 0.12135E+01 0.13584E-02 0.33311E+01 0.45751E+02 0.49440E-03

PDOT

0.96259E-03 0.61005E+03 0.13056E+07 0.12201E+01 0.13669E-02 0.33492E+01 0.45750E+02 0.49749E-03 0.96513E-03 0.61337E+03 0.13127E+07 0.12267E+01 0.13754E-02 0.33674E+01 0.45750E+02 0.50060E-03 0.96767E-03 0.61671F+03 0.13199E+07 0.12334E+01 0.13840E-02 0.33857E+01 0.45749E+02 0.50372E-03 0.97021E-03 0.62007E+03 0.13271E+07 0.12401E+01 0.13926E-02 0.34041E+01 0.45749E+02 0.50686E-03 0.97275E-03 0.62345E+03 0.13343E+07 0.12469E+01 0.14013E-02 0.34226E+01 0.45748E+02 0.51002E-03 0.97529E-03 0.62685E+03 0.13416E+07 0.12537E+01 0.14100E-02 0.34413E+01 0.45748E+02 0.51320E-03 0.97783E-03 0.63027E+03 0.13489E+07 0.12605E+01 0.14187E-02 0.34600E+01 0.45747E+02 0.51639E-03 0.98037E-03 0.63370E+03 0.13563E+07 0.12674E+01 0.14276E-02 0.34788E+01 0.45747E+02 0.51960E-03 0.98291E-03 0.63716E+03 0.13637E+07 0.12743E+01 0.14364E-02 0.34977E+01 0.45746E+02 0.52283E-03 0.98545E-03 0.64063E+03 0.13711E+07 0.12813E+01 0.14453E-02 0.35167E+01 0.45746E+02 0.52607E-03 0.98799E-03 0.64412E+03 0.13786E+07 0.12882E+01 0.14543E-02 0.35359E+01 0.45745E+02 0.52934E-03 0.99053E-03 0.64763E+03 0.13861E+07 0.12953E+01 0.14633E-02 0.35551E+01 0.45745E+02 0.53262E-03 0.99307E-03 0.65116E+03 0.13937E+07 0.13023E+01 0.14723E-02 0.35744E+01 0.45744E+02 0.53592E-03 0.99561E-03 0.65471E+03 0.14013E+07 0.13094E+01 0.14814E-02 0.35939E+01 0.45743E+02 0.53923E-03 0.99815E-03 0.65828E+03 0.14089E+07 0.13166E+01 0.14906E-02 0.36134E+01 0.45743E+02 0.54257E-03 0.10007E-02 0.66187E+03 0.14166E+07 0.13237E+01 0.14998E-02 0.36331E+01 0.45742E+02 0.54592E-03 0.10032E-02 0.66548E+03 0.14243E+07 0.13310E+01 0.15090E-02 0.36528E+01 0.45742E+02 0.54929E-93 0.10058E-02 0.66911E+03 0.14321E+07 0.13382E+01 0.15183E-02 0.36727E+01 0.45741E+02 0.55268E-03 0.10083E-02 0.67275E+03 0.14399E+07 0.13455E+01 0.15277E-02 0.36927E+01 0.45741E+02 0.55609E-03 0.10108E-02 0.67642E+03 0.14477E+07 0.13528E+01 0.15371E-02 0.37127E+01 0.45740E+02 0.55952E-03 0.10134E-02 0.68011E+03 0.14556E+07 0.13602E+01 0.15466E-02 0.37329E+01 0.45740E+02 0.56296E-03 0.10159E-02 0.68381E+03 0.14636E+07 0.13676E+01 0.15561E-02 0.37532E+01 0.45739E+02 0.56643E-03 0.10185E-02 0.68754E+03 0.14715E+07 0.13751E+01 0.15656E-02 0.37736E+01 0.45738E+02 0.56991E-03 0.10210E-02 0.69129E+03 0.14796E+07 0.13826E+01 0.15752E-02 0.37942E+01 0.45738E+02 0.57341E-03 0.10235E-02 0.69506E+03 0.14876E+07 0.13901E+01 0.15849E-02 0.38148E+01 0.45737E+02 0.57693E-03 0.10261E-02 0.69884E+03 0.14958E+07 0.13977E+01 0.15946E-02 0.38355E+01 0.45737E+02 0.58047E-03 0.10286E-02 0.70265E+03 0.15039E+07 0.14053E+01 0.16044E-02 0.38564E+01 0.45736E+02 0.58403E-03 0.10312E-02 0.70648E+03 0.15121E+07 0.14130E+01 0.16142E-02 0.38774E+01 0.45735E+02 0.58761E-03 0.10337E-02 0.71034E+03 0.15204E+07 0.14207E+01 0.16241E-02 0.38984E+01 0.45735E+02 0.59121E-03 0.10362E-02 0.71421E+03 0.15286E+07 0.14284E+01 0.16340E-02 0.39196E+01 0.45734E+02 0.59483E-03 0.10388E-02 0.71810E+03 0.15370E+07 0.14362E+01 0.16440E-02 0.39410E+01 0.45734E+02 0.59846E-03 0.10413E-02 0.72201E+03 0.15454E+07 0.14440E+01 0.16540E-02 0.39624E+01 0.45733E+02 0.60212E-03 0.10439E-02 0.72595E+03 0.15538E+07 0.14519E+01 0.16641E-02 0.39839E+01 0.45732E+02 0.60580E-03 0.10464E-02 0.72991E+03 0.15623E+07 0.14598E+01 0.16743E-02 0.40056E+01 0.45732E+02 0.60950E-03 0.10489E-02 0.73389E+03 0.15708E+07 0.14678E+01 0.16845E-02 0.40274E+01 0.45731E+02 0.61321E-03 0.10515E-02 0.73789E+03 0.15794E+07 0.14758E+01 0.16947E-02 0.40493E+01 0.45731E+02 0.61695E-03 0.10540E-02 0.74191E+03 0.15880E+07 0.14838E+01 0.17050E-02 0.40713E+01 0.45730E+02 0.62071E-03 0.10566E-02 0.74595E+03 0.15966E+07 0.14919E+01 0.17154E-02 0.40934E+01 0.45729E+02 0.62449E-03 0.10591E-02 0.75002E+03 0.16053E+07 0.15000E+01 0.17258E-02 0.41157E+01 0.45729E+02 0.62829E-03 0.10616E-02 0.75411E+03 0.16141E+07 0.15082E+01 0.17363E-02 0.41381E+01 0.45728E+02 0.63211E-03 0.10642E-02 0.75822E+03 0.16229E+07 0.15164E+01 0.17468E-02 0.41606E+01 0.45727E+02 0.63595E-03 0.10667E-02 0.76235E+03 0.16317E+07 0.15247E+01 0.17574E-02 0.41832E+01 0.45727E+02 0.63981E-03 0.10693E-02 0.76651E+03 0.16406E+07 0.15330E+01 0.17681E-02 0.42059E+01 0.45726E+02 0.64370E-03 0.10718E-02 0.77068E+03 0.16496E+07 0.15414E+01 0.17788E-02 0.42288E+01 0.45725E+02 0.64760E-03 0.10743E-02 0.77489E+03 0.16586E+07 0.15498E+01 0.17896E-02 0.42518E+01 0.45725E+02 0.65153E-03 0.10769E-02 0.77911E+03 0.16676E+07 0.15582E+01 0.18004E-02 0.42749E+01 0.45724E+02 0.65547E-03 0.10794E-02 0.78336E+03 0.16767E+07 0.15667E+01 0.18113E-02 0.42981E+01 0.45723E+02 0.65944E-03 0.10820E-02 0.78763E+03 0.16859E+07 0.15753E+01 0.18222E-02 0.43215E+01 0.45723E+02 0.66343E-03 0.10845E-02 0.79192E+03 0.16951E+07 0.15838E+01 0.18332E-02 0.43450E+U1 0.45722E+02 0.66744E-03 0.10870E-02 0.79624E+03 0.17043E+07 0.15925E+01 0.18443E-02 0.43686E+01 0.45721E+02 0.67148E-03 0.10896E-02 0.80058E+03 0.17136E+07 0.16012E+01 0.18554E-02 0.43924E+01 0.45721E+02 0.67553E-03 0.10921E-02 0.80494E+03 0.17230E+07 0.16099E+01 0.18666E-02 0.44162E+01 0.45720E+02 0.67961E-03 0.10947E-02 0.80933E+03 0.17324E+07 0.16187E+01 0.18779E-02 0.44402E+01 0.45719E+02 0.68371E-03 0.10972E-02 0.81374E+03 0.17418E+07 0.16275E+01 0.18892E-02 0.44644E+01 0.45719E+02 0.68783E-03

PDOT

XDOT PROPELLANT BURNT MOOT

0.10997E-02 0.81818E+03 0.17513E+07 0.16364E+01 0.19005E-02 0.44887E+01 0.45718E+02 0.69198E-03 0.11023E-02 0.82264E+03 0.17609E+07 0.16453E+01 0.19120E-02 0.45131E+01 0.45717E+02 0.69614E-03 0.11048E-02 0.82712E+03 0.17705E+07 0.16542E+01 0.19235E-02 0.45376E+01 0.45717E+02 0.76033E-03 0.11074E-02 0.83163E+03 0.17801E+07 0.16633E+01 0.19350E-02 0.45623E+01 0.45716E+02 0.70455E-03 0.11099E-02 0.83616E+03 0.17898E+07 0.16723E+01 0.19466E-02 0.45871E+01 0.45715E+02 0.70878E-03 0.11124E-02 0.84072E+03 0.17996E+07 0.16814E+01 0.19583E-02 0.46120E+01 0.45714E+02 0.71304E-03 0.11150E-02 0.84531E+03 0.18094E+07 0.16906E+01 0.19701E-02 0.46371E+01 0.45714E+02 0.71732E-03 0.11175E-02 0.84991E+03 0.18193E+07 0.16998E+01 0.19819E-02 0.46623E+01 0.45713E+02 0.72163E-03 0.11201E-02 0.85455E+03 0.18292E+07 0.17091E+01 0.19937E-02 0.46876E+01 0.45712E+02 0.72596E-03 0.11226E-02 0.85921E+03 0.18392E+07 0.17184E+01 0.20057E-02 0.47131E+01 0.45712E+02 0.73031E-03 0.11251E-02 0.86389E+03 0.18492E+07 0.17278E+01 0.20177E-02 0.47387E+01 0.45711E+02 0.734655-03 0.11277E-02 0.86860E+03 0.18593E+07 0.17372E+01 0.20298E-02 0.47645E+01 0.45710E+02 0.73909E-03 0.11302E-02 0.87333E+03 0.18694E+07 0.17467E+01 0.20419E-02 0.47904E+01 0.45709E+02 0.74351E-03 0.11328E-02 0.87809E+03 0.18796E+07 0.17562E+01 0.20541E-02 0.48164E+01 0.45709E+02 0.74796E-03 0.11353E-02 0.88288E+03 0.18899E+07 0.17658E+01 0.20664E-02 0.48426E+01 0.45708E+02 0.75243E-03 0.11378E-02 0.88769E+03 0.19002E+07 0.17754E+01 0.20787E-02 0.48689E+01 0.45707E+02 0.75693E-03 0.11404E-02 0.89253E+03 0.19106E+07 0.17851E+01 0.20911E-02 0.48953E+01 0.45706E+02 0.76145E-03 0.11429E-02 0.89740E+03 0.19210E+07 0.17948E+01 0.21036E-02 0.49220E+01 0.45706E+02 0.76600E-03 0.11455E-02 0.90229E+03 0.19315E+07 0.18046E+01 0.21161E-02 0.49487E+01 0.45705E+02 0.77057E-03 0.11480E-02 0.90721E+03 0.19420E+07 0.18144E+01 0.21287E-02 0.49756E+01 0.45704E+02 0.77516E-03 0.11505E-02 0.91216E+03 0.19526E+07 0.18243E+01 0.21414E-02 0.50026E+01 0.45703E+02 0.77978E-03 0.11531E-02 0.91713E+03 0.19633E+07 0.18343E+01 0.21541E-02 0.50298E+01 0.45703E+02 0.78443E-03 0.11556E-02 0.92213E+03 0.19740E+07 0.18443E+U1 0.21669E-02 0.50572E+01 0.45702E+02 0.78910E-03 0.11582E-02 0.92716E+03 0.19847E+07 0.18543E+01 0.21798E-02 0.50846E+01 0.45701E+02 0.7930E-03 0.11607E-02 0.93221E+03 0.19956E+07 0.18644E+01 0.21927E-02 0.51123E+01 0.45700E+02 0.79852E-03 0.11632E-02 0.93729E+03 0.20064E+07 0.18746E+01 0.22058E-02 0.51401E+01 0.45699E+02 0.80327E-03 0.11658E-02 0.94240E+03 0.20174E+07 0.18848E+01 0.22189E-02 0.51680E+01 0.45699E+02 0.80804E-03 0.11683E-02 0.94754E+03 0.20284E+07 0.18951E+01 0.22320E-02 0.51961E+01 0.45698E+02 0.81284E-03 0.11709E-02 0.95271E+03 0.20395E+07 0.19054E+01 0.22452E-02 0.52243E+01 0.45697E+02 0.81767E-03 0.11734E-02 0.95790E+03 0.20506E+07 0.19158E+01 0.22586E-02 0.52527E+01 0.45696E+02 0.82252E-03 0.11759E-02 0.96312E+03 0.20618E+07 0.19262E+01 0.22719E-02 0.52812E+01 0.45695E+02 0.82740E-03 0.11785E-02 0.96837E+03 0.20730E+07 0.19367E+01 0.22854E-02 0.53099E+01 0.45695E+02 0.83231E-03 0.11810E-02 0.97365E+03 0.20843E+07 0.19473E+01 0.22989E-02 0.53388E+01 0.45694E+02 0.83724E-03 0.11836E-02 0.97896E+03 0.20957E+07 0.19579E+01 0.23125E-02 0.53678E+01 0.45693E+02 0.84220E-03 0.118/1E-02 0.98430E+03 0.21071E+07 0.19686E+01 0.23262E-02 0.53970E+01 0.45692E+02 0.84718E-03 0.11886E-02 0.98966E+03 0.21186E+07 0.19793E+01 0.23399E-02 0.54263E+01 0.45691E+02 0.85220E-03 0.11912E-02 0.99506E+03 0.21302E+07 0.19901E+01 0.23537E-02 0.54558E+01 0.45690E+02 0.85724E-03 0.11937E-02 0.10005E+04 0.21418E+07 0.20010E+01 0.23676E-02 0.54854E+01 0.45690E+02 0.86231E-03 0.11963E-02 0.10059E+04 0.21535E+07 0.20119E+01 0.23816E-02 0.55152E+01 0.45689E+02 0.86740E-03 0.11988E-02 0.10114E+04 0.21652E+07 0.20228E+01 0.23956E-02 0.55452E+01 0.4568BE+02 0.87253E-03 0.12013E-02 0.10169E+04 0.21771E+07 0.20339E+01 0.24098E-02 0.55753E+01 0.45687E+02 0.87768E-03 0.12039E-02 0.10225E+04 0.21889E+07 0.20450E+01 0.24240E-02 0.56056E+01 0.45686E+02 0.88286E-03 0.12064E-02 0.10281E+04 0.22009E+07 0.20561E+01 0.24382E-02 0.56361E+01 0.45685E+02 0.88807E-03 0.12089E-02 0.10337E+04 0.22129E+07 0.20673E+01 0.24526E-02 0.56667E+01 0.45684E+02 0.89330E-03 0.12115E-02 0.10393E+04 0.22250E+07 0.20786E+01 0.24670E-02 0.56975E+01 0.45684E+02 0.89857E-03 0.12140E-02 0.10450E+04 0.22371E+07 0.20899E+01 0.24815E-02 0.57284E+01 0.45683E+02 0.90386E-03 0.12166E-02 0.10507E+04 0.22493E+07 0.21013E+01 0.24961E-02 0.57595E+01 0.45682E+02 0.90918E-03 0.12191E-02 0.10564E+04 0.22616E+07 0.21128E+01 0.25108E-02 0.57908E+01 0.45681E+02 0.91453E-03 0.12216E-02 0.10622E+04 0.22739E+07 0.21243E+01 0.25255E-02 0.58223E+01 0.45680E+02 0.91992E-03 0.12242E-02 0.10679E+04 0.22863E+07 0.21359E+01 0.25404E-02 0.58539E+01 0.45679E+02 0.92533E-03 0.12267E-02 0.10738E+04 0.22988E+07 0.21475E+01 0.25553E·02 0.58857E+01 0.45678E+02 0.93076E-03 0.12293E-02 0.10796E+04 0.23113E+07 0.21592E+01 0.25703E-02 0.59177E+01 0.45677E+02 0.93623E-03 0.12318E-02 0.10855E+04 0.23240E+07 0.21710E+01 0.25853E-02 0.59498E+01 0.45676E+02 0.94173E-03 0.12343E-02 0.10914E+04 0.23366E+07 0.21828E+01 0.26005E-02 0.59822E+01 0.45675E+02 0.94726E-03

\_20000000\_17/1/1/1/1 2000000\_2

POOY

0.12369E-02 0.10974E+04 0.23494E+07 0.21947E+01 0.26157E-02 0.60146E+01 0.45675E+02 0.95282E-03 0.12394E-02 0.11034E+04 0.23622E+07 0.22067E+01 0.26310E-02 0.60473E+01 0.45674E+02 0.95841E-03 0.12420E-02 0.11094E+04 0.23751E+07 0.22187E+01 0.26464E-02 0.60802E+01 0.45673E+02 0.96403E-03 0.12445E-02 0.11154E+04 0.23881E+07 0.22308E+01 0.26619E-02 0.61132E+01 0.45672E+02 0.96968E-03 0.12470E-02 0.11215E+04 0.24011E+07 0.22430E+01 0.26775E-02 0.61464E+01 0.45671E+02 0.97536E-03 0.12496E-02 0.11276E+04 0.24142E+07 0.22552E+01 0.26931E-02 0.61798E+01 0.45670E+02 0.98107E-03 0.12521E-02 0.11338E+04 0.24274E+07 0.22675E+01 0.27089E-02 0.62133E+01 0.45669E+02 0.98682E-03 0.12547E-02 0.11399E+04 0.24406E+07 0.22799E+01 0.27247E-02 0.62471E+01 0.45668E+02 0.99259E-03 0.12572E-02 0.11462E+04 0.24539E+07 0.22923E+01 0.27406E-02 0.62810E+01 0.45667E+02 0.99840E-03 0.12597E-02 0.11524E+04 0.24673E+07 0.23048E+01 0.27566E-02 0.63151E+01 0.45666E+02 0.10042E-02 0.12623E-02 0.11587E+04 0.24808E+07 0.23174E+01 0.27727E-02 0.63494E+01 0.45665E+02 0.10101E-02 0.12648E-02 0.11650E+04 0.24943E+07 0.23300E+01 0.27889E-02 0.63839E+01 0.45664E+02 0.10160E-02 0.12674E-02 0.11714E+04 0.25079E+07 0.23427E+01 0.28051E-02 0.64186E+01 0.45663E+02 0.10219E-02 0.12699E-02 0.11778E+04 0.25216E+07 0.23555E+01 0.28215E-02 0.64534E+01 0.45662E+02 0.10279E-02 0.12724E-02 0.11842E+04 0.25354E+07 0.23684E+01 0.28379E-02 0.64885E+01 0.45661E+02 0.10339E-02 0.12750E-02 0.11906E+04 0.25492E+07 0.23813E+01 0.28544E-02 0.65237E+01 0.45660E+02 0.10399E-02 0.12775E-02 0.11971E+04 0.25631E+07 0.23943E+01 0.28710E-02 0.65591E+01 0.45659E+02 0.10460E-02 0.12801E-02 0.12037E+04 0.25771E+07 0.24073E+01 0.28877E-02 0.65948E+01 0.45658E+02 0.10521E-02 0.12826E-02 0.12102E+04 0.25912E+07 0.24204E+01 0.29045E-02 0.66306E+01 0.45657E+02 0.10582E-02 0.12851E-02 0.12168E+04 0.26053E+07 0.24336E+01 0.29214E-02 0.66666E+01 0.45656E+02 0.10644E-02 0.12877E-02 0.12235E+04 0.26195E+07 0.24469E+01 0.29384E-02 0.67028E+01 0.45655E+02 0.10706E-02 0.12902E-02 0.12301E+04 0.26338E+07 0.24602E+01 0.29555E-02 0.67392E+01 0.45654E+02 0.10768E-02 0.12928E-02 0.12368E+04 0.26482E+07 0.24737E+01 0.29726E-02 0.67758E+01 0.45653E+02 0.10831E-02 0.12953E-02 0.12436E+04 0.26627E+07 0.24871E+01 0.29899E-02 0.68126E+01 0.45652E+02 0.10894E-02 0.12978E-02 0.12504E+04 0.26772E+07 0.25007E+01 0.30072E-02 0.68496E+01 0.45651E+02 0.10957E-02 0.13004E-02 0.12572E+04 0.26918E+07 0.25143E+01 0.30247E-02 0.68867E+01 0.45650E+02 0.11021E-02 0.13029E-02 0.12640E+04 0.27065E+07 0.25281E+01 0.30422E-02 0.69241E+01 0.45649E+02 0.11085E-02 0.13055E-02 0.12709E+04 0.27213E+07 0.25418E+01 0.30599E-02 0.69617E+01 0.45648E+02 0.11149E-02 0.13080E-02 0.12779E+04 0.27361E+07 0.25557E+01 0.30776E-02 0.69995E+01 0.45646E+02 0.11214E-02 0.13105E-02 0.12848E+04 0.27510E+07 0.25696E+01 0.30954E-02 0.70375E+01 0.45645E+02 0.11279E-02 0.13131E-02 0.12918E+04 0.27661E+07 0.25837E+01 0.31133E-02 0.70757E+01 0.45654E+02 0.11345E-02 0.13156E-02 0.12989E+04 0.27812E+07 0.25977E+01 0.31314E-02 0.71141E+01 0.45643E+02 0.11410E-02 0.13182E-02 0.13060E+04 0.27963E+07 0.26119E+01 0.31495E-02 0.71528E+01 0.45642E+02 0.11477E-02 0.13207E-02 0.13131E+04 0.28116E+07 0.26261E+01 0.31677E-02 0.71916E+01 0.45641E+02 0.11543E-02 0.13232E-02 0.13202E+04 0.28269E+07 0.26405E+01 0.31860E-02 0.72306E+01 0.45640E+02 0.11610E-02 0.13258E-02 0.13274E+04 0.28424E+07 0.26549E+01 0.32044E-02 0.72699E+01 0.45639E+02 0.11677E-02 0.13283E-02 0.13347E+04 0.28579E+07 0.26693E+01 0.32229E-02 0.73094E+01 0.45638E+02 0.11745E-02 0.13309E-02 0.13420E+04 0.28735E+07 0.26839E+01 0.32415E-02 0.73490E+01 0.45636E+02 0.11813E-02 0.13334E-02 0.13493E+04 0.28892E+07 0.26985E+01 0.32603E-02 0.73889E+01 0.45635E+02 0.11881E-02 0.13359E-02 0.13566E+04 0.29049E+07 0.27133E+01 0.32791E-02 0.74290E+01 0.45634E+02 0.11950E-02 0.13385E-02 0.13640E+04 0.29208E+07 0.27281E+01 0.32980E-02 0.74694E+01 0.45633E+02 0.12019E-02 0.13410E-02 0.13715E+04 0.29367E+07 0.27429E+01 0.33170E-02 0.75099E+01 0.45632E+02 0.12088E-02 0.13436E-02 0.13789E+04 0.29528E+07 0.27579E+01 0.33361E-02 0.75507E+01 0.45631E+02 0.12158E-02 0.13461E-02 0.13865E+04 0.29689E+07 0.27729E+01 0.33554E-02 0.75916E+01 0.45630E+02 0.12229E-02 0.13486E-02 0.13940E+04 0.29851E+07 0.27880E+01 0.33747E-02 0.76328E+01 0.45628E+02 0.12299E-02 0.13512E-02 0.14016E+04 0.30014E+07 0.28033E+01 0.33941E-02 0.76743E+01 0.45627E+02 0.12370E-02 0.13537E-02 0.14093E+04 0.30178E+07 0.28185E+01 0.34137E-02 0.77159E+01 0.45626E+02 0.12442E-02 0.13563E-02 0.14170E+04 0.30343E+07 0.28339E+01 0.34333E-02 0.77578E+01 0.45625E+02 0.12513E-02 0.13588E-02 0.14247E+04 0.30508E+07 0.28494E+01 0.34531E-02 0.77999E+01 0.45624E+02 0.12586E-02 0.13613E-02 0.14325E+04 0.30675E+07 0.28649E+01 0.34730E-02 0.78422E+01 0.45622E+02 0.1265BE-02 0.13639E-02 0.14403E+04 0.30842E+07 0.28805E+01 0.34929E-02 0.78848E+01 0.45621E+02 0.12731E-02 0.13664E-02 0.14481E+04 0.31011E+07 0.289 RE+01 0.35130E-02 0.79276E+01 0.45620E+02 0.12804E-02 0.13690E-02 0.14560E+04 0.31180E+07 0.29120E+01 0.35332E-02 0.79706E+01 0.45619E+02 0.12878E-02 0.13715E-02 0.14640E+04 0.31350E+07 0.29279E+01 0.35535E-02 0.80138E+01 0.45617E+02 0.12952E-02 0.13740E-02 0.14719E+04 0.31521E+07 0.29439E+01 0.35739E-02 0.80573E+01 0.45616E+02 0.13027E-02 0.13766E-02 0.14800E+04 0.31693E+07 0.29599E+01 0.35944E-02 0.81010E+01 0.45615E+02 0.13102E-02 0.13791E-02 0.14880E+04 0.31866E+07 0.29761E+01 0.36151E-02 0.81450E+01 0.45614E+02 0.13177E-02 0.13817E-02 0.14962E+04 0.32040E+07 0.29923E+01 0.36358E-02 0.81892E+01 0.45612E+02 0.13253E-02 0.13842E-02 0.15043E+04 0.32215E+07 0.30086E+01 0.36567E-02 0.82336E+01 0.45611E+02 0.15329E-02 C.13867E-02 0.15125E+04 0.32391E+07 0.30250E+01 0.36776E-02 0.82783E+01 C.45610E+02 0.13406E-02 0.13893E-02 0.15208E+04 0.32568E+07 0.30415E+01 0.36987E-02 0.83232E+01 0.45609E+02 0.13483E-02 0.13918E-02 0.15291E+04 0.32746E+07 0.30581E+01 0.37199E-02 0.83684E+01 0.45607E+02 0.13560E-02 0.13944E-02 0.15374E+04 0.32924E+07 0.30748E+01 0.37412E-02 0.84138E+01 0.45606E+02 0.13638E-02 0.13969E-02 0.15458E+04 0.33104E+07 0.30916E+01 0.37626E-02 0.84594E+01 0.45605E+02 0.13717E-02 0.13994E-02 0.15542E+04 0.33285E+07 0.31084E+01 0.37842E-02 0.85053E+01 0.45603E+02 0.13795E-02 0.14020E-02 0.15627E+04 0.33467E+07 0.31254E+01 0.38058E-02 0.85515E+01 0.45602E+02 0.13874E-02 0.14045E-02 0.15712E+04 0.33649E+07 0.31424E+01 0.38276E-02 0.85979E+01 0.45609E+02 0.13954E-02 0.14071E-02 0.15798E+04 0.33833E+07 0.31596E+01 0.38495E-02 0.86445E+01 0.45599E+02 0.14034E-02 0.14096E-02 0.15884E+04 0.34018E+07 0.31768E+G1 0.38715E-02 0.86914E+01 0.45598E+02 0.14115E-02 0.14121E-02 0.15971E+04 0.34204E+07 0.31941E+01 0.38937E-02 0.87385E+01 0.45597E+02 0.14195E-02 0.14147E-02 0.16058E+04 0.34390E+07 0.32116E+01 0.39159E-02 0.87859E+01 0.45595E+02 0.14277E-02 0.14172E-02 0.16145E+04 0.34578E+07 0.32291E+01 0.39383E-02 0.88336E+01 0.45594E+02 0.14359E-02 0.14198E-02 0.16233E+04 0.34767E+07 0.32467E+01 0.39608E-02 0.88815E+01 0.45593E+02 0.14441E-02 0.14223E-02 0.16322E+04 0.34957E+07 0.32644E+01 0.39834E-02 0.89297E+01 0.45591E+02 0.14524E-02 0.14248E-02 0.16411E+04 0.35148E+07 0.32822E+01 0.40062E-02 0.89781E+01 0.45590E+02 0.14607E-02 0.14274E-02 0.16501E+04 0.35340E+07 0.33001E+01 0.40290E-02 0.90268E+01 0.45588E+02 0.14690E-02 0.14299E-02 0.16591E+04 0.35533E+07 0.33181E+01 0.40520E-02 0.90758E+01 0.45587E+02 0.14774E-02 0.14325E-02 0.16681E+04 0.35727E+07 0.33362E+01 0.40751E-02 0.91250E+01 0.45586E+02 0.14859E-02 0.14350E-02 0.16772E+04 0.3592ZE+07 0.33544E+01 0.40984E-02 0.91745E+01 0.45584E+02 0.14944E-02 0.14375E-02 0.16863E+04 0.36118E+07 0.33727E+01 0.41217E-02 0.92242E+01 0.45583E+02 0.15029E-02 0.14401E-02 0.16955E+04 0.36315E+07 0.33911E+01 0.41452E-02 0.92742E+01 0.45581E+02 0.15115E-02 0.14426E-02 0.17048E+04 0.36513E+07 0.34096E+01 0.41688E-02 0.93245E+01 0.45580E+02 0.15201E-02 0.14452E-02 0.17141E+04 0.36713E+07 0.34282E+01 0.41926E-02 0.93751E+01 0.45579E+02 0.15288E-02 0.14477E-02 0.17234E+04 0.36913E+07 0.34469E+01 0.42165E-02 0.94259E+01 0.45577E+02 0.15376E-02 0.14502E-02 0.17328E+04 0.37115E+07 0.34657E+01 0.42405E-02 0.94771E+01 0.45576E+02 0.15463E-02 0.14528E-02 0.17423E+04 0.37318E+07 0.34846E+01 0.42646E-02 0.95284E+01 0.45574E+02 0.15552E-02 0.14553E-02 0.17518E+04 0.37521E+07 0.35036E+01 0.42889E-02 0.95801E+01 0.45573E+02 0.15640E-02 0.14579E-02 0.17614E+04 0.37726E+07 0.35227E+01 0.43133E-02 0.96320E+01 0.45571E+02 0.15730E-02 0.14604E-02 0.17710E+04 0.37932E+07 0.35419E+01 0.43378E-02 0.96843E+01 0.45570E+02 0.15819E-02 0.14629E-02 0.17806E+04 0.38140E+07 0.35612E+01 0.43625E-02 0.97368E+01 0.45568E+02 0.15909E-02 0.14655E-02 0.17903E+04 0.38348E+07 0.35807E+01 0.43873E-02 0.97896E+01 0.45567E+02 0.16000E-02 0.14680E-02 0.18001E+04 0.38557E+07 0.36002E+01 0.44122E-02 0.98426E+01 0.45565E+02 0.16091E-02 0.14706E-02 0.18099E+04 0.38768E+07 0.36198E+01 0.44372E-02 0.98960E+01 0.45564E+02 0.16183E-02 0.14731E-02 0.18198E+04 0.38980E+07 0.36396E+01 0.44625E-02 0.99496E+01 0.45562E+02 0.16275E-02 0.14756E-02 0.18297E+04 0.39193E+07 0.36594E+01 0.44878E-02 0.10004E+02 0.45561E+02 0.16368E-02 0.14782E-02 0.18397E+04 0.39407E+07 0.36794E+01 0.45133E-02 0.10058E+02 0.45559E+02 0.16461E-02 0.14807E-02 0.18497E+04 0.39622E+07 0.36995E+01 0.45389E-02 0.10112E+02 0.45557E+02 0.16555E-02 0.14832E-U2 0.18598E+U4 0.39838E+O7 0.37197E+O1 0.45646E-O2 0.10167E+O2 0.45556E+O2 0.16649E-O2 0.14858E-02 0.18700E+04 0.40056E+07 0.37400E+01 0.45905E-02 0.10222E+02 0.45554E+02 0.16744E-02 0.14883E-02 0.18802E+04 U.40275E+07 0.37604E+01 0.46166E-02 0.10278E+02 0.45553E+02 0.16839E-02 0.14909E-02 0.18904E+04 0.40495E+07 0.37809E+01 0.46427E-02 0.10333E+02 0.45551E+02 0.16935E-02 0.14934E-02 0.19007E+04 C.40716E+07 0.38015E+01 C.46690E-02 0.10389E+02 O.45549E+02 0.17031E-02 0.14959E-02 0.19111E+04 0.40938E+07 0.38222E+01 0.46955E-02 0.10446E+02 0.45548E+02 0.17128E-02 0.14985E-02 0.19215E+04 0.41162E+07 0.38431E+01 0.47221E-02 0.10502E+02 0.45546E+02 0.17225E-02 0.15010E-02 0.19320E+04 0.41387E+07 0.38641E+01 0.47489E-02 0.10559E+02 0.45545E+02 0.17323E-02 0.15036E-02 0.19426E+04 0.41613E+07 0.38851E+01 0.47757E-02 0.10616E+02 0.45543E+02 0.17422E-02 0.15061E-02 0.19532E+04 0.41840E+07 0.39063E+01 0.4802BE-02 0.10674E+02 0.45541E+02 0.17520E-02 0.15086E-02 0.19638E+04 0.42069E+07 0.39276E+01 0.48300E-02 0.10732E+02 0.45540E+02 0.17620E-02 POOT

0.15112E-02 0.19745E+04 0.4229E+07 0.39491E+01 0.48573E-02 0.10790E+02 0.45538E+02 0.17720E-02 0.15137E-02 0.19853E+04 0.42530E+07 0.39706E+01 0.48848E-02 0.10848E+02 0.45536E+02 0.17821E-02 0.15163E-02 0.19961E+04 0.42762E+07 0.39923E+01 0.49124E-02 0.10907E+02 0.45535E+02 0.17922E-02 0.15188E-02 0.20070E+04 0.42996E+07 0.40141E+01 0.49402E-02 0.10966E+02 0.45533E+02 0.18023E-02 0.15213E-02 0.20180E+04 0.43230E+07 0.40360E+01 0.49681E-02 0.11026E+02 0.45531E+02 0.18126E-02 0.15239E-02 0.20290E+04 0.43467E+07 0.40580E+01 0.49962E-02 0.11085E+02 0.45530E+02 0.18228E-02 0.15264E-02 0.20401E+04 0.43704E+07 0.40801E+01 0.50244E-02 0.11146E+02 0.45528E+02 0.18332E-02 0.15290E-02 0.20512E+04 0.43943E+07 0.41024E+01 0.50528E-02 0.11206E+02 0.45526E+02 0.18436E-02 0.15315E-02 0.20624E+04 0.44183E+07 0.41248E+01 0.50813E-02 0.11267E+02 0.45524E+02 0.18540E-02 0.15340E-02 0.20736E+04 0.44424E+07 0.41473E+01 0.51100E-02 0.11328E+02 0.45523E+02 0.18645E-02 0.15366E-02 0.20849E+04 0.44667E+07 0.41699E+01 0.51389E-02 0.11389E+02 0.45521E+02 0.18751E-02 0.15391E-02 0.20963E+04 0.44911E+07 0.41926E+01 0.51679E-02 0.11451E+02 0.45519E+02 0.18857E-02 0.15417E-02 0.21078E+04 0.45157E+07 0.42155E+01 0.51970E-02 0.11513E+02 0.45517E+02 0.18964E-02 0.15442E-02 0.21193E+04 0.45403E+07 0.42385E+01 0.52264E-02 0.11575E+02 0.45515E+02 0.19071E-02 0.15467E-02 0.21308E+04 0.45651E+07 0.42616=+01 0.52558E-02 0.11638E+02 0.45514E+02 0.19179E-02 0.15493E-02 0.21424E+04 0.45901E+07 0.42849E+01 0.52855E-02 0.11701E+02 0.45512E+02 0.19288E-02 0.15518E-02 0.21541E+04 0.46152E+07 0.43083E+01 0.53153E-02 0.11764E+02 0.45510E+02 0.19397E-02 0.15544E-02 0.21659E+04 0.46404E+07 0.43318E+01 0.53452E-02 0.11828E+02 0.45508E+02 0.19506E-02 0.15569E-C2 0.21777E+04 0.46657E+07 0.43554E+01 0.53754E-02 0.11892E+02 0.45506E+02 0.19617E-02 0.15594E-02 0.21896E+04 0.46912E+07 0.43792E+01 0.54056E-02 0.11956E+02 0.45505E+02 0.19728E-02 0.15620E-02 0.22015E+04 0.47169E+07 0.44031E+01 0.54361E-02 0.12021E+02 0.45503E+02 0.19839E-02 0.15645E-02 0.22136E+04 0.47426E+07 0.44271E+01 0.54667E-02 0.12086E+02 0.45501E+02 0.19951E-02 0.15671E-02 0.22256E+04 0.47686E+07 0.44513E+01 0.54975E-02 0.12152E+02 0.45499E+02 0.20064E-02 0.15696E-02 0.22378E+04 0.47946E+07 0.44755E+01 0.55284E-02 0.12217E+02 0.45497E+02 0.20177E-02 0.15721E-02 0.22500E+04 0.48208E+07 0.45000E+01 0.55595E-02 0.12284E+02 0.45495E+02 0.20291E-02 0.15747E-02 0.22623E+04 0.48472E+07 0.45245E+01 0.55908E-02 0.12350E+02 0.45493E+02 0.20406E-02 0.15772E-02 0.22746E+04 0.48737E+07 0.45492E+01 0.56223E-02 0.12417E+02 0.45491E+02 0.20521E-02 0.15798E-02 0.22870E+04 0.49003E+07 0.45740E+01 0.56539E-02 0.12484E+02 0.45489E+02 0.20637E-02 0.15823E-02 0.22995E+04 0.49271E+07 0.45990E+01 0.56857E-02 0.12552E+02 0.45487E+02 0.20754E-02 0.15848E-02 0.23120E+04 0.49540E+07 0.46241E+01 0.57177E-02 0.12620E+02 0.45485E+02 0.20871E-02 0.15874E-02 0.23247E+04 0.49811E+07 0.46493E+01 0.57498E-02 0.12688E+02 0.45484E+02 0.20988E-02 0.15899E-02 0.23373E+04 0.50083E+07 0.46747E+01 0.57821E-02 0.12757E+02 0.45482E+02 0.21107E-02 0.15925E-02 0.23501E+04 0.50357E+07 0.47002E+01 0.58146E-02 0.12826E+02 0.45480E+02 0.21226E-02 0.15950E-02 0.23629E+04 0.50632E+07 0.47259E+01 0.58473E-02 0.12895E+02 0.45478E+02 0.21346E-02 0.15975E-02 0.23758E+04 0.50909E+07 0.47516E+01 0.58801E-02 0.12965E+02 0.45476E+02 0.21466E-02 0.16001E-02 0.2388E+04 0.51187E+07 0.47776E+01 0.59131E-02 0.13035E+02 0.45474E+02 0.21587E-02 0.16026E-02 0.24018E+04 0.51467E+07 0.48036E+01 0.59463E-02 0.13106E+02 0.45472E+02 0.21709E-02 0.16052E-02 0.24149E+04 0.51748E+07 0.48299E+01 0.59797E-02 0.13177E+02 0.45469E+02 0.21831E-02 0.16077E-02 0.24281E+04 0.52031E+07 0.48562E+01 0.60133E-02 0.13248E+02 0.45467E+02 0.21954E-02 0.16102E-02 0.24414E+04 0.52315E+07 0.48827E+01 0.60470E-02 0.13320E+02 0.45465E+02 0.22078E-02 0.16128E-02 0.24547E+04 0.52601E+07 0.49094E+01 0.60809E-02 0.13392E+02 0.45463E+02 0.22202E-02 0.16153E-02 0.24681E+04 0.52889E+07 0.49362E+01 0.61150E-02 0.13464E+02 0.45461E+02 0.22327E-02 0.16179E.02 0.24815E+04 0.53178E+07 0.49631E+01 0.61493E.02 0.13537E+02 0.45459E+02 0.22453E-02 0.16204E-02 0.24951E+04 0.53469E+07 0.49902E+01 0.61838E-02 0.13610E+02 0.45457E+02 0.22579E-02 0.16229E-02 0.25087E+04 0.53761E+07 0.50174E+01 0.62184E-02 0.13684E+02 0.45455E+02 0.22706E-02 0.16255E-02 0.25224E+04 0.54055E+07 0.50448E+01 0.62533E-02 0.13758E+02 0.45453E+02 0.22834E-02 0.16280E-02 0.25362E+04 0.54350E+07 0.50723E+01 0.62883E-02 0.13832E+02 0.45451E+02 0.22963E-02 0.163U6E-02 0.25500E+04 0.54648E+07 0.51000E+01 0.63236E-02 0.13907E+02 0.45448E+02 0.23092E-02 0.16331E-02 0.25639E+04 0.54946E+07 0.51279E+01 0.63590E-02 0.13983E+02 0.45446E+02 0.23222E-02 0.16356E-02 0.25779E+04 0.55247E+07 0.51558E+01 0.63946E-02 0.14058E+02 0.45444E+02 0.23352E-02 0.16382E-02 0.25920E+04 0.55549E+07 0.51840E+01 0.64304E-02 0.14134E+02 0.45442E+02 0.23483E-02 0.16407E-02 0.26061E+04 0.55853E+07 0.52123E+01 0.64664E-02 0.14211E+02 0.45440E+02 0.23615E-02 0.16433E-02 0.26204E+04 0.56158E+07 0.52407E+01 0.65026E-02 0.14288E+02 0.45438E+02 0.23748E-02 0.16458E-02 0.26347E+04 0.56465E+07 0.52693E+01 0.65390E-02 0.14365E+02 0.45435E+02 0.23882E-02

POOT 0.17855E-02 0.35545E+04 0.76225E+07 0.71090E+01 0.88747E-02 0.19319E+02 0.45292E+02 0.32463E-02 0.17880E-02 0.35739E+04 0.76642E+07 0.71479E+01 0.89239E-02 0.19423E+02 0.45289E+02 0.32644E-02 0.17906E-02 0.35934E+04 0.77062E+07 0.71869E+01 0.89733E-02 0.19528E+02 0.45286E+02 0.32826E-02 0.17931E-02 0.36131E+04 0.77484E+07 0.72261E+01 0.90231E-02 0.19633E+02 0.45283E+02 0.33009E-02 0.17956E-02 0.36328E+04 0.77908E+07 0.72656E+01 0.90731E-02 0.19739E+02 0.45280E+02 0.33193E-02 0.17982E-02 0.36526E+04 0.78334E+07 0.73053E+01 0.91233E-02 0.19846E+02 0.45277E+02 0.33378E-02 0.18007E-02 0.36726E+04 0.78763E+07 0.73452E+01 0.91739E-02 0.19953E+02 0.45274E+02 0.33564E-02 0.18033E-02 0.36927E+04 0.79194E+07 0.73853E+01 0.92247E-02 0.20060E+02 0.45271E+02 0.33751E-02 0.18058E-02 0.37128E+04 0.79628E+07 0.74256E+01 0.92758E-02 0.20169E+02 0.45268E+02 0.33940E-02 0.18083E-02 0.37331E+04 0.80064E+07 0.74662E+01 0.93271E-02 0.20277E+02 0.45265E+02 0.34129E-02 0.18109E-02 0.37535E+04 0.80502E+07 0.75070E+01 0.93788E-02 0.20387E+02 0.45261E+02 0.34319E-02 0.18134E-02 0.37740E+04 0.80943E+07 0.75480E+01 0.94307E-02 0.20496E+02 0.45258E+02 0.34510E-02 0.18160E-02 0.37946E+04 0.81386E+07 0.75892E+01 0.94829E-02 0.20607E+02 0.45255E+02 0.34702E-02 0.18185E-02 0.38153E+04 0.81832E+07 0.76307E+01 0.95354E-02 0.20718E+02 0.45252E+02 0.34895E-02 0.18210E-02 0.38362E+04 0.82280E+07 0.76724E+01 0.95881E-02 0.20830E+02 0.45249E+02 0.35090E-02 0.18236E-02 0.38571E+04 0.82731E+07 0.77143E+01 0.96412E-02 0.20942E+02 0.45245E+02 0.35285E-02 0.18261E-02 0.38782E+04 0.83184E+07 0.77564E+01 0.96945E-02 0.21055E+02 0.45242E+02 0.35482E-02 0.18287F-02 0.38994E+04 0.83639E+07 0.77988E+01 0.97481E-02 0.21168E+02 0.45239E+02 0.35679E-02 0.18312E-02 0.39207E+04 0.84097E+07 0.78414E+01 0.98020E-02 0.21282E+02 0.45235E+02 0.35878E-02 0.18337E-02 0.39421E+04 0.84558E+07 0.78842E+01 0.98562E-02 0.21397E+02 0.45232E+02 0.36078E-02 0.18363E-02 0.39636E+04 0.85021E+07 0.79273E+01 0.99107E-02 0.21512E+02 0.45229E+02 0.36278E-02 0.18388E-02 0.39853E+04 0.85487E+07 0.79706E+01 0.99655E-02 0.21628E+02 0.45225E+02 0.36480E-02 0.18414E-02 0.40071E+04 0.85955E+07 0.80141E+01 0.10021E-01 0.21745E+02 0.45222E+02 0.36683E-02 0.18439E-02 0.40290E+04 0.86426E+07 0.80579E+01 0.10076E-01 0.21862E+02 0.45219E+02 0.36887E-02 0.18464E-02 0.40510E+04 0.86899E+07 0.81019E+01 0.10132E-01 0.21980E+02 0.45215E+02 0.37093E-02 0.18490E-02 0.40731E+04 0.87375E+07 0.81462E+01 0.10188E-01 0.22098E+02 0.45212E+02 0.37299E-02 0.18515E-02 0.40953E+04 0.87854E+07 0.81907E+01 0.10244E-01 0.22217E+02 0.45208E+02 0.37506E-02 0.18541E-02 0.41177E+04 0.88335E+07 0.82354E+01 0.10300E-01 0.22337E+02 0.45205E+02 0.37715E-02 0.18566E-02 0.41402E+04 0.88819E+07 0.82804E+01 0.10357E-01 0.22457E+02 0.45201E+02 0.37925E-02 0.18591E-02 0.41628E+04 0.89305E+07 0.83257E+01 0.10415E-01 0.22578E+02 0.45198E+02 0.38136E-02 0.18617E-02 0.41856E+04 0.89794E+07 0.83712E+01 0.10472E-01 0.22700E+02 0.45194E+02 0.38348E-02 0.18642E-02 0.42085E+04 0.90286E+07 0.84169E+01 0.10530E-01 0.22822E+02 0.45191E+02 0.38561E-02 0.18668E-02 0.42314E+04 0.90781E+07 0.84629E+01 0.10588E-01 0.22945E+02 0.45187E+02 0.38775E-02 0.18693E-02 0.42546E+04 0.91278E+07 0.85091E+01 0.10646E-01 0.23068E+02 0.45183E+02 0.38991E-02 0.18718E-02 0.42778E+04 0.91778E+07 0.85556E+01 0.10705E-01 0.23193E+02 0.45180E+02 0.39207E-02 0.18744E-02 0.43012E+04 0.92281E+07 0.86024E+01 0.10764E-01 0.23317E+02 0.45176E+02 0.39425E-02 0.18769E-02 0.43247E+04 0.92787E+07 0.86494E+01 0.10824E-01 0.23443E+02 0.45173E+02 0.39644E-02 0.18795E-02 0.43483E+04 0.93295E+07 0.86966E+01 0.10883E-01 0.23569E+02 0.45169E+02 0.39865E-02 0.18820E-02 0.43721E+04 0.93806E+07 0.87442E+01 0.10943E-01 0.23696E+02 0.45165E+02 0.40086E-02 0.18845E-02 0.43960E+04 0.94321E+07 0.87919E+01 0.11004E-01 0.23823E+02 0.45162E+02 0.40309E-02 0.18871E-02 0.44200E+04 0.94837E+07 0.88400E+01 0.11064E-01 0.23952E+02 0.45158E+02 0.40533E-02 0.18896E-02 0.44441E+04 0.95357E+07 0.88883E+01 0.11125E-01 0.24081E+02 0.45154E+02 0.40758E-02 0.18922E-02 0.44684E+04 0.95880E+07 0.89369E+01 0.11187E-01 0.24210E+02 0.45150E+02 0.40984E-02 0.18947E-02 0.44928E+04 0.96405E+07 0.89857E+01 0.11248E-01 0.24340E+02 0.45146E+02 0.41212E-02 0.18972E-02 0.45174E+04 0.96933E+07 0.90348E+01 0.11310E-01 0.24471E+02 0.45143E+02 0.41441E-02 0.18998E-02 0.45421E+04 0.97465E+07 0.90842E+01 0.11373E-01 0.24603E+02 0.45139E+02 0.41671E-02 0.19023E-02 0.45669E+04 0.97999E+07 0.91338E+01 0.11435E-01 0.24735E+02 0.45135E+02 0.41902E-02 0.19049E-02 0.45919E+04 0.98536E+07 0.91837E+01 0.11498E-01 0.24868E+02 0.45131E+02 0.42135E-02

0.19074E-02 0.46170E+04 0.99076E+07 0.92339E+01 0.11562E-01 0.25002E+02 0.45127E+02 0.42369E-02 0.19099E-02 0.46422E+04 0.99619E+07 0.92844E+01 0.11625E-01 0.25137E+02 0.45123E+02 0.42604E-02 0.19125E-02 0.46676E+04 0.10017E+08 0.93351E+01 0.11689E-01 0.25272E+02 0.45119E+02 0.42840E-02 0.19150E-02 0.46931E+04 0.10071E+08 0.93861E+01 0.11754E-01 0.25408E+02 0.45115E+02 0.43078E-02 0.19176E-02 0.47187E+04 0.10127E+08 0.94374E+01 0.11818E-01 0.25544E+02 0.45111E+02 0.43317E-02 0.19201E-02 0.47445E+04 0.10182E+08 0.94890E+01 0.11883E-01 0.25681E+02 0.45107E+02 0.43557E-02 0.19226E-02 0.47704E+04 0.10238E+08 0.95409E+01 0.11949E-01 0.25820E+02 0.45103E+02 0.43799E-02 0.19252E-02 0.47965E+04 0.10294E+08 0.95930E+01 0.12015E-01 0.25958E+02 0.45099E+02 0.44042E-02 0.19277E-02 0.48227E+04 0.10351E+08 0.96455E+01 0.12081E-01 0.26098E+02 0.45095E+02 0.44286E-02 0.19328E-02 0.48756E+04 0.10464E+08 0.97512E+01 0.12214E-01 0.26379E+02 0.45087E+02 0.44779E-02 0.19353E-02 0.49022E+04 0.10522E+08 0.98045E+01 0.12281E-01 0.26521E+02 0.45083E+02 0.45027E-02 0.19379E-02 0.49290E+04 0.10579E+08 0.98581E+01 0.12349E-01 0.26663E+02 0.45079E+02 0.45277E-02 0.19404E-02 0.49560E+04 0.10637E+08 0.99120E+01 0.12417E-01 0.26807E+02 0.45075E+02 0.45528E-02 0.19430E-02 0.49831E+04 0.10696E+08 0.99662E+01 0.12485E-01 0.26951E+02 0.45070E+02 0.45780E-02 0.19455E-02 0.50103E+04 0.10754E+08 0.10021E+02 0.12553E-01 0.27095E+02 0.45066E+02 0.46034E-02 0.19480E-02 0.50377E+04 0.10813E+08 0.10075E+02 0.12622E-01 0.27241E+02 0.45062E+02 0.46289E-02 0.19506E-02 0.50652E+04 0.10873E+08 0.10130E+02 0.12692E-01 0.27387E+02 0.45058E+02 0.46546E-02 0.19531E-02 0.50929E+04 0.10932E+08 0.10186E+02 0.12762E-01 0.27534E+02 0.45053E+02 0.46804E-02 0.19557E-02 0.51208E+04 0.10992E+08 0.10242E+02 0.12832E-01 0.27682E+02 0.45049E+02 0.47063E-02 0.19582E-02 0.51488E+04 0.11053E+08 0.10298E+02 0.12902E-01 0.27831E+02 0.45045E+02 0.47324E-02 0.19607E-02 0.51769E+04 0.11113E+08 0.10354E+02 0.12973E-01 0.27980E+02 0.45040E+02 0.47586E-02 0.19633E-02 0.52052E+04 0.11174E+08 0.10410E+02 0.13044E-01 0.28131E+02 0.45036E+02 0.47850E-02 0.19658E-02 0.52337E+04 0.11235E+08 0.10467E+02 0.13116E-01 0.28282E+02 0.45031E+02 0.48115E-02 0.19684E-02 0.52623E+04 0.11297E+08 0.10525E+02 0.13188E-01 0.28433E+02 0.45027E+02 0.48382E-02 0.19709E-02 0.52911E+04 0.11359E+08 0.10582E+02 0.13260E-01 0.28586E+02 0.45023E+02 0.48650E-02 0.19734E-02 0.53200E+04 0.11421E+08 0.10640E+02 0.13333E-01 0.28739E+02 0.45018E+02 0.48919E-02 0.19760E-02 0.53491E+04 0.11484E+08 0.10698E+02 0.13406E+01 0.28894E+02 0.45013E+02 0.49190E-02 0.19785E-02 0.53783E+04 0.11547E+08 0.10757E+02 0.13480E-01 0.29049E+02 0.45009E+02 0.49463E-02 0.19811E-02 0.54077E+04 0.11610E+08 0.10815E+02 0.13554E-01 0.29205E+02 0.45004E+02 0.49737E-02 0.19836E-02 0.54373E+04 0.11674E+08 0.10875E+02 0.13628E-01 0.29361E+02 0.45000E+02 0.50012E-02 0.19861E-02 0.54670E+04 0.11738E+08 0.10934E+02 0.13703E-01 0.29519E+02 0.44995E+02 0.50289E-02 0.19887E-02 0.54969E+04 0.11802E+08 0.10994E+02 0.13778E-01 0.29677E+02 0.44991E+02 0.50568E-02 0.17912E-02 0.55270E+04 0.11867E+08 0.11054E+02 0.13854E+01 0.29836E+02 0.44986E+02 0.50848E-02 0.19938E-02 0.55572E+04 0.11932E+08 0.11114E+02 0.13930E-01 0.29996E+02 0.44981E+02 0.51129E-02 0.19963E-02 0.55876E+04 0.11998E+08 0.11175E+02 0.14006E-01 0.30157E+02 0.44976E+02 0.51412E-02 0.19988E-02 0.56182E+04 0.12064E+08 0.11236E+02 0.14083E-01 0.30319E+02 0.44972E+02 0.51697E-02 0.20014E-02 0.56489E+04 0.12130E+08 0.11298E+02 0.14160E-01 0.30482E+02 0.44967E+02 0.51983E-02 0.20039E-02 0.56798E+04 0.12196E+08 0.11360E+02 0.14238E-01 0.30645E+02 0.44962E+02 0.52271E-02 0.20065E-02 0.57108E+04 0.12263E+03 0.11422E+02 0.14316E-01 0.30809E+02 0.44957E+02 0.52560E-02 0.20090E-02 0.57421E+04 0.12331E+08 0.11484E+02 0.14394E-01 0.30974E+02 0.44952E+02 0.52851E-02 0.20115E-02 0.57735E+04 0.12398E+08 0.11547E+02 0.14473E-01 0.31140E+02 0.44948E+02 0.53143E-02 0.20141E-02 0.58050E+04 0.12466E+08 0.11610E+02 0.14553E-01 0.31307E+02 0.44943E+02 0.53437E-02 0.20166E-02 0.58368E+04 0.12535E+08 0.11674E+02 0.14632E-01 0.31475E+02 0.44938E+02 0.53733E-02 0.20191E-02 0.58687E+04 0.12604E+08 0.11737E+02 0.14712E-01 0.31644E+02 0.44933E+02 0.54030E-02 0.20217E-02 0.59008E+04 0.12673E+08 0.11802E+02 0.14793E-01 0.31813E+02 0.44928E+02 0.54329E-02 0.20242E-02 0.59331E+04 0.12742E+08 0.11866E+02 0.14874E+01 0.31984E+02 0.44923E+02 0.54630E-02 0.20268E-02 0.59655E+04 0.12812E+08 0.11931E+02 0.14955E-01 0.32155E+02 0.44918E+02 0.54932E-02 0.20293E-02 0.59982E+04 0.12883E+08 0.11996E+02 0.15037E-01 0.32327E+02 0.44913E+02 0.55236E-02 0.20318E-02 0.60310E+04 0.12953E+08 0.12062E+02 0.15120E-01 0.32500E+02 0.44908E+02 0.55541E-02 0.20344E-02 0.60640E+04 0.13024E+08 0.12128E+02 0.15202E-01 0.32674E+02 0.44903E+02 0.55849E-02 0.20369E-02 0.60971E+04 0.13096E+08 0.12194E+02 0.15286E-01 0.32849E+02 0.44897E+02 0.56158E-02 0.20395E-02 0.61305E+04 0.13168E+08 0.12261E+02 0.15369E-01 0.33025E+02 0.44892E+02 0.56468E-02 0.20420E-02 0.61640E+04 0.13240E+08 0.12328E+02 0.15453E-01 0.33202E+02 0.44887E+02 0.56780E-02 0.20445E-02 0.61977E+04 0.13313E+08 0.12395E+02 0.15538E-01 0.33380E+02 0.44882E+02 0.57094E-02 0.20471E-02 0.62316E+04 0.13386E+08 0.12463E+02 0.15623E-01 0.33559E+02 0.44877E+02 0.57410E-02 0.20496E-02 0.62657E+04 0.13459E+08 0.12531E+02 0.15708E-01 0.33738E+02 0.44871E+02 0.57727E-02 0.20522E-02 0.63000E+04 0.13533E+08 0.12600E+02 0.15794E-01 0.33919E+02 0.44866E+02 0.58047E-02 0.20547E-02 0.63345E+04 0.13608E+08 0.12669E+02 0.15881E-01 0.34100E+02 0.44861E+02 0.58367E-02 0.20572E-02 0.63691E+04 0.13682E+08 0.12738E+02 0.15968E-01 0.34283E+02 0.44855E+02 0.58690E-02

POOT

0.20598E-02 0.64040E+04 0.13758E+08 0.12808E+02 0.16055E-01 0.34466E+02 0.44850E+02 0.59014E-02 0.20623E-02 0.64390E+04 0.13833E+08 0.12878E+02 0.16143E-01 0.34650E+02 0.44844E+02 0.59341E-02 0.20649E-02 0.64743E+04 0.13909E+08 0.12949E+02 0.16231E-01 0.34836E+02 0.44839E+02 0.59669E-02 0.20674E-02 0.65097E+04 0.13985E+08 0.13019E+02 0.16320E-01 0.35022E+02 0.44833E+02 0.59998E-02 0.20699E-02 0.65453E+04 0.14062E+08 0.13091E+02 0.16409E-01 0.35209E+02 0.44828E+02 0.60330E-02 0.20725E-02 0.65811E+04 0.14140E+08 0.13162E+02 0.16498E-01 0.35398E+02 0.44822E+02 0.60663E-02 0.20750E-02 0.66171E+04 0.14217E+08 0.13234E+02 0.16589E-01 0.35587E+02 0.44817E+02 0.60999E-02 0.20776E-02 0.66533E+04 0.14295E+08 0.13307E+02 0.16679E-01 0.35777E+02 0.44811E+02 0.61336E-02 0.20801E-02 0.66897E+04 0.14374E+08 0.13379E+02 0.16770E-01 0.35968E+02 0.44605E+02 0.61674E-02 0.20826E-02 0.67263E+04 0.14453E+08 0.13453E+02 0.16862E-01 0.36161E+02 0.44800E+02 0.62015E-02 0.20852E-02 0.67631E+04 0.14532E+08 0.13526E+02 0.16954E-01 0.36354E+02 0.44794E+02 0.62358E-02 0.20877E-02 0.68002E+04 0.14612E+08 0.13600E+02 0.17047E-01 0.36548E+02 0.44788E+02 0.62702E-02 0.20903E-02 0.68374E+04 0.14692E+08 0.13675E+02 0.17140E-01 0.36743E+02 0.44783E+02 0.63049E-02 0.20928E-02 0.68748E+04 0.14773E+08 0.13750E+02 0.17233E-01 0.36940E+02 0.44777E+02 0.63397E-02 0.20953E-02 0.69124E+04 0.14854E+08 0.13825E+02 0.17327E-01 0.37137E+02 0.44771E+02 0.63747E-02 0.20979E-02 0.69502E+04 0.14936E+08 0.13900E+02 0.17422E-01 0.37335E+02 0.44765E+02 0.64099E-02 0.21004E-02 0.69883E+04 0.15018E+08 0.13977E+02 0.17517E-01 0.37535E+02 0.44759E+02 0.64453E-02 0.21030E-02 0.70265E+04 0.15100E+08 0.14053E+02 0.17613E-01 0.37735E+02 0.44753E+02 0.64809E-02 0.21055E-02 0.70650E+04 0.15183E+08 0.14130E+02 0.17709E-01 0.37937E+02 0.44747E+02 0.65167E-02 0.21080E-02 0.71037E+04 0.15267E+08 0.14207E+02 0.17805E-01 0.38139E+02 0.44741E+02 0.65527E-02 0.21106E-02 0.71425E+04 0.15351E+08 0.14285E+02 0.17902E-01 0.38343E+02 0.44735E+02 0.65889E-02 0.21131E-02 0.71816E+04 0.15435E+08 0.14363E+02 0.18000E-01 0.38547E+02 0.44729E+02 0.66253E-02 0.21157E-02 0.72209E+04 0.15520E+08 0.14442E+02 0.18098E-01 0.38753E+02 0.44723E+02 0.66618E-02 0.21182E-02 0.72605E+04 0.15605E+08 0.14521E+02 0.18197E-01 0.38960E+02 0.44717E+02 0.66986E-02 0.21207E-02 0.73002E+04 0.15691E+08 0.14600E+02 0.18296E-01 0.39168E+02 0.44711E+02 0.67356E-02 0.21233E-02 0.73402E+04 0.15777E+08 0.14680E+02 0.18396E-01 0.39377E+02 0.44705E+02 0.67728E-02 0.21258E-02 0.73804E+04 0.15864E+08 0.14761E+02 0.18496E-01 0.39587E+02 0.44698E+02 0.68102E-02 0.21284E-02 0.74208E+04 0.15951E+08 0.14842E+02 0.18597E-01 0.39798E+02 0.44692E+02 0.68478E-02 0.21309E-02 0.74614E+04 0.16039E+08 0.14923E+02 0.18698E-01 0.40010E+02 0.44686E+02 0.68856E-02 0.21334E-02 0.75022E+04 0.16127E+08 0.15004E+02 0.18800E-01 0.40223E+02 0.44679E+02 0.69236E-02 0.21360E-02 0.75433E+04 0.16216E+08 0.15087:+02 0.18903E-01 0.40438E+02 0.44673E+02 0.69618E-02 0.21385E-02 0.75846E+04 0.16305E+08 0.15169E+02 0.19006E-01 0.40653E+02 0.44667E+02 0.70002E-02 0.21411E-02 0.76261E+04 0.16395E+08 0.15252E+02 0.19109E-01 0.40870E+02 0.44660E+02 0.70388E-02 0.21436E-02 0.76679E+04 0.16485E+08 0.15336E+02 0.19213E-01 0.41088E+02 0.44654E+02 0.70777E-02 0.21461E-02 0.77099E+04 0.16576E+08 0.15420E+02 0.19318E-01 0.41307E+02 0.44647E+02 0.71167E-U2 0.21487E-02 0.77521E+04 0.16667E+08 0.15504E+02 0.19423E-01 0.41527E+02 0.44641E+02 0.71560E-02 0.21512E-02 0.77945E+04 0.16758E+08 0.15589E+02 0.19529E-01 0.41748E+02 0.44634E+02 0.71955E-02 0.21538E-02 0.78372E+04 0.16851E+08 0.15674E+02 0.19635E-01 0.41971E+02 0.44627E+02 0.72352E-02 0.21563E-02 0.78801E+04 0.16943E+08 0.15760E+02 0.19742E-01 0.42194E+02 0.44621E+02 0.72751E-02 0.21588E-02 0.79233E+04 0.17037E+08 0.15847E+02 0.19849E-01 0.42419E+02 0.44614E+02 0.73152E-02 0.21614E-02 0.79667E+04 0.17130E+08 0.15933E+02 0.19957E-01 0.42645E+02 0.44607E+02 0.73556E-02 0.21639E-02 0.80103E+04 0.17224E+08 0.16021E+02 0.20066E-01 0.42872E+02 0.44601E+02 0.73962E-02 0.21665E-02 0.80542E+04 0.17319E+08 0.16108E+02 0.20175E-01 0.43100E+02 0.44594E+02 0.74370E-02 0.21690E-02 0.80983E+04 0.17415E+08 0.16197E+02 0.20285E-01 0.43329E+02 0.44587E+02 0.74780E-02 0.21715E-02 0.81426E+04 0.17510E+08 0.16285E+02 0.20395E-01 0.43560E+02 0.44580E+02 0.75193E-02 0.21741E-02 0.81872E+04 0.17607E+08 0.16374E+02 0.20506E-01 0.43792E+02 0.44573E+02 0.75607E-02 0.21766E-02 0.82321E+04 0.17704E+08 0.16464E+02 0.20618E-01 0.44025E+02 0.44566E+02 0.76024E-02 0.21792E-02 0.82771E+04 0.178C1E+08 0.16554E+02 0.20730E-01 0.44259E+02 0.44559E+02 0.76444E-02 0.21817E-02 0.83225E+04 0.17899E+08 0.16645E+02 0.20843E-01 0.44494E+02 0.44552E+02 0.76865E-02 0.21842E-02 0.83681E+04 0.17997E+08 0.16736E+02 0.20956E-01 0.44731E+02 0.44545E+02 0.77289E-02 0.21868E-02 0.84139E+04 0.18096E+08 0.16828E+02 0.21070E-01 0.44969E+02 0.44538E+02 0.77715E-02 0.21893E-02 0.84600E+04 0.18196E+08 0.16920E+02 0.21184E-01 0.45208E+02 0.44531E+02 0.78144E-02 0.21919E-02 0.85063E+04 0.18296E+08 0.17013E+02 0.21299E-01 0.45448E+02 0.44524E+02 0.78575E-02 0.21944E-02 0.85529E+04 0.18397E+08 0.17106E+02 0.21415E-01 0.45690E+02 0.44517E+02 0.79008E-02

TIME

PDOT

XDOT PROPELLANT BURNY MOOT

0.21969E-02 0.85998E+04 0.18498E+08 0.17200E+02 0.21531E-01 0.45932E+02 0.44509E+02 0.79444E-02 0.21995E-02 0.86469E+04 0.18600E+08 0.17294E+02 0.21648E-01 0.46176E+02 0.44502E+02 0.79882E-02 0.22020E-02 0.86943E+04 0.18702E+08 0.17389E+02 0.21766E-01 0.46422E+02 0.44495E+02 0.80322E-02 0.22046E-02 0.87419E+04 0.1b86%E+08 0.17484E+02 0.21884E-01 0.46668E+02 0.44487E+02 0.80765E-02 0.22071E-02 0.87898E+04 0.18909E+08 0.17580E+02 0.22003E-01 0.46916E+02 0.44480E+02 0.81210E-02 C.22096E-02 0.88379E+04 0.19013E+08 0.17676E+02 0.22123E-01 0.47165E+02 0.44472E+02 0.81658E-02 0.22122E-02 0.88864E+04 0.19118E+08 0.17773E+02 0.22243E-01 0.47416E+02 0.44465E+02 0.82108E-02 0.22147E-02 0.89351E+04 0.19223E+08 0.17870E+02 0.22363E-01 0.47667E+02 0.44457E+02 0.82561E-02 0.22173E-02 0.89840E+04 0.19329E+08 0.17968E+02 0.22485E-01 0.47920E+02 0.44450E+02 0.83016E-02 0.22198E-02 0.90332E+04 0.19435E+08 0.18066E+02 0.22607E-01 0.48175E+02 0.44442E+02 0.83473E-02 0.22223E-02 0.90827E+04 0.19542E+08 0.18165E+02 0.22729E-01 0.48430E+02 0.44434E+02 0.83934E-02 0.22249E-02 0.91325E+04 0.19650E+08 0.18265E+02 0.22853E-01 0.48687E+02 0.44427E+02 0.84396E-02 0.22274E-02 0.91825E+04 0.19758E+08 0.18365E+02 0.22977E-01 0.48946E+02 0.44419E+02 0.84861E-02 0.22300E-02 0.92329E+04 0.19867E+08 0.18466E+02 0.23101E-01 0.49205E+02 0.44411E+02 0.85329E-02 0.22325E-02 0.92835E+04 0.19976E+08 0.18567E+02 0.23227E-01 0.49466E+02 0.44403E+02 0.85799E-02 0.22350E-02 0.93343E+04 0.20086E+08 0.18669E+02 0.23353E-01 0.49728E+02 0.44395E+02 0.86272E-02 0.22376E-02 0.93855E+04 0.20197E+08 0.18771E+02 0.23479E-01 0.49992E+02 0.44388E+02 0.86748E-02 0.22401E-02 0.94369E+04 0.20308E+08 0.18874E+02 0.23607E-01 0.50257E+02 0.44380E+02 0.87226E-02 0.22427E-02 0.94887E+04 0.20420E+08 0.18977E+02 0.23735E-01 0.50523E+02 0.44372E+02 0.87706E-02 0.22452E-02 0.95407E+04 0.20533E+08 0.19081E+02 0.23863E-01 0.50791E+02 0.44364E+02 0.88190E-02 0.22477E-02 0.95930E+04 0.20646E+08 0.19186E+02 0.23993E-01 0.51060E+02 0.44355E+02 0.88676E-02 0.22503E-02 0.96455E+04 0.20760E+08 0.19291E+02 0.24123E-01 0.51330E+02 0.44347E+02 0.89164E-02 0.22528E-02 0.96984E+04 0.20874E+08 0.19397E+02 0.24253E-01 0.51602E+02 0.44339E+02 0.89656E-02 0.22554E-02 0.97516E+04 0.20989E+08 0.19503E+02 0.24385E-01 0.51875E+02 0.44331E+02 0.90150E-02 0.225 '9E-02 0.98050E+04 0.21105E+08 0.19610E+02 0.24517E-01 0.52150E+02 0.44323E+02 0.90646E-02 0.22604E-02 0.98588E+04 0.21221E+08 0.19718E+02 0.24650E-01 0.52426E+02 0.44314E+02 0.91146E-02 0.22630E-02 0.99128E+04 0.21338E+08 0.19826E+02 0.24783E-01 0.52704E+02 0.44306E+02 0.91648E-02 0.22655E-02 0.99672E+04 0.21455E+08 0.19934E+02 0.24917E-01 0.52982E+02 0.44297E+02 0.92153E-02 0.22681E-02 0.10022E+05 0.21574E+08 0.20044E+02 0.25052E-01 0.53263E+02 0.44289E+02 0.92660E-02 0.22706E-02 0.10077E+05 0.21693E+08 0.20153E+02 0.25188E-01 0.53544E+02 0.44280E+02 0.93171E-02 0.22731E-02 0.10132E+05 0.21812E+08 0.20264E+02 0.25324E-01 0.53828E+02 0.44272E+02 0.93684E-02 0.22757E-02 0.10188E+05 0.21932E+08 0.20375E+02 0.25461E-01 0.54112E+02 0.44263E+02 0.94200E-02 0.22782E-02 0.10243F+05 0.22053E+08 0.20487E+02 0.25599E-01 0.54398E+02 0.44255E+02 0.94719E-02 0.22807E-02 0.10300E+05 0.22175E+08 0.20599E+02 0.25738E-01 0.54686E+02 0.44246E+02 0.95241E-02 0.22833E-02 0.10356E+05 0.22297E+08 0.20712E+02 0.25877E-01 0.54975E+02 0.44237E+02 0.95766E-02 0.22858E-02 0.10413E+05 0.22420E+08 0.20826E+02 0.26017E-01 0.55265E+02 0.44228E+02 0.96293E-02 0.22884E-02 0.10470E+05 0.22544E+08 0.20940E+02 0.26158E-01 0.55557E+02 0.44220E+02 0.96823E-02 0.22909E-02 0.10527E+05 0.22668E+08 0.21055E+02 0.26299E-01 0.55851E+02 0.44211E+02 0.97357E-02 0.22934E-02 0.10585E+05 0.22793E+08 0.21170E+02 0.26441E-01 0.56145E+02 0.44202E+02 0.97893E-02 0.22960E-02 0.10643E+05 C.22919E+08 0.21286E+02 0.26584E-01 0.56442E+02 0.44193E+02 0.98432E-02 0.22985E-02 0.10701E+05 0.23045E+08 0.21403E+02 0.26728E-01 0.56740E+02 0.44184E+02 0.98974E-02 0.23011E-02 0.10760E+05 0.23172E+08 0.21520E+02 0.26873E-01 0.57039E+02 0.44175E+02 0.99519E-02 0.23036E-02 0.10819E+05 0.23300E+08 0.21638E+02 0.27018E-01 0.57340E+02 0.44166E+02 0.10007E-01 0.23061E-02 0.10879E+05 0.23429E+08 0.21757E+02 0.27164E-01 0.57643E+02 0.44156E+02 0.10062E-01 0.23087E-02 0.10938E+05 0.23558E+08 0.21876E+02 0.27311E-01 0.57947E+02 0.44147E+02 0.10117E-01 0.23112E-02 0.10998E+05 0.23688E+08 0.21996E+02 0.27458E-01 0.58252E+02 0.44138E+02 0.10173E-01 0.23138E-02 0.11059E+05 0.23818E+08 0.22117E+02 0.27607E-01 0.58560E+02 0.44129E+02 0.10229E-01 0.23163E-02 0.11119E+05 0.23950E+08 0.22238E+02 0.27756E-01 0.58868E+02 0.44119E+02 0.10285E-01 0.23188E-02 0.1118UE+05 0.24082E+08 0.22360E+02 0.27906E-01 0.59179E+02 0.44110E+02 0.10342E-01 0.23214E-02 0.11242E+05 0.24215E+08 0.22483E+02 0.28056E-01 0.59490E+02 0.44100E+02 0.10399E-01 0.23239E-02 0.11303E+05 0.24348E+08 0.22606E+02 0.28208E-01 0.59804E+02 0.44091E+02 0.10456E-01 0.23265E-02 0.11365E+05 0.24483E+08 0.22730E+02 0.28360E-01 0.60119E+02 0.44081E+02 0.10514E-01 0.23290E-02 0.11428E+05 0.24618E+08 0.22855E+02 0.28513E-01 0.60435E+02 0.44071E+02 0.10572E-01 0.23315E-02 0.11490E+05 0.24754E+08 0.22981E+02 0.28667E-01 0.60754E+02 0.44062E+02 0.10630E-01

PRESSURE

PDOT

0.23341E-02 0.11553E+05 0.24890E+08 0.23107E+02 0.28822E-01 0.61073E+02 0.44052E+02 0.10688E-01 0.23366E-02 0.11617E+05 0.25028E+08 0.23233E+02 0.28977E-01 0.61395E+02 0.44042E+02 0.10747E-01 0.23392E-02 0.11680E+05 0.25166E+08 0.23361E+02 0.29134E-01 0.61718E+02 0.44032E+02 0.10806E-01 0.23417E-02 0.11745E>05 0.25305E+08 0.23489E+02 0.29291E-01 0.62043E+02 0.44022E+02 0.10866E-01 0.23442E-02 0.11809E+05 0.25444E+08 0.23618E+02 0.29449E-01 0.62369E+02 0.44012E+02 0.10926E-01 0.23468E-02 U.11874E+05 0.25585E+08 0.23748E+02 0.29608E-01 0.62697E+02 0.44002E+02 0.10986E-01 0.23493E-02 0.11939E+05 0.25726E+08 0.23878E+02 0.29767E-01 0.63026E+02 0.43992E+02 0.11046E-01 0.23519E-02 0.12004E+05 0.25868E+08 0.24009E+02 0.29928E-01 0.63358E+02 0.43982E+02 0.11107E-01 0.23544E-02 0.12070E+05 0.26011E+08 0.24141E+02 0.30089E-01 0.63691E+02 0.43972E+02 0.11168E-01 0.23569E-02 0.12137E+05 0.26154E+08 0.24273E+02 0.30251E-01 0.64025E+02 0.43962E+02 0.11230E-01 0.23595E-02 0.12203E+05 0.26299E+08 0.24406E+02 0.30414E-01 0.64362E+02 0.43951E+02 0.11292E-01 0.23620E-02 0.12270E+05 0.26444E+08 0.24540E+02 0.30578E-01 0.64700E+02 0.43941E+02 0.11354E-01 0.23646E-02 0.12338E+05 0.26590E+08 0.24675E+02 0.30743E-01 0.65039E+02 0.43931E+02 0.11416E-01 0.23671E-02 0.12405E+05 0.26737E+08 0.24810E+02 0.30909E-01 0.65381E+02 0.43920E+02 0.11479E-01 0.23696E-02 0.12473E+05 0.26885E+08 0.24947E+02 0.31075E-01 0.65724E+02 0.43910E+02 0.11542E-01 0.23722E-02 0.12542E+05 0.27033E+08 0.25084E+02 0.31242E-01 0.66069E+02 0.43899E+02 0.11606E-01 0.23747E-02 0.12611E+05 0.27182E+08 0.25221E+02 0.31411E-01 0.66415E+02 0.4388E+02 0.11670E-01 0.23773E-02 0.12680E+05 0.27333E+08 0.25360E+02 0.31580E-01 0.66764E+02 0.43878E+02 0.11734E-01 0.23798E-02 0.12749E-05 0.27484E+08 0.25499E+02 0.31750E-01 0.67114E+02 0.43867E+02 0.11798E-01 0.23823E-02 0.12819E+05 0.27635E+08 0.25639E+02 0.31921E-01 0.67465E+02 0.43856E+02 0.11863E-01 0.23849E-02 0.12890E+05 0.27788E+08 0.25780E+02 0.32093E-01 0.67819E+02 0.43845E+02 0.11929E-01 0.23874E-02 0.12961E+05 0.27942E+08 0.25921E+02 0.32265E-01 0.68174E+02 0.43834E+02 0.11994E-01 0.23900E-02 0.13032E+05 0.28096E+08 0.26064E+02 0.32439E-01 0.68531E+02 0.43823E+02 0.12060E-01 0.23925E-02 0.13103E+05 0.28251E+08 0.26207E+02 0.32613E-01 0.68890E+02 0.43812E+02 0.12127E-01 0.23950E-G2 0.13175E+05 0.28407E+08 0.26351E+02 0.32789E-01 0.69251E+02 0.43801E+02 0.12194E-01 0.23976E-02 0.13248E+05 0.28564E+08 0.26495E+02 0.32965E-01 0.69614E+02 0.43790E+02 0.12261E-01 0.24001E-02 0.13320E+05 0.28722E+08 0.26641E+02 0.33142E-01 0.69978E+02 0.43779E+02 0.12328E-01 0.24027E-02 0.13394E+05 0.28881E+08 0.26787E+02 0.33321E-01 0.70344E+02 0.43767E+02 0.12396E-01 0.24052E-02 0.13467E+05 0.29040E+08 0.26934E+02 0.33500E-01 0.70712E+02 0.43756E+02 0.12464E-01 0.24077E-02 0.13541E+05 0.29201E+08 0.27082E+02 0.33680E-01 0.71082E+02 0.43745E+02 0.12533E-01 0.24103E-02 0.13615E+05 0.29362E+08 0.27231E+02 0.33861E-01 0.71453E+02 0.43733E+02 0.12602E-01 0.24128E-02 0.13690E+05 0.29525E+08 0.27380E+02 0.34043E-01 0.71827E+02 0.43721E+02 0.12671E-01 0.24154E-02 0.13765E+05 0.29688E+08 0.27531E+02 0.34226E-01 0.72202E+02 0.43710E+02 0.12741E-01 0.24179E-02 0.13841E+05 0.29852E+08 0.27682E+02 0.34409E-01 0.72579E+02 0.43698E+02 0.12811E-01 0.24204E-02 0.13917E+05 0.30017E+08 0.27834E+02 0.34594E-01 0.72958E+02 0.43686E+02 0.12881E-01 0.24230E-02 0.13993E+05 0.30183E+08 0.27987E+02 0.34780E-01 0.73339E+02 0.43675E+02 0.12952E-01 0.24255E-02 0.14070E+05 0.30350E+08 0.28141E+02 0.34967E-01 0.73722E+02 0.43663E+02 0.13024E-01 0.24281E-02 0.14148E+05 0.30518E+08 0.28295E+02 0.35155E-01 0.74107E+02 0.43651E+02 0.13095E-01 0.24306E-02 0.14225E+05 0.30686E+08 0.28451E+02 0.35343E-01 0.74493E+02 0.43639E+02 0.13167E-01 0.24331E-02 0.14304E+05 0.30856E+08 0.28607E+02 0.35533E-01 0.74882E+02 0.43627E+02 0.13240E-01 0.24357E-02 0.14382E+05 0.31027E+08 0.28764E+02 0.35724E-01 0.75272E+02 0.43615E+02 0.13313E-01 0.24382E-02 0.14461E+05 0.31198E+08 0.28922E+02 0.35915E-01 0.75665E+02 0.43602E+02 0.13386E-01 0.24408E-02 0.14541E+05 0.31371E+08 0.29081E+02 0.36108E-01 0.76059E+02 0.43590E+02 0.13460E-01 0.24433E-02 0.14620E+05 0.31544E+08 0.29241E+02 0.36302E-01 0.76455E+02 0.43578E+02 0.13534E-01 0.24458E-02 0.14701E+05 0.31719E+08 0.29402E+02 0.36496E-01 0.76854E+02 0.43565E+02 0.13608E-01 0.24484E-02 0.14782E+05 0.31894E+08 0.29563E+02 0.36692E-01 0.77254E+02 0.43553E+02 0.13683E-01 0.24509E-02 0.14863E+05 0.32071E+08 0.29726E+02 0.36889E-01 0.77656E+02 0.43540E+02 0.13758E-01 0.24535E-02 0.14945E+05 0.32248E+08 0.29889E+02 0.37087E-01 0.78060E+02 0.43528E+02 0.13834E-01 0.24560E-02 0.15027E+05 0.32426E+08 0.30053E+02 0.37285E-01 0.78466E+02 0.43515E+02 0.13910E-01 0.24585E-02 0.15109E+05 0.32606E+08 0.30218E+02 0.37485E-01 0.78874E+02 0.43502E+02 0.13987E-01 0.24611E-02 0.15192E+05 0.32786E+08 0.30385E+02 0.37686E-01 0.79284E+02 0.43489E+02 0.14064E-01 0.24636E-02 0.15276E+05 0.32967E+08 0.30552E+02 0.37888E-01 0.79696E+02 0.43477E+02 0.14141E-01 0.24662E-02 0.15360E+05 0.33150E+08 0.30719E+02 0.38091E-01 0.80111E+02 0.43464E+02 0.14219E-01 0.24687E-02 0.15444E+05 0.33333E+08 0.30888E+02 0.38295E-01 0.80527E+02 0.43450E+02 0.14297E-01

TIME PRESSURE POOT XDOT PROPELLANT BURNT MOOT SURFACE DISTANCE BURNT

0.24712E-02 0.15529E+05 0.33518E+08 0.31058E+02 0.38500E-01 0.80945E+02 0.43437E+02 0.14376E-01 0.24738E-02 0.15614E+05 0.33703E+08 0.31229E+02 0.38706E-01 0.81365E+02 0.43424E+02 0.14455E-01 0.24763E-02 0.15700E+05 0.33890E+08 0.31401E+02 0.38913E-01 0.81788E+02 0.43411E+02 0.14534E-01 0.24789E-02 0.15787E+05 0.34077E+08 0.31573E+02 0.39121E-01 0.82212E+02 0.43398E+02 0.14614E-01 0.24814E-02 0.15873E+05 0.34266E+08 0.31747E+02 0.39331E-01 0.82638E+02 0.43384E+02 0.14695E-01 0.24839E-02 0.15961E+05 0.34456E+08 0.31921E+02 0.39541E-01 0.83067E+02 0.43371E+02 0.14776E-01 0.24865E-02 0.16048E+05 0.34646E+08 0.32097E+02 0.39753E-01 0.83497E+02 0.43357E+02 0.14857E-01 0.24890E-02 0.16137E+05 0.34838E+08 0.32273E+02 0.39965E-01 0.83930E+02 0.43344E+02 0.14939E-01 0.24916E-02 0.16225E+05 0.35031E+08 0.32451E+02 0.40179E-01 0.84365E+02 0.43330E+02 0.15021E-01 0.24941E-02 0.16315E+05 0.35225E+08 0.32629E+02 0.40394E-01 0.84802E+02 0.43316E+02 0.15103E-01 0.24966E-02 0.16404E+05 0.35420E+08 0.32809E+02 0.40610E-01 0.85241E+02 0.43302E+02 0.15187E-01 0.24992E-02 0.16494E+05 0.35616E+08 0.32989E+02 0.40827E-01 0.85682E+02 0.43288E+02 0.15270E-01 0.25017E-02 0.16585E+05 0.35813E+08 0.33170E+02 0.41045E-01 0.86126E+02 0.43274E+02 0.15354E-01 0.25043E-02 0.16676E+05 0.36011E+08 0.33353E+02 0.41264E-01 0.86571E+02 0.43260E+02 0.15439E-01 0.25068E-02 0.16768E+05 0.36211E+08 0.33536E+02 0.41485E-01 0.87019E+02 0.43246E+02 0.15524E-01 0.25093E-02 0.16860E+05 0.36411E+08 0.33721E+02 0.41706E-01 0.87468E+02 0.43232E+02 0.15609E-01 0.25119E-02 0.16953E+05 0.36613E+08 0.33906E+02 0.41929E-01 0.87920E+02 0.43218E+02 0.15695E-01 0.25144E-02 0.17046E+05 0.36816E+08 0.34093E+02 0.42153E-01 0.88375E+02 0.43203E+02 0.15781E-01 0.25170E-02 0.17140E+05 0.37020E+08 0.34280E+02 0.42378E-01 0.88831E+02 9.43189E+02 0.15868E-01 0.25195E-02 0.17234E+05 0.37225E+08 0.34469E+02 0.42604E-01 0.89289E+02 0.43174E+02 0.15955E-01 0.25220E-02 0.17329E+05 0.37431E+08 0.34658E+02 0.42832E-01 0.89750E+02 0.43159E+02 0.16043E-01 0.25246E-02 0.17424E+05 0.37638E+08 0.34849E+02 0.43060E-01 0.90213E+02 0.43145E+02 0.16131E-01 0.25271E-02 0.17520E+05 0.37847E+08 0.35041E+02 0.43290E-01 0.90678E+02 0.43130E+02 0.16220E-01 0.25297E-02 0.17617E+05 0.38056E+08 0.3523BE+02 0.43521E-01 0.91146E+02 0.43115E+02 0.16309E-01 0.25322E-02 0.17714E+05 0.38267E+08 0.35427E+02 0.43753E-01 0.91615E+02 0.43100E+02 0.16399E-01 0.25347E-02 0.17811E+05 0.38479E+08 0.35622E+02 0.43986E-01 0.92087E+02 0.43085E+02 0.16489E-01 0.25373E-02 0.17909E+05 0.38692E+08 0.35818E+02 0.44221E-01 0.92562E+02 0.43070E+02 0.16580E-01 0.25398E-02 0.18008E+05 0.38907E+08 0.36015E+U2 0.44456E-U1 0.93038E+02 0.43055E+02 0.16671E-01 0.25423E-02 0.18107E+05 0.39122E+08 0.36214E+02 0.44693E-01 0.93517E+02 0.43040E+02 0.16763E-01 0.25449E-02 0.18206E+05 0.39339E+08 0.36413E+02 0.44931E-01 0.93998E+02 0.43024E+02 0.16855E-01 0.25474E-02 0.18307E+05 0.39557E+08 0.36613E+02 0.45171E-01 0.94481E+02 0.43009E+02 0.16948E-01 0.25500E-02 0.18407E+05 0.39776E+08 0.36815E+02 0.45411E-01 0.94967E+02 0.42993E+02 0.17041E-01 0.25525E·02 0.18509E+05 0.39997E+08 0.37017E+02 0.45653E·01 0.95455E+02 0.42978E+02 0.17135E·01 0.25550E-02 0.18611E+05 0.40218E+08 0.37221E+02 0.45896E-01 0.95945E+02 0.42962E+02 0.17229E-01 0.25576E-02 0.18713E+05 0.40441E+08 0.37426E+02 0.46140E-01 0.96437E+02 0.42946E+02 0.17324E-01 0.25601E-02 0.18816E+05 0.40665E+08 0.37632E+02 0.46386E-01 0.96932E+02 0.42930E+02 0.17419E-01 0.25627E-02 0.18920E+05 0.40891E+08 0.37839E+02 0.46633E-01 0.97430E+02 0.42914E+02 0.17515E-01 0.25652E-02 0.19024E+05 0.41117E+08 0.38047E+02 0.46881E-01 0.97929E+02 0.42898E+02 0.17612E-01 0.25677E-02 0.19128E+05 0.41345E+08 0.38257E+02 0.47130E-01 0.98431E+02 0.42882E+02 0.17708E-01 0.25703E-02 0.19234E+05 0.41574E+08 0.38467E+02 0.47381E-01 0.98936E+02 0.42866E+02 0.17806E-01 0.25728E-02 0.19340E+05 0.41805E+08 0.38679E+02 0.47633E-01 0.99442E+02 0.42849E+02 0.17904E-01 0.25754E-02 0.19446E+05 0.42037E+08 0.38892E+02 0.47886E-01 0.99952E+02 0.42833E+02 0.18002E-01 0.25779E-02 0.19553E+05 0.42270E+08 0.39106E+02 0.48140E-01 0.10046E+03 0.42816E+02 0.18101E-01 0.25804E-02 0.19661E+05 0.42504E+08 0.39321E+02 0.48396E-01 0.10098E+03 0.42800E+02 0.18201E-01 0.25830E-02 0.19769E+05 0.42740E+08 0.39538E+02 0.48653E-01 0.10149E+03 0.42783E+02 0.18301E-01 0.25855E-02 0.19878E+05 0.42977E+08 0.39756E+02 0.48912E-01 0.10201E+03 9.42766E+02 0.18402E-01 0.25881E-02 0.19987E+05 0.43215E+08 0.39975E+02 0.49172E-01 0.10253E+03 0.42749E+02 0.18503E-01 0.25906E-02 0.20097E+05 0.43454E+08 0.40195E+02 0.49433E-01 0.10306E+03 0.42733E+02 0.18605E-01 0.25931E-02 0.20208E+05 0.43695E+08 0.40416E+02 0.49695E-01 0.10358E+03 0.42715E+02 0.18707E-01 0.25957E-02 0.20319E+05 0.43938E+08 0.40639E+02 0.49959E-01 0.10411E+03 0.42698E+02 0.18810E-01 0.25982E-02 0.20431E+05 0.44181E+08 0.40862E+02 0.50224E-01 0.10464E+03 0.42681E+02 0.18914E-01 0.26008E-02 0.20544E+05 0.44426E+08 0.41087E+02 0.50490E-01 0.10518E+03 0.42664E+02 0.19018E-01 0.26033E-02 0.20657E+05 0.44673E+08 0.41314E+02 0.50758E-01 0.10571E+03 0.42646E+02 0.19122E-01 0.26058E-02 0.20771E+05 0.44920E+08 0.41541E+02 0.51027E-01 0.10625E+03 0.42629E+02 0.19228E-01

THE BOSEN WOLLD SEED, SEED, SEED TO SEE

PDOT

0.26084E-02 0.20885E+05 0.45169E+08 0.41770E+02 0.51298E-01 0.10679E+03 0.42611E+02 0.19333E-01 0.26109E-02 0.21000E+05 0.45420E+08 0.42000E+02 0.51570E-01 0.10734E+03 0.42593E+02 0.19440E-01 0.26135E-02 0.21116E+05 0.45672E+08 0.42232E+02 0.51843E-01 0.10788E+03 0.42576E+02 0.19547E-01 0.26160E-02 0.21232E+05 0.45925E+08 0.42464E+02 0.52118E-01 0.10843E+03 0.42558E+02 0.19654E-01 0.26185E-02 0.21349E+05 0.46180E+08 0.42698E+02 0.52394E-01 0.10898E+03 0.42540E+02 0.19762E-01 0.26211E-02 0.21467E+05 0.46436E+08 0.42933E+02 0.52671E-01 0.10954E+03 0.42521E+02 0.19871E-01 0.26236E-02 0.21585E+05 0.46694E+08 0.43170E+02 0.52950E-01 0.11009E+03 0.42503E+02 0.19981E-01 0.26262E-02 0.21704E+05 0.46953E+08 0.43408E+02 0.53231E-01 0.11065E+03 0.42485E+02 0.20090E-01 0.26287E-02 0.21823E+05 0.47213E+08 0.43647E+02 0.53512E-01 0.11121E+03 0.42466E+02 0.20201E-01 0.26312E-02 0.21944E+05 0.47475E+08 0.43887E+02 0.53796E-01 0.11178E+03 0.42448E+02 0.20312E-01 0.26338E-02 0.22065E+05 0.47738E+08 0.44129E+02 0.54080E-01 0.11234E+03 0.42429E+02 0.20424E-01 0.26363E-02 0.22186E+05 0.48003E+08 0.44372E+02 0.54366E-01 0.11291E+03 0.42411E+02 0.20536E-01 0.26389E-02 0.22308E+05 0.48269E+08 0.44617E+02 0.54654E-01 0.11348E+03 0.42392E+02 0.20649E-01 0.26414E-02 0.22431E+05 0.48537E+08 0.44863E+02 0.54943E-01 0.11406E+03 0.42373E+02 0.20763E-01 0.26439E-02 0.22555E+05 0.48806E+08 0.45110E+02 0.55233E-01 0.11463E+03 0.42354E+02 0.20877E-01 0.26465E-02 0.22679E+05 0.49077E+08 0.45359E+02 0.55525E-01 0.11521E+03 0.42335E+02 0.20992E-01 0,26490E-02 0.22804E+05 0.49349E+08 0.45609E+02 0.55818E-01 0.11580E+03 0.42315E+02 0.21108E-01 U.26516E-02 0.22930E+05 0.49623E+08 0.45860E+02 0.56113E-01 0.11638E+03 0.42296E+02 0.21224E-01 0.26541E-02 0.23056E+05 0.49898E+08 0.46113E+02 0.56410E-01 0.11697E+03 0.42277E+02 0.21341E-01 0.26566E-02 0.23183E+05 0.5017SE+08 0.46367E+02 0.56707E-01 0.11756E+03 0.42257E+02 0.21458E-01 0.26592E-02 0.23311E+05 0.50454E+08 0.46622E+02 0.57007E-01 0.11815E+03 0.42237E+02 0.21576E-01 0.26617E-02 0.23440E+05 0.50734E+08 0.46879E+02 0.57308E-01 0.11875E+03 0.42218E+02 0.21695E-01 0.26643E-02 0.23569E+05 0.51015E+08 0.47138E+02 0.57610E-01 0.11935E+03 0.42198E+02 0.21814E-01 0.26668E-02 0.23699E+05 0.51298E+08 0.47398E+02 0.57914E-01 0.11995E+03 0.42178E+02 0.21934E-01 0.26693E-02 0.23830E+05 0.51583E+08 0.47659E+02 0.58219E-01 0.12055E+03 0.42157E+02 0.22055E-01 0.26719E-02 0.23961E+05 0.51869E+08 0.47922E+02 0.58526E-01 0.12116E+03 0.42137E+02 0.22176E-01 0.26744E-02 0.24093E+05 0.52157E+08 0.48186E+02 0.58835E-01 0.12177E+03 0.42117E+02 0.22298E-01 0.26770E-02 0.24226E+05 0.52446E+08 0.48452E+02 0.59145E-01 0.12238E+03 0.42096E+02 0.22421E-01 0.26795E-02 0.24359E+05 0.52737E+08 0.48719E+02 0.59456E-01 0.12299E+03 0.42076E+02 0.22545E-01 0.26820E-02 0.24494E+05 0.53030E+08 0.48987E+02 0.59769E-01 0.12361E+03 0.42055E+02 0.22669E-01 0.26846E-02 0.24629E+05 0.53324E+08 0.49258E+02 0.60084E-01 0.12423E+03 0.42034E+02 0.22793E-01 0.26871E-02 0.24765E+05 0.53620E+08 0.49529E+02 0.60400E-01 0.12485E+03 0.42014E+02 0.22919E-01 0.26897E-02 0.24901E+05 0.53917E+08 0.49802E+02 0.60718E-01 0.12548E+03 0.41993E+02 0.23045E-01 0.26922E-02 0.25038E+05 0.54216E+08 0.50077E+02 0.61038E-01 0.12611E+03 0.41971E+02 0.23172E-01 0.26947E-02 0.25177E+05 0.54517E+08 0.50353E+02 0.61359E-01 0.12674E+03 0.41950E+02 0.23299E-01 0.26973E-02 0.25315E+05 0.54820E+08 0.50631E+02 0.61682E-01 0.12737E+03 0.41929E+02 0.23428E-01 0.26998E-02 0.25455E+05 0.55124E+08 0.50910E+02 0.62006E-01 0.12801E+03 0.41907E+02 0.23557E-01 0.27024E-02 0.25595E+05 0.55430E+08 0.51191E+02 0.62332E-01 0.12865E+03 0.41886E+02 0.23686E-01 0.27049E-02 0.25737E+05 0.55737E+08 0.51473E+02 0.62659E-01 0.12929E+03 0.41864E+02 0.23817E-01 0.27074E-02 0.25879E+05 0.56046E+08 0.51757E+02 0.62989E-01 0.12994E+03 0.41842E+02 0.23948E-01 0.27100E-02 0.26021E+05 0.56357E+08 0.52042E+02 0.63319E-01 0.13059E+03 0.41820E+02 0.24079E-01 0.27125E-02 0.26165E+05 0.56670E+08 0.52330E+02 0.63652E-01 0.13124E+03 0.41798E+02 0.24212E-01 0.27151E-02 0.26309E+05 0.56984E+08 0.52618E+02 0.63986E-01 0.13189E+03 0.41776E+02 0.24345E-01 0.27176E-02 0.26454E+05 0.57300E+08 0.52908E+02 0.64322E-01 0.13255E+03 0.41753E+02 0.24479E-01 0.27201E-02 0.26600E+05 0.57618E+08 0.53200E+02 0.64659E-01 0.13321E+03 0.41731E+02 0.24614E-01 0.27227E-02 0.26747E+05 0.57938E+08 0.53494E+02 0.64999E-01 0.13387E+03 0.41708E+02 0.24750E-01 0.27252E-02 0.26894E+05 0.58259E+08 0.53789E+02 0.65339E-01 0.13453E+03 0.41686E+02 0.24886E-01 0.27278E-02 0.27043E+05 0.58583E+08 0.54086E+02 0.65682E-01 0.13520E+03 0.41663E+02 0.25023E-01 0.27303E-02 0.27192E+05 0.58908E+08 0.54384E+02 0.66026E-01 0.13587E+03 0.41640E+02 0.25161E-01 0.27328E-02 0.27342E+05 0.59234E+08 0.54684E+02 0.66372E-01 0.13655F+03 0.41617E+02 0.25299E-01 0.27354E-02 0.27493E+05 0.59563E+08 0.54986E+02 0.66720E-01 0.13722E+03 0.41594E+02 0.25438E-01 0.27379E-02 0.27645E+05 0.59893E+08 0.55209E+02 0.67069E-01 0.13790E+03 0.41570E+02 0.25578E-01 0.27405E-02 0.27797E+05 0.60226E+08 0.555594E+02 0.67420E-01 0.13859E+03 0.41547E+02 0.25719E-01 0.27430E-02 0.27951E+05 0.60560E+08 0.55901E+02 0.67773E-01 0.13927E+03 0.41523E+02 0.25861E-01

0.27455E-02 0.28105E+05 0.60895E+08 0.56210E+02 0.68128E-01 0.13996E+03 0.41499E+02 0.26003E-01 0.27481E-02 0.28260E+05 0.61233E+08 0.56520E+02 0.68484E-01 0.14065E+03 0.41476E+02 0.26146E-01 0.27506E-02 0.28416E+05 0.61573E+08 0.56832E+02 0.68842E-01 0.14135E+03 0.41452E+02 0.26290E-01 0.27532E-02 0.28573E+05 0.61914E+08 0.57145E+02 0.69202E-01 0.14204E+03 0.41428E+02 0.26435E-01 0.27557E-02 0.28730E+05 0.62258E+08 0.57461E+02 0.69564E-01 0.14274E+03 0.41403E+02 0.26580E-01 0.27582E-02 0.28889E+05 0.62603E+08 0.57778E+02 0.69927E-01 0.14345E+03 0.41379E+02 0.26727E-01 0.27608E-02 0.29048E+05 0.62950E+08 0.58097E+02 0.70292E-01 0.14415E+03 0.41354E+02 0.26874E-01 0.27633E-02 0.29209E+05 0.63299E+08 0.58417E+02 0.70659E-01 0.14486E+03 0.41330E+02 0.27022E-01 0.27659E-02 0.29370E+05 0.63650E+08 0.58740E+02 0.71028E-01 0.14557E+03 0.41305E+02 0.27171E-01 0.27684E-02 0.29532E+05 0.64003E+08 0.59064E+02 0.71399E-01 0.14629E+03 0.41280E+02 0.27320E-01 0.27709E-02 0.29695E+05 0.64358E+08 0.59390E+02 0.71771E-01 0.14701E+03 0.41255E+02 0.27471E-01 0.27735E-02 0.29859E+05 0.64715E+08 0.59718E+02 0.72146E-01 0.14773E+03 0.41230E+02 0.27622E-01 0.27760E-02 0.30024E+05 0.65073E+08 0.60047E+02 0.72522E-01 0.14845E+03 0.41204E+02 0.27774E-01 0.27786E-02 0.30189E+05 0.65434E+08 0.60379E+02 0.72900E-01 0.14918E+03 0.41179E+02 0.27927E-01 0.27811E-02 0.30356E+05 0.65797E+08 0.60712E+02 0.73280E-01 0.14991E+03 0.41153E+02 0.28081E-01 0.27836E-02 0.30524E+05 0.66161E+08 0.61047E+02 0.73661E-01 0.15064E+03 0.41127E+02 0.28235E-01 0.27862E-02 0.30692E+05 0.66528E+08 0.61384E+02 0.74045E-01 0.15138E+03 0.41102E+02 0.28391E-01 0.27887E-02 0.30862E+05 0.66897E+08 0.61723E+02 0.74430E-01 0.15212E+03 0.41075E+02 0.28547E-01 0.27913E-02 0.31032E+05 0.67267E+08 0.62064E+02 0.74817E-01 0.15286E+03 0.41049E+02 0.28704E-01 0.2793BE-02 0.31203E+05 0.67640E+08 0.62407E+02 0.75207E-01 0.15361E+03 0.41023E+02 0.28862E-01 0.27963E-02 0.31376E+05 0.68015E+08 0.62751E+02 0.75598E-01 0.15435E+03 0.40996E+02 0.29021E-01 0.27989E-02 0.31549E+05 0.68392E+08 0.63098E+02 0.75991E-01 0.15511E+03 0.40970E+02 0.29181E-01 0.28014E-02 0.31723E+05 0.68771E+08 0.63446E+02 0.76386E-01 0.15586E+03 0.40943E+02 0.29342E-01 0.26040E-02 0.31898E+05 0.6915ZE+08 0.63796E+02 0.7678ZE-01 0.1566ZE+03 0.40916E+02 0.29504E-01 0.28065E-02 0.32074E+05 0.69535E+08 0.64149E+02 0.77181E-01 0.15738E+03 0.40889E+02 0.29666E-01 0.28090E-02 0.32251E+05 0.69920E+08 0.64503E+02 0.77582E-01 0.15814E+03 0.40862E+02 0.29829E-01 0.28116E-02 0.32429E+05 0.70307E+08 0.64859E+02 0.77984E-01 0.15891E+03 0.40834E+02 0.29994E-01 0.28141E-02 0.32608E+05 0.70696E+08 0.65217E+02 0.78389E-01 0.15968E+03 0.40807E+02 0.30159E-01 0.28166E-02 0.32789E+05 0.7108BE+08 0.65577E+02 0.78796E-01 0.16045E+03 0.40779E+02 0.30325E-01 0.28192E-02 0.32970E+05 0.71481E+08 0.65939E+02 0.79204E-01 0.16123E+03 0.40751E+02 0.30492E-01 0.28217E-02 0.33152E+05 0.71877E+08 0.66303E+02 0.79615E-01 0.16201E+03 0.40723E+02 0.30660E-01 0.28243E-02 0.33335E+05 0.72275E+08 0.66669E+02 0.80927E-01 0.16279E+03 0.40695E+02 0.30829E-01 0.28268E-02 0.33519E+05 0.72675E+08 0.67038E+02 0.80441E-01 0.16357E+03 0.40667E+02 0.30999E-01 0.28293E-02 0.33704E+05 0.73077E+08 0.67408E+02 0.80858E-01 0.16436E+03 0.40638E+02 0.31169E-01 0.28319E-02 0.33890E+05 0.73481E+08 0.67780E+02 0.81276E-01 0.16515E+03 0.40610E+02 0.31341E-01 0.28344E-02 0.34077E+05 0.73888E+08 0.68154E+02 0.81697E-01 0.16595E+03 0.40581E+02 0.31514E-01 0.28370E-02 0.34265E+05 0.74297E+08 0.68531E+02 0.82119E-01 0.16674E+03 0.40552E+02 0.31687E-01 0.28395E-02 0.34455E+05 0.74708E+08 0.68909E+02 0.82544E-01 0.16754E+03 0.40523E+02 0.31862E-01 0.28420E-02 0.34645E+05 0.75121E+08 0.69290E+02 0.82970E-01 0.16835E+03 0.40494E+02 0.32037E-01 0.28446E-02 0.34836E+05 0.75536E+08 0.69672E+02 0.83399E-01 0.16915E+03 0.40464E+02 0.32214E-01 0.28471E-02 0.35028E+05 0.75954E+08 0.70057E+02 0.83830E-01 0.16996E+03 0.40435E+02 0.32391E-01 0.28497E-02 0.35222E+05 0.76374E+08 0.70444E+02 0.84262E-01 0.17078E+03 0.40405E+02 0.32570E-01 0.28522E-02 0.35416E+05 0.76796E+08 0.70833E+02 0.84697E-01 0.17159E+03 0.40375E+02 0.32749E-01 0.28547E-02 0.35612E+05 0.77220E+08 0.71224E+02 0.85134E-01 0.17241E+03 0.40345E+02 0.32929E-01 0.28573E-02 0.35809E+05 0.77647E+08 0.71617E+02 0.85573E-01 0.17323E+03 0.40315E+02 0.33111E-01 0.28598E-02 0.36006E+05 0.78076E+08 0.72013E+02 0.86014E-01 0.17406E+03 0.40284E+02 0.33293E-01 0.28624E-02 0.36205E+05 0.78507E+08 0.72411E+02 0.86457E-01 0.17489E+03 0.40254E+02 0.33477E-01 0.28649E-02 0.36405E+05 0.78941E+08 0.72810E+02 0.86902E-01 0.17572E+03 0.40223E+02 0.33661E-01 0.28674E-02 0.36606E+05 0.79377E+08 0.73213E+02 0.87350E-01 0.17655E+03 0.40192E+02 0.33846E-01 0.28700E-02 0.36808E+05 0.79815E+08 0.73617E+02 0.87799E-01 0.17739E+03 0.40161E+02 0.34033E-01 0.28725E-02 0.37012E+05 0.80256E+08 0.74023E+02 0.88251E-01 0.17823E+03 0.40130E+02 0.34220E-01 0.28751E-02 0.37216E+05 0.80699E+08 0.74432E+02 0.88704E-01 0.17908E+03 0.40099E+02 0.34409E-01 0.28776E-02 0.37422E+05 0.81145E+08 0.74843E+02 0.89160E-01 0.17992E+03 0.40067E+02 0.34598E-01 0.28801E-02 0.37628E+05 0.81592E+08 0.75257E+02 0.89618E-01 0.18077E+03 0.40035E+02 0.34789E-01 TIME

PDOT

0.28827E-02 0.37836E+05 0.82042E+08 0.75672E+02 0.90079E-01 0.18163E+03 0.40003E+02 0.34981E-01 0.28852E-02 0.38045E+05 0.82495E+08 0.76090E+02 0.90541E-01 0.18248E+03 0.35971E+02 0.35173E-01 0.28878E-02 0.38255E+05 0.82950E+08 0.76510E+02 0.91006E-01 0.18334E+03 0.39939E+02 0.35367E-01 0.28903E-02 0.38466E+05 0.83407E+08 0.76933E+02 0.91472E-01 0.18421E+03 0.39906E+02 0.35562E-01 0.28928E-02 0.38679E+05 0.83867E+08 0.77358E+02 0.91941@-01 0.18507E+03 0.39874E+02 0.35758E-01 0.28954E-02 0.38892E+05 0.84329E+08 0.77785E+02 0.92412E-01 0.18594E+03 0.39841E+02 0.35955E-01 0.28979E-02 0.39107E+05 0.84794E+08 0.78214E+02 0.92886E-01 0.18681E+03 0.39808E+02 0.36153E-01 0.29005E-02 0.39323E+05 0.85261E+08 0.78646E+02 0.93361E-01 0.18769E+03 0.39775E+02 0.36352E-01 0.29030E-02 0.39540E+05 0.85731E+08 0.79081E+02 0.93839E-01 0.18857E+03 0.39741E+02 0.36553E-01 0,29055E-02 0,39759E+05 0.86203E+08 0.79517E+02 0.94319E-01 0.18945E+03 0.39708E+02 0.36754E-01 0.29081E-02 0.39978E+05 0.86678E+08 0.79956E+02 0.94801E-01 0.19033E+03 0.39674E+02 0.36957E-01 0.29106E-02 0.40199E+05 0.87155E+08 0.80398E+02 0.95286E-01 0.19122E+03 0.39640E+02 0.37160E-01 0.29132E-02 0.40421E+05 0.87634E+08 0.80842E+02 0.95773E-01 0.19211E+03 0.39606E+02 0.37365E-01 0.29157E-02 0.40644E+05 0.88117E+08 0.81288E+02 0.96262E-01 0.19300E+03 0.39572E+02 0.37571E-01 0.29182E-02 0.40868E+05 0.88601E+08 0.81737E+02 0.96753E-01 0.19390E+03 0.39537E+02 0.37778E-01 U.29208E-02 0.41094E+05 0.89088E+08 0.8218BE+02 0.97247E-01 0.19480E+03 0.39502E+02 0.37986E-01 0.29233E-02 0.41321E+05 0.89578E+08 0.82642E+02 0.97743E-01 0.19570E+03 0.39467E+02 0.38195E-01 0.29259E-02 0.41549E+05 0.90071E+08 0.83098E+02 0.98241E-01 0.19661E+03 0.39432E+02 0.38406E-01 0.29284E-02 0.41779E+05 0.90565E+08 0.83557E+02 0.98741E-01 0.19751E+03 0.39397E+02 0.38617E-01 0.29309E-02 0.42009E+05 0.91063E+08 0.84018E+02 0.99244E-01 0.19843E+03 0.39362E+02 0.38830E-01 0.29335E-02 0.42241E+05 0.91563E+08 0.84482E+02 0.99749E-01 0.19934E+03 0.39326E+02 0.39044E-01 0.29360E-02 0.42474E+05 0.92066E+08 0.84949E+02 0.10026E+00 0.20026E+03 0.39290E+02 0.39259E-01 0.29386E-02 0.42709E+05 0.92571E+08 0.85418E+02 0.10077E+00 0.20118E+03 0.39254E+02 0.39476E-01 0.29411E-02 0.42945E+05 0.93079E+08 0.85889E+02 0.10128E+00 0.20210E+03 0.39218E+02 0.39693E-01 0.29436E-02 0.43182E+05 0.93590E+08 0.86363E+02 0.10179E+00 0.20303E+03 0.39181E+02 0.39912E-01 0.29462E-02 0.43420E+05 0.94103E+08 0.86840E+02 0.10231E+00 0.20396E+03 0.39145E+02 0.40132E-01 0.29487E-02 0.43660E+05 0.94619E+08 0.87319E+02 0.10283E+00 0.20489E+03 0.39108E+0 ^ 40353E-01 0.29513E-02 0.43901E+05 0.95137E+08 0.87801E+02 0.10335E+00 0.20583E+03 0.3907 1.40575E-01 0.29538E-02 0.44143E+05 0.95658E+08 0.88286E+02 0.10387E+00 0.20677E+03 0.39033L 40799E - 01 0.29563E-02 0.44386E+05 0.96182E+08 0.88773E+02 0.10440E+00 0.20771E+03 0.38996E+02 0.41024E-01 0.29589E-02 0.44631E+05 0.96709E+08 0.89263E+02 0.17493E+00 0.20865E+03 0.38958E+02 0.41250E-01 0.29614E-02 0.44878E+05 0.97238E+08 0.89755E+02 0.10546E+00 0.20960E+03 0.38920E+02 0.41477E-01 0.29640E-02 0.45125E+05 0.97770E+08 0.90251E+02 0.10599E+00 0.21055E+03 0.38882E+02 0.41706E-01 0.29665E-02 0.45374E+05 0.98304E+08 0.90749E+02 0.10653E+00 0.21150E+03 0.38844E+02 0.41936E-01 0.29690E-02 0.45625E+05 0.98842E+08 0.91249E+02 0.10707E+00 0.21246E+03 0.38806E+02 0.42167E-01 0.29716E-02 0.45876E+05 0.99382E+08 0.91753E+02 0.10761E+00 0.21342E+03 0.38767E+02 0.42399E-01 0.29741E-02 0.46130E+05 0.99925E+08 0.92259E+02 0.10815E+00 0.21438E+03 0.38728E+02 0.42633E-01 0.29767E-02 0.46384E+05 0.10047E+09 0.92768E+02 0.10870E+00 0.21534E+03 0.38689E+02 0.42868E-01 0.29792E-02 0.46640E+05 0.10102E+09 0.93280E+02 0.10925E+00 0.21631E+03 0.38649E+02 0.43104E-01 0.29817E-02 0.46897E+05 0.10157E+09 0.93794E+02 0.10980E+00 0.21728E+03 0.38610E+02 0.43342E-01 0.29843E-02 0.47156E+05 0.10212E+09 0.94312E+02 0.11035E+00 0.21826E+03 0.38570E+02 0.43581E-01 0.29868E-02 0.47416E+05 0.10268E+09 0.94832E+02 0.11091E+00 0.21923E+03 0.38530E+02 0.43821E-01 0.29894E-02 0.47677E+05 0.10324E+09 0.95355E+02 0.11146E+00 0.22021E+03 0.38490E+02 0.44062E-01 0.29919E-02 0.47940E+05 0.10380E+09 0.95881E+02 0.11202E+00 0.22119E+03 0.38449E+02 0.44305E-01 0.29944E-02 0.48205E+05 0.10437E+09 0.96409E+02 0.11259E+00 0.22218E+03 0.38408E+02 0.44549E-01 0.29970E-02 0.48470E+05 0.10494E+09 0.96941E+02 0.11315E+00 0.22316E+03 0.38368E+02 0.44795E-01 0.29995E-02 0.48738E+05 0.10551E+09 0.97475E+02 0.11372E+00 0.22415E+03 0.38326E+02 0.45042E-01 0.30021E-02 0.49006E+05 0.10608E+09 0.98013E+02 0.11429E+00 0.22515E+03 0.38285E+02 0.45290E-01 0.30046E-02 0.49277E+05 0.10666E+09 0.98553E+02 0.11486E+00 0.22614E+03 0.38243E+02 0.45540E-01 0.30071E-02 0.49548E+05 0.10724E+09 0.99096E+02 0.11544E+00 0.22714E+03 0.38202E+02 0.45791E-01 0.30097E-02 0.49821E+05 0.10782E+09 0.99643E+02 0.11602E+00 0.22814E+03 0.38159E+02 0.46043E-01 0.30122E-02 0.50096E+05 0.10840E+09 0.10019E+03 0.11660E+00 0.22914E+03 0.38117E+02 0.46297E-01 0.30148E-02 0.50372E+05 0.10899E+09 0.10074E+03 0.11718E+00 0.23015E+03 0.38075E+02 0.46552E-01 0.30173E-02 0.50649E+05 0.10958E+09 0.10130E+03 0.11777E+00 0.23116E+03 0.38032E+02 0.46809E-01 TIME PRESSURE POOT XOOT PROPELLANT BURNT MOOT SURFACE DISTANCE BURNT

0.30198E-02 0.50929E+05 0.11017E+09 0.10186E+03 0.11836E+00 0.23217E+03 0.37989E+02 0.47067E-01 0.30224E-02 0.51209E+05 0.11077E+09 0.10242E+03 0.11895E+00 0.23318E+03 0.37946E+02 0.47326E-01 0.30249E-02 0.51491E+05 0.11137E+09 0.10298E+03 0.11954E+00 0.23420E+03 0.37902E+02 0.47587E-01 0.30300E-02 0.52060E+05 0.11197E+09 0.10355E+03 0.12014E+00 0.23521E+03 0.37858E+02 0.47849E-01 0.30330E-02 0.52347E+05 0.11319E+09 0.10469E+03 0.12074E+00 0.23623E+03 0.37815E+02 0.48113E-01 0.30325E-02 0.52635E+05 0.11319E+09 0.10469E+03 0.12134E+00 0.23726E+03 0.37770E+02 0.48378E-01 0.30351E-02 0.52635E+05 0.11380E+09 0.10527E+03 0.12194E+00 0.23828E+03 0.37726E+02 0.48645E-01 0.30376E-02 0.52925E+05 0.11441E+09 0.10585E+03 0.12255E+00 0.23931E+03 0.37681E+02 0.48913E-01 0.30402E-02 0.53216E+05 0.11503E+09 0.10643E+03 0.12377E+00 0.24034E+03 0.37636E+02 0.4913EE-01 0.30427E-02 0.53509E+05 0.11555E+09 0.10702E+03 0.12377E+00 0.24138E+03 0.37591E+02 0.49453E-01 0.30452E-02 0.53804E+05 0.11627E+09 0.10761E+03 0.12438E+00 0.24241E+03 0.37500E+02 0.49726E-01 0.30478E-02 0.54100E+05 0.11690E+09 0.10820E+03 0.12500E+00 0.24345E+03 0.37500E+02 0.50000E-01

APPENDIX B
AN IBHVG2 COMPUTER RUN TO
COMPARE TO THE TEST COMPUTER RUN

MASELINE FEST FOR CLOSED BOMB FOR FILE FOR STMPCB

```
LAND=5.1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         F0RC=337762.94 C0V=25.0 IEMP=3400
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       EPS = . DUDGGL
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             GAMA=1.2299 FORC=337762.94 COV*25.0 TEMP*3400
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     RUN+*CLOSED BOMB *** 40 AIR *** POPT=1,2,1,2,0
DELT+2,53981,158992E-6 DELP+2,539810158992E-6 1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 GRYE=5.2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      NAME="TEST PRUPELLAMI" CHMI*,125 GRAN="1P"
LEN=1, 01AM*,25 PD=.05 WES=+1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    PRES = 100000000 , 100 00000
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  CHAM=12.51
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             CH#T=.0002
SHOW ** CHWI' DECK = "PROP" NIH = 2
                               SHOW="DIAM" DECK="PROP" NTH=2
                                                                HOM="SLOT" DECK=*PROP* NTH=2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              G/L+1.66 TRAV+207.6 THST+20
                                                                                                                                   SHOW**?MUZ123" DECK="OUT"
                                                                                                                                                                    SHOW="X2BU(2)" DECK="DUT"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  MAME="MIGI" PRHT=95
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        RH0*0.06 GAMA=1.2299
ALPH*1.0 BETA*.002
                                                                                                SHOW="YMUZ" DECK="DUT"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 HL=0.0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             NAME = BLK PUNDER
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               NAME = CLOSED 40MB
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   NPTS=2 TRAY=0,1
                                                                                                                                                                                                                                                                                                                                                                                                                                              HOW ** 08-L(1)
                                                                                                                                                                                                                                                                                                                                                                                                             SHOW="SRF(1)"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 TSHL = . 00384
                                                                                                                                                                                                                                                                                                                                          SHUN-*HTB(1)
                                                                                                                                                                                                                                                                                         TDIS
SHOW='BR-L'
                                                                                                                                                                                                                                                                                                                                                                            HOW- WIBE.
                                                                                                                                                                                                                                                                          SHOW- PDOT .
                                                                                                                                                                                                      SHON= BRCH
                                                                                                                                                                                                                                        *3411 *-MOH
                                                                                                                    POIS
                                                                                                                                                     2109
                                                                                                                                                                                     rois
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       DUNIS
                  PD15
                                                                                                                                                                                                                     1015
                                                                                                                                                                                                                                                       1015
                                                                                                                                                                                                                                                                                                                           1015
                                                                                                                                                                                                                                                                                                                                                            TD IS
                                                                                                                                                                                                                                                                                                                                                                                             TOIS
                                                                                                                                                                                                                                                                                                                                                                                                                               1015
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     foads
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    SRES I
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  SCUR
```

THE ROCKED ROCKET BOSCOOL BOSCOOL THE THE THE BOSCOOL THE SECTION BOSCOOL BOSCOOL BOSCOOL BOSCOOL BOSCOOL BOSCOOL

ቊ፟ዸ፝ዹቔዹኯጜ፞ዹ፞ቔዾ፞ቔፙኇዹኇዂ፞ቔዹኇዺቔዹኇዹጘዺጚዹኯ

	207.60 1.660	C	2	PRESSURE (PSI)	•	00000	ئ	337763. •030200
10:38:20	TRAVEL (IN): Groove/Lang Ratio (-): Heat-Loss Option:	WEIGHT PREDICTOR OPTION:	FRICTION TABLE LENGTH:	I TRAVEL (IN) PRES		MAX RELAIIVE ERGGR (-): CONSIANT-PRESSURE OPTION:	RECOILING MEIGHT (LB):	FORCE (FT-LB/LB): WEIGHT (L3):
3 14-3CT-86	12,51 6,100 29,8275	000*56	000*0	PRESSURE (PSI)	100000001	0 0 0 0		1.2299 3400.0
I EM VG2.228	CHAMBER VOLUME (IN3): LAND DIAMETER (IN): BORE AREA (IN2):	AOTAL WEIGHT (LB):	WALL HEATING FRACTION:	I TRAYEL (IN) PRE	2 1.00 10	PRINT STEP (S): STORE OPTION:	TYPE:	GAMTA (-): FLAME TEMP (K):
#- 13- 14-	. 6.260 20.0		~ <del> </del>	PRESSURE (FSI)	15000000	, 00.0063 1 2 1 0 0 1 ANGIAN	٥	25.650
CLOSED BOME ### NO AIR	- GUN TUBE - TYPE: CLOSED BOMB GROOVE DIAMETER (IN): THIST (CALS/TURN):	TYPE: M101	AIR RESISTANCE OPTION:	I TRAVEL (IN)	00°0 I	- GENERAL GENERAL MAX IIME STEP 151:  PRINT OPTIONS:  GRADIENT MODEL: LAGRANGIAN - RECOIL -	RECOIL OPTION: - PRIMER -	TYPE: BLK POWDER COVOLUME (IM3/L9):

14-3CT-86

	•1250 •05030	END SURFACES	0000000	100.000	00690	1.2249	337763.	25,000	0.00.0	1.3000		`. -:									
	): B.		1																		
	WEIGHT (LB): CHARGE IGM AT (S): PERF DIAMETER (IN):	LAYER BGUNDA 2nd			1		1 1 1 1 1	-													
		PROPERTIES AT LAYER BOUNDARIES OF IST 2NO 3RD									\$ 										
٠	44.210 1P 0 0 .25000 1.0000		0.0000	100.000	.06000	1.2299	337763.	25.000	3400.0	1.5006	0000200	LAT SURFACES	0.0000	100,500	00050*	1.2299	337763.	25.300	34,10.0	1.0000	.0001200
	" (Z	AT LAYER BOUNDARIES OF PERF SURFACES 2nd 3rd 4TH	)								)•		1							11111	)•
	GRAINS: CHARGE IGN CODE: GRAIN DIAMETER ( WEB RATIO:	YER BOUNDARI							1		1	AT LAYER BOUNDARIES OF ZND	1								
	0.000020 1.00002 00000	PROPERTIES AT LA 1ST	1						111111111111111111111111111111111111111		1	PROPERTIES AT LA 1st						1		[	
- C-ARGE 1 -	TYPE: TEST PROPFLLANT FROSIVE COEFF (-): GRAIN LENGTH (IN): INNER WEB (IN):	a.	THE STANDS AT	AD LACENT LAYER LT 7:	DENCITY CRAINS	CARRA (1):	MODE ( FILE 9 / 19 )	COVER UMF (1N3/L9):	CONTRACTOR CAN	BURNING RATE EXPS:	BURNING RATE COEFFS:		AL ORDER (N.).	ADJACENT LAYER WT Z:	DENSITT (LB/IN3):	CARMA (-):	FDRCE (FT-L3/L8):	COVOLUME (IN3/LE):	FLAME TEMP (K):	BURNING RATE EXPS:	BURNING PATE CUEFFS:
												54									

.OSED BOHR	* * * * NO AIR FF	*			HPI	I HHVG2.228	14-001-86		10:
				•					
TRAJEC	AJECTURY VARIABLES	11 / :5	T KA	٠,	בי עב בי עב				
		17 1	TOAL	- ۲	1006				
				• -					
		Ì	101	- ۱	UT 20 1 1				
			TRAJ		MTBR.				
		111	TRAJ	, , <b>-</b>	SRF(1)				
		181	TRAJ	-	DB-L(1!				
71 /	12.1	18 1		/* /	15 1	19 1	11.1	/8 /	
77. 783	,	16641	•	15557	0.	. 42 781	45.833	.5	
78.207	. 25398E	12	•	15641	.10895E-05		45.833	.39618E-06	
76 4 33	5070A	15873	•	15777	1	4326	45.833	. 79453E-06	
79.042	76.	16914	•	15812	37864E-05		45,833	.11953E-05	
76.492	39E	<b>~</b>	•	15898	*43938E-05	4	45, 833	•15977E-05	
79.925	• •		•	15985	072	.43959	45.833	.20026E-05	
80.361	.15239E-01	-17192	•	16072	.65267E-05	.44198	45.633	.24097E-05	
80.799	-	.17286	•	1616)	.77523E-05	• 4 4 4 3 9	45.833	.28190E-05	
81.239	.203186-01		•	16248	.88840E-05	.44681	45.833	.323065-05	
51.682	.22858E-01	• 17		.16335	*10022E-04	.44924	45.833	.3644E-05	
82.127	.25398E-01	٠		.16425	-11156E-04	•45169	45.833	440604E-05	
82.574	.27938E-01	.17666		.16515	.12315E-04	.45415	45.833	. 44787E-05	
83.024	.30478E-01	17762	•	16605	*13473E-04	.45662	45.633	48993E-03	
83.476	.33018E-01	-17859	•	16695	*14636E-04	.45911	45.832	•53222E-05	
83.931	.35557E-01	113956	•	.16786	5805E-0	.46161	45.832	60-347476	
84.388	.38097E-01	.18054	•	.16878	6981E	-46413	45.832	.61.749E-05	
84-648	.406376-01	7	•	16973	*18163E-04	.45665	45.832	-6504/E-135	
85, 3:11-	.43177E-01	.18	•	17062	וש	626959	45.832	* (0354E-05	
857775	.457176-01	-	•	17155	*20545E-04	.47175	45.832	- 74 7 14E-05	
86.243	ğ	30	•	17249	.21747E-04	26424	,	. 79083E-05	
86.713	0795E	.18551	•		.22955E-04	247690	45.832	. 634 75E-65	
87.185	.53336E-01	.18652	•	17437	50-3CL152*	.47950	45.832	*87892E-05	
87.660	.55876E-01	.18754	•	17532	.25391E-04	11284	45.832	.42333E-05	
88.138	9	80	•	17628	.26619E-04	42484	45.832	**************************************	
88.618	.60955E-01	40	•	17724	*27853E-04	.44738	45.832	.10129E-04	
89.101	6	79061	•	17823	*0-3C6062*	F0064	47.83.C	+0-10-001 •	
89.586	.66035E-01	0	•	17911	*303435-64	01764	47.631	*0-3*COTT*	
420.05	.68575E-01	01261	•		+0-3/4C16.	4000	47.031	101304044	
90.565	• /1115E-01	•	7		*3-35025*		10000	10-24-411-04-104-104-104-104-104-104-104-104	
91.058	.73554E-01	18561.	•		*0-34178.	50000	47.631	128746-04	
41.233	10-346-01	, :	•	10011	344855-04	50657	10.01	1336364	
723033 CA EEE	76.0	10801	,	1 2 2 1 1	40-35C07F	50003	45,831	40-470000-1	
000 60	7		I	18617	77.6		45.831	,	
93.566	354	20013	•	16713	40-342-04		5.8	4755E-0	
ű,	28.63	-20127	. •	18815	418855-04	5.1	45.631	•15231E-64	
04.589	.914336-01	.20236	•	160	ш	.52021	45.831	- 1> 710E -04	
95.104	.93973E-01	2	•	19021		+0£7¢*	45,831	.16192E-04	
95.622	.96513E-01	.20457	•	19124	+45959f-64	.52589	45.831	.166776-04	
96.143	.44053E-C1	.20569	•	62261	*47199E-04	¢287¢*	45.833	.171645-04	
199.96	.10159	.20681	•	19333	*43545F-C4	.53163	45.830	.176536-04	
97,194	.10413	.20794	•	10439	*49839E-04	. 53453	45.R33	.18146E-04	
97.723	10,667	20602*	•	14545	*51260E-C4	. 53744	ις. (4)	.le6416-04	
95.256	12901.	.2193	•	19651	*3-36292¢*	.54037	Š	•19139E-04	
102.40	.11175	.21135	•	19756	*5*0056-04	.54331	45,830	.19639E-04	
04.329	11429	15217*	•	13865	5389E	.54627	45. F33	.201426-64	
46.871	.11683	.21366	•	14674	*56780E-04	.54925	45.833	.20646E-04	

LOSED BOMB	*** NO AIR ***	_			16H	BHV52.228	14-0CT-86		
TRAJECTORY	VARIABLES	702537	TRAL TRAL TRAL TRAL	мымимими	BACH TIME PDGT BR-L WTB(L) WTBR SR-(1)				
/ 1/	121	37	2	1 14 1	15.1	19 1	11.1	/ 8/	
1001	11937	71487		.26083	-58179E-04	,55224	45.839	.21157E-94	
1600-96	12:41	21600		910	•	÷	45.630	.21668E-04	
101.51		.21718		20302	*20436-04	. 55827	45.833	.22183E-04	
102-06	12	.21836		25413	.62421E-04	.56131	45.830	*22700E-04	
102.62	_	.21955		.26524	9-315g	.56437	45.623	.23219E-04	
103.18	.13267	. 22075		20636	.65288E-04	7.	45,829	*23/42E-04	
163.74	.13461	•22195		.20748	6733E	5705	45.829	. 24258E=U4	
m	m	•22316		20862	.58186E-04	5736	420064	25327F-04	
104.88	•13969	.22437		525074	#0-374646.	V 4	45.829	-25862E-04	
105.45	.14223	. 22 560		68017	9 4	-54308	45.879	26399E-04	
106.02	-	68977.	•	107777	740786-04	٠,	45,829	.25939E-04	
106.60		22933		21436		194	45,829	.274B2E-04	
17.410	16230	יים 10 ה		155	770726-0	5926	45, 529	.28528E-04	
- ~	5	.23101		,	78581E	S	45.823	.28575E-04	
	15747	. ~		178	0-36600	21665*	45.828	.29128E-04	
109.54	···	Ş		99	.81624E-04	.60238	45.823	.29683E-04	
110.13	-	.23562		.22026	Ÿ	.62566	45.828	*30541E=04	
116.73	.16509	• 53690		. 22146	ų (	• 60896 • 5236	47.663	*3000C*	
111.34	.16763	•23820		79222	92411E-04	61228	45.828	31933E-04	
111.94		545574		9 F	3 7 4 E	968.99	45,823	.32503E-04	
112.55	17571	24211		22633	۲,	.62233	45.828		
113.78	-	24343		275	540E	.62572	45.828	*33653E-04	
	-	.24476		.22883	.34134E-04	. £2913	45.828	.34233E-04	
115.03	_	-24609		3	.95736E-04	.b3256 .	45.828	.34815E-04	
	- 20	.24743		.23133	347E		8	.35401E-04	
116.28	.18795	487		.23256	98966E-04	.63947	45.827	*35490E*0*	
116.92	.19049	.25013		23383	.10050E-03	-64743	2 6	10000000 10000000000000000000000000000	
117.55	.13303	. 25150		.23511	•16223E-03	104040	200	40-36776 40-36776	
118.19	→ .	. 25287		.23639	20-10389T-03-	14440	2 0	38379F-04	
118.84	- ,	67467		10767	107305-01	20774	3	38984F-34	
119.48	٠, ١	25707		46746 46746	DENTE-D	54044	45, 827	935	
15.02.	4	201020		2717C	10556-0	5.44	•	340	
150.13	vr	20047		24200	117755-03		- 60	.43820E-04	
121.43	03012	25175		" ~	1395	573	45.825	.41438E-04	
170 77	jņ	75757		, ,	1566E-0	6751	5.8	ų,	
122.44	X85.7	10401		24689	1733E	.57884	82	.426dbE-04	
124 13	2184	7555		74873	11911E-0	.68254	82	.43314E-04	
124.79	7.7	6		24959	1 2084 E-n	.68625	2	.43947E-04	
125.47	, ~	.25844		.25045	2259E-0	656R9*	82	*** \$ 82E-04	
126.15	22.604	5		.25231	12435E-0	.69375	82	.45221E-04	
126.84	.22858	.27138		.25369	۲	.69793	45.825	<b>5864</b> E	
127.54	11	$\sim$		.25507	.12784E-n3	.76133	5.82	E-0	
128.23	336	7		-25546	2968E	.70515	45.825	1	
128.93	.23423	-27584		.25785	*13147E-C3	£6802°	45.825	•478135-04	
	1								

CLOSED BOMB	* 8.40 0% ***	* *			191	IBHVG2.228	14-0CT-86		10:
TRA JECTORY	ORY VARIABLES	32.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	TRAL TRAL TRAL TRAL TRAL	н <b>мымымы</b> мы ,	BRCH 11ME PDQ1 BRQ1 MTB(1) MTBR SRF(1)				
, 1/	12 /	/8 /		} <b>'</b>	15 1	19 1	11 11	/8 /	
		2773		40,4	39055	71.205	2	n	
50.621	26.126	,,	•	24048	35.00	-:1207	47,825	101	
131.05	vς	<b>-</b> α	•	26210	135907E-03	•	2 6	ı u	
131.76	4.0	2 8 2	•		13875E-03		'n	: 3	
132.48	<b>1</b> ~	, ~		26496		•	82	51132	
133.20	~	80	•	.26643		•	82	.51807E-04	
133.93	.25398	80	•	÷	.14432E-03	•	82	*52485E-04	
134.66	*25957	.28809	•	.26931	•14625E-03	.74047	5.82	. 53167E-34	
135.39	• 25906	*28966	•	27	Ž.	<b>~</b> '	5,82	*53853E-04	
136.13	.26163	*216Z*	•	2,	149985-03	75364	45,824	.55236E-04	
130.01	.26668	F9767*	• .	27523	3805	.75673	8 2	. 55933E-04	
138.37	22697*	.29603		27	15573E	2	'n	56634E	
139.12	.27176	.29764		27	5767E	.76500	45.824	<del>-</del> 36	
139.88	.27433	12662*	•	~	2951E	.76917	42.824	.58048E-04	
140.64	.27684	06006*	•	28128	.16157E-03	.77335	45.824	.5876)E-04	
141.41	.27938	430254	•	28281	.16354E-03		45.823	594	
142.18	.28192	.30418	•	28435 21692	.16552E-03	76187	45.823	-60197E-09	
142,43	00282	400004	•	74747	14057 5-03	46000	ດ້ຜ	**************************************	
144.51	78954	30918		2 6	17153E-03	79464	'n	.62381E-04	
145,30	.29208	18016.	•	1 2	.17355E-03	16862	'n	.63117E-04	
146.09	29462	.31256	•	29218	59	.80332	45.823	.63857E-04	
146.89	.29716	.31427	•	82862	.17763E-C3	.80770	45.823	.64601E-04	
147.69	92667*	*31548	•	29538	.17969E-03	.81210	Š	.65353E-04	
148.49	*30524	.31773	•	\$6962	3176E	.81652	'n,	.66102E-04	
149430	.30478	31943	•	29861	.18384E-03	16078	45,622	*66856E-04	
150.93	30.986	32292	• •	30187	188036-03	182993		-68383F-04	
151.76	.31240	.32468	•	36351	.19014E-03	683	45,822	6915	
2 • 5	.31494	.32645	•	36517	.19227E-03	•	45.822	*69925E-04	
153.41	. 31748	.32823	•	30683	.19441E-03	.84356	w.	~	
154.25	20028	•330C2	•	30850	*19555E-03	.8481b	٠.	. 71 48 4E -04	
60.551	.32255	33142	•	31018	.198715-03	.85278	45.821	722546-0	
155.44	• 35.7 LU	101111	•	٠,	* <0.084 E-03	767.69	ů,	13039E-0	
67.061	*32.75*	. 44044	•	31371	370602	60769*	128 264	• (3853F-04	
156.04	633618	133726	•	71766	12027 CD3	480517	47.841	**************************************	
150.36	21266	11600	•	21.473	<b>5</b> 5	974.24	120001	#0-200407#	
166.73	23,524	34747	•	24046	ې ز	. KX 10.		-72C24E-04	
161.10	603	1445	•	37.271	21417F-0	7.00	5.47	77893F-0	
161.98	.34287	34456	•	32395	1642E-C	69069	82	787115-0	
162.80	.34541	.34845	•	.32573	.214695-03	.89550	82	79	
163.75	.34745	*35035		32753	.22097E-03	.90037	82	.80365E-04	
164.64	.35049	.35226	•	36429	+22327E-63	.90528	8 2	.81197E-04	
165.54	.35303	.35418	•	33166	*22557E-03	.91621	45.820	038E	
156,44	.35557	.35611	•	33289	.22789E-03	.91516	45.623	*82881E-04	

10:38:23

CLOSED AOMB ***	NO AIR ***			181	BHVC2.228	14-007-86		10:38:50
TRA JECTORY	VARIABLES	11 1884 27 1884 57 1884 57 1884 77 1884 1884 1884	PRAJ PRAJ PRAJ PRAJ PRAJ PRAJ PRAJ	89 CH 71 ME P D D T B R L W T B R S R F (1) D 3 - L (1)				
/ 1/	121	1 3/	15 1	151	19 1	11.1	/8 /	
	- [	20875	33670	2 202 2 E = 03	\$1076	45,819	483729E-04	
•		20075		33566	7 6	: =	5.81	
• •	916	36196	33835	92E-0	70	100	438E-0-	
. (	573	36393	34020	.23729E-03	.9352	19	863006-	
•	827	36592	.34205	. 23967E-03	6	81	87165E-0	
71.96	37081	36791	34392	.24206E-03	•	45.819	88038E	
72.90	335	36665	345/3	24447E	29066	5 6	713617	
• •		37396	74957	249336-03	• •	18	90677E-	
75.74	260	37600	.35148	.25177E-03	•	45.818	!.	
76.70	351	37405	.35339	.25424E-03	•	81	465E-0	
77.66	. 605	38011	. 35532	.256718-03	916.	45.818	365E~0	
•	859	38218	35725	.25923E-03	.982	45.818	ç.	
•		36456	.35920	.26170E-03	.987	ķ.,	1836~	
•	367	38635	.36116	.26421E-03	. 39283	45.817	96094E-0	
•	621	36846	. 36312		. 99824	45.817	*0-3*I0/6*	
•		34638	.36513		3 6	42.517	98853E-0	
•		39270	60795	0-346777	3 3	45.817	99 80 AE - D	
•	585 527	34444	.36369	22699F=03	• •	45,417	0745-0	
•	168	39916	37313	0-3	1,0257	45.815	0169E-0	
•	1145	40134	.37516	.28220E-03			9	
•	1399	40352	.37725	.28483E-03	•		9-36 S	
•	1653	.40572	.37926	.28747E-03		ŝ		
•	1907	40793	.38132	.29013E-03	•	, d	* 105521-03	
•	2415 ·	41016	3 4 4 5 5 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	24250E-03	1.0592	45.815	.10747E-03	
•	649	41464	.38759	ပု		45.81	. 10845E-03	
•	2923	41690	.38970	89E-0	1.0713	8 2	.10944E-03	
•	3177	21615	.39183	.30362E-03	٠	9.9	*11043E-03	
•	104	27.54 27.54	11434	300306-03	1.0884	45,815	.11243E-03	
99.13	• 5000	42626	. 39827	.31189E-03	1.0948	5.81	.11344E-03	
•	193	88826	****	٦.	1.1607	6	•11445E-03	
01.31	. 2++5	43072	• 40262		1.1067	81	.11547E-03	
62.41	. Tol	43336	# # S		1.1128	5.81	505	
03.51	44955	43542	0.70	.323145-03	1.1188	5.3	.11753E-03	
04.62	6029	43780	<b>ω</b> .	9	1.1249	5.81	857E-0	
55.73	45463	21044	.41147	.32855E-03	1.1315	45.813	.11481E-03	
• Da a do		445.70	41514	, ,	76771	1	? ו	
	225	r 🏊	٠	. 33754E-03	• 1 4	45.813	2776-0	
10.25	624	44986	. 42051	9	.15	3	12383E-0	
11.40	733	18244	.42280	43416-0	116	45.313	0-3164	
212.55	46986	45477	251	637E	1.1685	45.812	593E	
13.71	240	45725		4935E-C	~ ;		27075-0	
14.87	***	42464	262	2234E-6	1.1613	45.612	P	

					•	1			
05ED 8048 +	** NO AIR ***				H8 1	BH V G Z + 2 Z &	14-001-86		10136
TRAJECTORY	RY VARIABLES:	2027	77 77 77 77 77 77 77 77 77 77 77 77 77	88. 1 111 1 111 1 1 111 1	88.CH 11.ME PDOT BR-L BR-L WTB (1) SR-(1) UB-L(1)				
, 1/	12.1	18 1	14 1		15 1	19 1	11 /	/8 /	
216.05	87247	3	60757		55355-0	1.1877	45.812	.12925E-03	
517.22		225999	43445		.35837E-03	1,1942	45,612	.130356-03	
218,41	.48256	.46730	.43681		36141E-0	9	45.811	•13145E-03	
219.63	N.	46	·+3919		0-37+40	1.2072	45.811	-13257E-03	
250.79	œ	124	.44159		ا ن ا ن	1.2133	45,611	.13369E-03	
522.00	901	47498	.44399		.37064E-03	1.2	45.811	*13482E-03	
223.21	92	•	.44641		.37375E-U3	<b>.</b>	45.811	00-35-00T-	
224.42	256	.48017	44884		28/E-C3	7.7	45.810	138225-03	
40.672	30754	61704.	45164		ED-370006	7 7	45,810	13937F-03	
228.11	50288	26685	5.52		۲	1.2540	45.810	.14053E-03	
229.35	.50542	•	. 45871		.38954E-03	1.2608	45.810	.14169E-03	
30.60	.50796	. 49340	. 46121		.39275E-03	1,2677	65.613	.14256E-03	
231.86	.51053	60964.	.46372		9568	1.2746	45,809	.14403E-03	
233-12	. 51304	648846	.45625		.39923E-03	1.2815	45.809	.14521E-03	
234.39	.51558	.50151	•		.40249E-03	1.2885	45,839	.1464JE-03	
235.67	•51R12	42404	<b>,</b>			2000	400.00	674777	
36.45	. 52066	. 20079	÷ ;		. 40907E-63	1.3025	400°00°	. L 46 / 4E - U 3	
236.65	. 55364	47606	•		**************************************	1.5040	0000°C#	<u>ר</u>	
39.54	. 52574	44714			**************************************	70 0	47.00 JG	*15161E=03	
3 , 5	*22426	61616	CE744		60-364664	1 221)	45.800	153656-03	
97.74	35565	F2004	30 40 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		47584F=03	ט ע	45,808	5.4.89F-0	
200	00000	52380	) I		479757-03	1.3457	45,837	56135-0	
44.01	44866	52666	82264		43767E-63	1,3530	45,807	.15738E-03	
47.48	26098	.52953	26565		.43612E-03	m	45,837	*15963E-03	
68.83	54352	.53241	.4476		.43958E-03	1.3678	45.607	ç	
50.19	.54606	.53531	.50039		4307	1.3752	45.805	.16115E-03	
51.55	. 54860	.53823	.50310		.44657E-03	1.3827	45.806	=16244E-03	
252,92	,55114	.54116	.50584			1.3902	45, 806	726-0	
254,30	.55368	.54411	.50860		.453638-03	1.1978	45.805	.16501E-03	
55.69	.55622	.54708	.51137		.45719E-03	1,4054	45.805	306-0	
257.08	.55876	•22006	.51416		.45077E-03	1.4131	45.805	0	
5	.56133	\$5305	.51695		w ı	1.4206	45.805	16891E	
68.65	.55384	.55607	_		.467996-03	1.4285	45.805	9	
٠,١	.56433	.55910	.52261		9 '	1,4363	٠,	۲,	
262.73	.56892	\$129G•	45676		59-382475°	1.4444	474807	.17283t-U3	
264.16	27.745	17696.	35835		**/845E-03	1.4520	40° 40°	*1.422E=03	
30.40	67456	47120	60466		30070	1 4678	45 834	174375-03	
(0,10)	*00163	67451	40467 e			10101	* 4	201376011	
20.002	* 7 1 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4776	٠.		49387F-03	1.483%	٠. ٥	ר ו	
271.44	41.484	2 C X S	C # C # 2		٠,	1,4419	45. RO3.	ì	
737.97	) X	2×395	5.4		.50145F-03	1.5003	9	9	
74.40	28924	58713	2 4		.505276-03	1.5082		9383E-0	
375.97	7 . 0	2000	1 2		-50911F-03	16	28.5	185146-03	
277,40	943	\$4355	146		.512976-03	1.5247		.1d66JE-03	
· · · · · · · · · · · · · · · · · · ·							1	•	

. CEUSED BUMB ***	NU AFR ***			181	IBHVG2.228	14-0CT-36		13:38:20
TRAJECTORY	VARIABLES:	40m4m9v8	TRAJ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	BRCH 11ME PDUT BR-L WT811) WT8R SRF(1)				
, ,,	12 1	18 1	14 1	151	/9/	12.1	181	
						;	1	
16	9 68	62965	578	~	ς.	5.83	BOLE-0	
	•	50004	18095*	.520765-03	1.5413	40° 60'Z	. E0-343E-03.	
		6000		"	1,5581	5.80	233E-0	
40	701	06609	.57008	532	3	5	374E-0	
•	•	61323	.57319	23	•	ů,	.19519E-03	
01	4021	16010	.57945	4001	1.5924	45.800	.19812E-03	
31	717	62331	582	54869	9	Š	9	
•	. 116	62671	38	5277E-0	Ġ.	45.800	01085-0	
• •	225	<u> </u>	80,000	87E-0	ė,	٠,	06276-0	
•	•	93370	v .	565136-03	1.6362	45.799	20407E-03	
• •		64048	54866	0-30E69		2.7	10E-0	
96	241	26649	.60192	0-364	. 65	2.7	.20862E-03	
	495	64748	.60520	7770E-0	¢.	~	1015E-0	
	749	10159	.60852	0-346	.67	5.7	.211736-03	
, , , , , , , , , , , , , , , , , , ,		65456	•61182	8620E-0	٠	45.798	21325E-0	
. ·	577	65813		594786-03	0 4	45,797	. 21 48 JE - U 3	
7 1	765	66532	.62187	59911E-0			21795E-0	
, m	. 61 <sub>0</sub>	66899	.62526	. 60346E-03	•		.21953E-03	
	. 673	65214	.62867	.50784E-03	•	5.7	.22112E-03	
52	527	67626	•63269	.61224E-03	1.7369	45,796	.22272E-03	
		6.945	#0750* 00069*	.5111F-03	1.7558	47.796	.22595F-03	
*	66289	68738	.64248	52558E-6	. ~	3	.22758E-03	
66	543	69113	46499	.63008E-03	1-7750	5.7	.22921E-63	
•		68469	16646.	.53460E-03	1,7946	,	*23085E-03	
	• •	70249		3717E	1.8041	45,794	.23418E-03	
66	. 655	70632	.65015	64831E-0	1.8139	462.54	3585E-0	
• 68	7813	71017	663	5293E	₽,	5.7	3753E-0	
٠ و:	8067	4047	66740	02/2/5/5	1.8337	,	23922E-3	
25	1750	77184	.01103	50-340-74	0 7	45,433	40466-0	
	8824	72578	.67837			45,793	.24435F-03	
. m	9083	72973	682	67640E	1-8740	45.792	24608E-0	
39	4337	73371	685	68118E	•	45, 792	.24781E-03	
7b ••	• 16÷6	377	.68952	.68597E-03	1.8945	45.792	4956E-0	
•	9845	74173	.69328	30806	1.4048	162.54	131E-0	
m n	. 6690	74578	50269	ш, и	9	45.791	25308E	
• •	* * *040	9 0	20402	11 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1		45.701	466110	
• •	851	15834	.70851	71036	1.9465	45.740	643E-0	
61	. <1	62	r <sub>J</sub>	532E	95	62	6024E	
•	369	76637	Δ	0-30E02	196	45.793	205E-0	

CLOSED BOMB	*** NO AIR ***			48 I	8HVG2.228	14-001-86		10:
TRAJECTOR	Y VARIABLES	211111111111111111111111111111111111111	7777777 74444 44444 4444	1 BRCH 1 TIME 1 POOT 1 BR-L 1 MT8(1) 1 MT8 1 SRF(1) 1 UB-L(1)				
/1 //	1 21	18 1	14 1	15 1	/9 /	12 1	/8 /	
	.71623	705	20	2532E	6.1	45.789	88E	
	.71877	141	240	3035E	۲.9	78	715-0	
9.4	.72131	~	280	3542E	2.0	78	755E-C	
رو • ن	• 72385	831	7320	4051E	2,0	9 4		
<b>5</b> • 6	.72639	4	959	745645	7.0	9 7	1156-0	
0	.72893	716	~ ^	2010	7 0	2 5	03E-0	
) )	19164	C006/ •	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1176	7	28	93E-0	
	10467	7 7 0	521	66408	7	•	278835-0	
9 4	80066	160	7562	7166E	2.0	5.78	28075E-0	
	74162	3.5	7603	7696E	2.0	5.78	67E-0	
2.2	.74416	79	7645	8228	2.1	5.078	28461E-0	
	.74670	224	<b>68</b> 8	78762E	7.1	5.78	256E-0	
386.44	*2652	.82692	.77288	. 79300E-03	2, 1232	47. 785	372E-0	
8,5	.75178		0 / / 6	314041	7.7	9 6	26.FE	
9 (	.75432	04488	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	7020	,	5.78	29445E-0	
•	75060	40,076	707	4818		5.78	29545E-0	
,	76194	3	1 56	2033E		~	29846E-0	
	26448	. B5434	7985	2583E	•	5	0-36%	
1.4	.76702	.85900	920	3148E	•	5.7	30252E-0	
3.6	.75956	* 85368	072	3 709 E	•	~ 1	30457E-0	
5.8	.77210	. 36439	116	4274E		45.732	30662E-3	
Q • B	.77464	+87312	150	37584	•	<b>-</b> r	30.65 4 E - 3	
C • 5	.77718	88778	<b>5</b> 07	16160	•	72 57		
2 .	2/6//	19798	70	7070	•		314955-0	
•	47797	.60740	100	71445	• • •	5.7	31707E-0	
	78734	84718	38.5	7727		5.7	319196-0	
	18988	10206	431	8314E		•	321336-0	
	.79242	66906	416	89045	•	5.7	0-38+6	
6.1	96462.	_	523	32656		5.4	564E-0	
8	.79753	_	569	00936	-	5.0	32 781E-0	
30.	*80008*	.42190	961	2695 200	•	5.0	0-1466	
33.1	£80558	9	663	1295		֓֞֜֜֜֜֜֞֜֜֓֓֓֓֜֜֜֜֜֜֓֓֓֓֜֜֜֜֜֓֓֓֓֜֜֜֜֓֓֓֓֡֓֜֜֡֓֜֜֜֡֓֡֡֡֓֜֡֡֡	336196-0	
35	.80512	3	710	1661		~ r	0111764	
~ ~	.80.756	3	1018	101C74	• •	•	0-3700CC	
2	.81620	* .	3 4 4 5 5	731230	-			
7	*215.	44444	10 0	2625			3 3 F - 3	
	076.18.	7 7		3000			550E-0	
	70110	, 3	. 0	54075		, ,	788E-0	
	22.23	) or	I	6236		5.7	117E-0	
7 4	47.77	734	260	68595	5 + 49	2.5	244E-0	
	. N 2 7 G X	97872	147	97505	2.512	5.77	4775-0	
3	ر د د	5	6	81456	2.525	5.77	712E-0	
42	, (4)	3	.92471	16878	2.539	5.7	947E-0	
	1		:					

		.36182E-03	36419E-03	34894F=03	.37137E-03	.37379E-03	.37622E-03	.37867E-03	.36113E-U3	386046-03	*38859E-03	.39113E-03	٩	.33617E-03	.39873E-03	401447404 40148464	4.7E-5	9	9	.41435E-03			JU	777E-3	.436496-03	.43324E-03	. 435995-03	4438705-73	*44435E-03	***717E-03	376	*45285E-03	*45572E-03	. 458635-03	36+1	449	450733E-03	7777	.47621F-03	E0-3170 (F		111
·	11.1	45.773	45.773	47.677	45,771	45.771	45-771	45.770	45-113	45,759	45.769	45,768	45.768	45.757	45.757	45-765	45,756	45.765	45.765	45.764	45,764	47-103	45, 762	45.752	45.762	45,761	45.751	45.763	45, 759	45,759	45.758	45.758	45.757	S.	45.755	45.756	40.67	40.47	47=634	, ,	45,753	45.752
	/9 /	553	2.5673	184.	609	623	2.6379	2.6523	79997	7,606.2	2.7105	2-7252	2-7401	2.7553	2.7700	2.7853	7.8154	2.6307			2.8772		9744	2.9403			N (	m c		m	3.0	Ľ,	m	m :	m I	יים ניים		·	3.2069	. `	259	177
6RCH 11ME PDOT 6POT MF8-L MT8R SRF(1) 08-L(1)	151		0	10074E-02	904	10272	39	ရှိ i	105425.03	215	67.0	<b>€</b>	.10817E-02	-10887E-02	.10957E-02	11023	111705-02	.11241E-02	.11314E-02	-11386E-02	.11459E-02	114045-02	11680F-02	117548-02	.118295-02	-11905E-02	.11980 E02	12055E-02	.12213E-02	*12287E-52	.12355E-02	2443	.12522E-02	.12501E-02	.12580E-02	.12760E-02	.12841E-02	70-317671	70-350051.	. 4	JUI	32 E
<b>គ</b> ៩៩៩៩៩៩៩	<i>'* '</i>	.92975	.93481	19999	rv	.95536	.96057	96580	97106	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	570	.99241	.99782	1.0033	800	1.0162	h ur	000	(T)	1,0422	ပ	1.0735	1.0551	20	6.76	32	<b>80</b>	1.0944	1001.1	1,1124	1.1185	1.1245	1.1307	Q.		σ.	1-1555	2101.1	1.1745		8 2	-
TRAJ TRAJ TRAJ TRAJ TRAJ																																										
ES: 1 17 1 21 21 21 21 21 21 21 21 21 21 21 21 2	18 1	. 99481	_	83	1.0152	1.0222	1.0278	1.0334	1.0390	1.0504	1.0561	1.0619	1.0677	1.0735	20	085	1.6971		1.1091	1.1151	1,1212		1.1397	1.1459	1-1521	1.1584	1.1647	1,1711	1. 1. E. S.	1.1903	1.1968	1.2933	• 203	•	.223	.229	1.2365	547.	1.2558	2 4	270	277
AJECTORY VARIABLES	121	~	•	* .	275 78 78 78 78 78 78 78 78 78 78 78 78 78		.85084	S	585595	86100	6.35	660		1	36	.87623		3 60	35	38.5	.89147	10468.	2000 A	.90163	7	.90671	\$2505	62116	1 60 1 40	ന	40126*	. 92449	~	.92957	.93211	. 93465	.93719	679674	17746.	, ,	,00000 40000	5 2
TRA JECTOR	/ 1/	464.87	467.41	469.95	475.09	477.58	480.28	2.9	485.53	460 10	493.51	496.20	498.91	501.63	504.36	507.11	707.0	515.45	518.26	521.08	523.92	7.97	537.53	535.44	38.3	4	7.	547.20	553.19	556.20	559.23	562.28	565.34	568.43	571+52	574.64	577.77	26.085	584.04	ה כ	593.69	596.92

TRASECTORY	Y VARIABLES:	117777777777777777777777777777777777777	TRAJ TRAJ TRAJ TRAJ TRAJ TRAJ	6R CH 11ME PD0T PBR-L MT8(1) MTBR SRF(1) D8-L(1)				
/ 1/	12 1	1 3/	15 1	15 1	19 1	11.1	/8/	
	ì					,		
a	265	~	~		3.2951	45.752	48627E	
603.45	95751	291	۲,		ין ר קיר	120.62	40440F	
606.74	9 6	2056	• `	-		45, 753	743E	
	. 96539 . 96513	1,3127	1.2267	13759E-02		45.753	50062E	
	96	.3199	~	_	3.3857	4	50372E	
	4	1,3271	Š	.13926E-02			50686E	
	97275		٠	~ .		4	51002E	
	97529	341	Ņ	-14100E-02			51525 51630F	
	97783	1.3489	1.2674	147765-02	3.4.788	: ~:	369E	
	98291		N		49	45.746	52283E	
	1.40	1.3711	. ~	-	•	5.7	507E	
	66286	1.3786	N	_	• 53	•	34E	
	153 1	1,3861	٠	_	•	2.	53262E	
	10866	1,3937	٠,		3.5744	47.74	77 C E	
	19666	1.4013	•	149045-02		. 4	54257E	
	100	4904	•		6.6	7	326545	
	1.0037	4243	1 ~	_		5.7	54923E	
	9	1264-1	1,3382	.15183E-02	•	45.741	€ 68E	
	9	6665	1,3455	_	3.6927	2.0	5560 <del>3</del> E	
	.0108	1.4477	٠,	_	3.7127	47.740	37676C	
	.0134	1,4556	1.3602		3.1324	45.739	3 4 3 E	
	- K	9	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	15656F-02	9	45, 738	56991E	
661.29	.0210	1.4796	, ~		3.7942	45.738	*5734EE-03	
695.06	.0235	1.4876	1.3901	.15849E-02	3.8144	5.7	593E	
48.869	192	40	1.3977		3.6355	45.636	360475	
732.65	.0285	1.5639	1.4053		^ ~	45, 735	.58761E-03	
7.00	2000	1,5204	•	147416-02		5.73	59121E	
714.21	6362		42		•	45,734	59483E	
718.10	, 038c	, RU	443			45.734	845E	
722.01	.0413	3	4	.16540E-02	3.9624	45, 733	212E	
725.95	.0439	S	. 45	664	~	45.732	5835	
729.91	4°	1.5623	4	674	. 0	45.732	9535	
733.89	. 048	10	4.	1684	723	45, (31	321E	
737.89	0	ς ι	•	יות פי	) () ()	47.631	60-364010	
3	1.0543	538	മാധ	5	9:	5 5	2000	
4	•	9 2 4	6764.	20-34C771	) . ) '		2 4 4 5 E - O	
7	Š	1,444	10000	29-36-2011	ž	J ^.	211E-0	
'nΰ	9 6	1.4230		7.6		45,727	9	
~ · ·		1.6317	12	· rv		5.7	3186	
; 7	C	1.6406	i ψ	16	N	5.72	7.JE-0	
770.68	1.0718	049	2	.17788E-92	228	45,725	.64763E-03	

TRA JECT	JECTORY VARIABLE	S: 1 2; 1 2; 1 34 1 2; 1 2; 1 2; 1 2; 1 2; 1 2; 1 2; 1 2	TRAJ I I TRAJ	BRCH TIME POOT BR-L MTB(1)			
		8	TRAJ	09-1(1)			. •
11 /	12.1	18 1	7 /	151	191	12.1	/8 /
774.89	1.0743	1.6586	1.5498	39687	4.2518	45.725	.65153E-03
119.11	0	1.6676	1.5582	8004E	7	2	o,
783,36	1.0794	1.6757	566 575	11	4.2981	45.723	֓֞֜֝֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֝֟֜֓֓֓֓֡֓֜֝֓֡֓֜֝֓֡֓֡֓֡֝
791.92	7000	1.6951	1.5838	8337F	ייי י	2	9
796.24		1.7043	, 50	436	י הי	45.721	1485-0
00	О	۲,	.601	8554E	•	45.721	٩ '
804.94	266.	1.7230	1.6099	8666E	4	45.720	67961E-03
809.33	400.	,	1.6187	7 7 9 E	6 4 6 4	12	
818-18	1.0997	٠.	1.5364	9005E	. 80	45.718	ó
822 • 64	101.	~	1.6453	9120E	513	7	1+E-0
827.12	Ü	۲,	1.6542	9235E	37	7	.70033E-03
831.63	~ .	1.7801	1.6633	9350	, 562	45.716	. 70455E-03
636.16	•	~ -	1.66/23	194666	^ 4	45.714	- 71 3045 -03
845.31	1.1150	• •	1.6901	9703	637	1 2	•71732E-03
849.91	117	90	1.6998	35186	662	~	.721635-03
3	12		1.7091	32E66	8	7	.72595E-03
859.21	-	1.8392	1.7184	0057E	<u> </u>	2	031E-0
863.89	-	1.8492	1.7278	2210	. 738	45.711	.73469E-03
868.60	┥.	1,8593	77571	20-386-02	4.7004	45, 703	707610
878.09	1.1328	1-6796	1.7552	0541E	4.8164	45.709	.74796E-03
882.88		, <b>2</b> 0	· <b>~</b>	.20664E-02	84	2	43E-0
887.69	-4	1,9002	-	.20787E-02	4.8689	45.707	.75693E-03
892.53		0	1.7851	.20911E-C2	. 89	2	145F-0
897.40	~ -	7 (	~ :	*21036E-02	4.9220	45.706	.76603E-03
902.23	1 4 4 3 3	1.9423	1.6144	.21287E-02	. כ	2 2	9
912.16	15	. 6	1.6243	.21414E-02	00	2	973E-0
917.13	15	0	83	21541E	.029	2	0
_	15	6.	1.6443		5	5.73	ဂူ
927.15	<b>-</b> .	486	ж :	21798	÷ 83.	5.45	• 79380E-03
17.75 Y	0 . -	1.4475	1,004	377677	5-11-63	45.403	2755-0
947.40	<b>5</b>	0 7 7	2 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		1	45.699	9
947,54	100	• •	1.8951	22320	-	• •	0-348
	.170	0	1,9054	2 2	5.2243	63	7676-0
57	-	Ū\$ ∂*	_	2586	7	Φ	25E-0
	175	٥.	~	2719E-	• 28	69	7436-0
•	178	•	∙	2854E	.30	-20	9
73.	13.	C,	1.9473	2989E-	338	9	9
78.9	80 0	15 .	7 (	.231255-02	.367	5.69	*8*222E-03
984.33	1 x 2	) : : :	1.7685	32625-0-3	777	42.691	÷ (
20° 420	1.1786	2 1362	1,000 1	233495-02	. 4	0 4 0 4	. 852255 . x57265
•	77.7.4.7	4	1366.7	37312		•	•

PARTIE WINDOWN WHEREON COORDIN THEREON THE SECOND OF THE SECOND TH

*** 8W08 038073	NO AIR ***			<b>Н81</b>	84VGZ.228	14-3CT-86		10:38:50
TRAJECTORY	VARIABLES=	72 72 73 74 75 76 76 76 76 76 76 76 76 76 76 76 76 76	RAJ RAJ RAJ RAJ RAJ RAJ RAJ	es CH TI NE PDOT ER-L MTB(1) NTBR SRF(1)				
, 11,	12 1	/8 /	14 1	15 1	/9 /	11.11	181	
			•	- 7			2226	
000.5	1937	7	2.0010	236	J. 4804	47.69	317298	
6.	963	∵ '	6110.2	200		47.007	267778 87258	
<i>~</i> ,	1988	2.1652	8770*7	<b>γ</b> ,	5.5753	47.682	7645	
<b>-</b> -	013	7	7.0338	,	•	100000	7 8 5 E	
(	440	7 "	2.551	, 4	, ,	٠,	307E	
1 2 C C C C	***	. ~	2,0673	24.5		45.684	333E	
1		.225	2.0786	244	٩	45.684	357E	
45.0	140	7,	2,0899	248	٦.	45.683	*90386E-03	
1 050.1	2165	2.2493	2.1013	249	5,7595		906186	
056.4	161	•	2.1128	25	•	ň	71.4331	
062.2	215	•	2, 1243	222	, פ	47.083	37 4 7 7 CC	
067.9	242		2 1475	7 7	• -	ķ	765	
	102	7.3113	2-1592	, 10	5.9177	. %	.93623E-03	
0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9.6		2,1713	256	5	•	94173E	
1091.4	343		2,1828	260	₹.	•	.947255-03	
1	363	m	2.1947	261	٠,	•	.95282E-03	
٠,	394	T-	2,2667	9	٠.	5.67	.958416-03	
. 4.	423	m.	2.2187	564	9	ŝ	.96403E-03	
	674	m.	2.2308	266	٦,	2.67	95963E	
1121.5	.2470	•	2.2430	567	6.1464	45.670	77735E 08107E	
0.0	200		2.2675	ם כ	•	2	.98682E-03	
	177	75	6622.2	27.	. ~	Š	992596	
	572		2.2923	7	~	45.657	.99843E-03	
4.	265	.46	2.3048	.2756E-02	13151	45.666	.10042E-32	
. 7	523	٠.	2.3174	27	<u>س</u> (	45.655	.10101E-02	
165.0	548	4.	2.3300	278	•	45.664	*1016JE-62	
171.4	574	÷	7246.2	8 6	6.4186	45.663	10270E-02	
1668	* * * * * * * * * * * * * * * * * * * *		26.00.00	707	•	30000	7 7 7	
•	750	,	7.3814	3	, ,	45,660	366E0I	
	775	, ,	2,3943	100	6.5591	45.653	1045JE	
203.7	801	٠٠	2.4073	288	• 59	45.658	.10521E-02	
210.2	826	2.5912	2-+204	Ò	630	u)	.10582E-02	
-	851	2.6053	2.4336	6	•656	٠.	06445	
-	877	2.6195	5.4463	6	~	45.655	10705	
	206	2.6338	2,4662	53	•739	ů,	137686	
236.6	828	2.6482	2.4737	6	. 175	45.653	10831E	
<b>~</b> .	953	2,6627	2.4871		24.2	45.552	16894	
	8167	7//4*7	7.5004	ว์ อ		1000	10476	
57.2	3004	ą,	2.5143	8	• C C C	* 6.7	110216	
204°C 1	62	2,7065	1975.7		<b>,</b> 2		110875	
70.9	3655	•	7474 C			4 4	# 4 * -	
1 6°//	7 S	, ,	2.5595	Ξč	7 7	9 4	700	
٥	56.1	ī	01 07 4 7	5	•		7 / 1	

	/ 8/	.11345E-02	*11410E-02	.11477E-02	20-361413	-11677E-02	-11745E-32	.11813E-02	-11881E-02	12950E-02	20-361021*	158E	-362	-366	370E	*12442E-02	125135-02		-12731E-02	.12804E-02	878E-	*12436E-02	֓֞֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֡֓֡֓֓֡֓֡	.13177E-02	3253	uι	20-13400-102	3560	633E	.13717E-02	3795E	138/45-02	0124604	115E	195E	77E	*1+359E-02	. •1444IE-02	•14524E-02		.14590E-02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	11.1	45.644	45.643	45.642	47.641	5 6	45.638	. 45.636	45.635	45.634	47,033	45,631	45.632	45.628	45.627	45.625	429.643	2 6	5.62	9	45.619	47.61	45,615	45.614	51	5:	110.04	45, 607	45,608	45.535	45.603	209-64	170-071	45,598	···	45.595	45,594	S.	45.591	45,590	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
	191	7.0757		7		7.2699		۲.	~ 1	7.4299	7 5,004	7.5507	7.5916	7.6328.	7.6743		8767.7	7.847	7.65		7.970	<b>1</b> 0 0		8-1450	•	8.2336	6.6483	8+3684		459	505		17.		.738	œ	8.8236	.881	8.9297	8.4781	9.0268	:
62CH 11KE F00T 8R-L MT8(1) MF6R SRF(1) D8-L(1)	15 1	133	131	1495	316//5-02	320446-02	.322296-02	.32415E-02	.32603E-02	.32791E-02	3 6	.33361E-02	3554	5	.33941E-02	-34137E-02	34333E-02	34730E-02	34929E-02	.35130E-62	.35332E-02	23737E-02	35944E-02	, Ç	6358€-0	.36567E-02	36669	37199E-02	37412	*37626E-02	37842E-CZ	2340585-02	23-3613E-62	.38715E-02	.38937E-02	_	*37383E-62	-39604E-02	*39834E-02	w	.40290E-02	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TRAJ 1 TRAJ 1 TRAJ 1 TRAJ 1 TRAJ 2 TRAJ 2	14.1	. 583	\$	•	•		2.6693	•	•	2,7133	•	2.7573		•	2.8033	<b>3</b> 0	٠ د د	7.55.64	680	968	-912	6176-7	5 5	976	66	\$ 0.0 g	2.0620	950	0	.691	IOB	٠	7 T	: -	194	. Z I	•22•	~	?	•	3.3161	:
S: 1 17 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	18 1	2.7661	2.7812		و نية	0 4	557	ΨÔ.	. 589	400	2,4208	5.0	893	•985	3.0014	017	3,6343	3,0575	3.0842	3.1011	18	3.1.33.	1761.6	3-1866	7.	7	3.234L	3.2746	3.2924	i.o	•328	יו ריי		164	.422	4	457	*	۲.	ů.	3,5340	•
RAJECTORY VARIABLE	12.1	m,	1,3156	318	326	1.3258	ຸຕຸ	m	~	സ	ກເ	1.3435	, w	1.3485	1,3512	1.3537	1.3563	1.3538	69	m	369	1.3/15	1.3745	1,3791	1.3817	<b>m</b> (	1,3867	1.3918	m	1.3969	66	1.4023	1.404.1	1.4095	-4"	1.4147	1.4172	1.4198	$\sim$	1.4240	1.4274	•
7.2 A LE	/ 1/	1291.8	1298.9	å	mc	1320.6	1334.7	42.	1349.3	1356.6	1354.0	1378.9	86	1394.0	1401.6	1409.3	1417.0		1440-3	1448.1	1456.0	1464.0	1471.9	1488.0		1504.3	4.5141	1529.1	1537.4	1545.8	1554.2	1562.1	1570 8	1588.4	1597.1	1605.8	1614.5	1623.3	1632.2	1541.1	1650.1	

7	CLOSED 83*8 **	** NO AIR ***				181	BHVG2.228	14-001-86		10:38:20
	TRA JE CTORY	RY VARIABLES:	11/2/11/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	<b>ничиния</b>	BR.CH TIRE POGT BR.LL MTG(1) MTG(1) MSF(1)				
	/1 /	12.1	18 1		7.4	151	19 1	1.11	/8 /	
		,	1	•		i.	6			
	1668.1	4325	5727	m r	m	· ` (	9.1.50 0 1745	47,788	149545-02	
	1677.2	.435)	2765.	'nſ	4400	ř	9.1642	ָ	150295-32	
	1505.3	44563	6.110		~ ~	20-3/5/14	9-27-6	, 7,	.15115E-02	
	1704.8	4426	.6513	'n	. 0	7	9,3245		.15201E-02	
		.4452	•6713	m	45		9.3751	5	.15288E-02	
	1723.4	2255	.6913	m	4	.421656-02	4		.1537bE-02	
	1732.8	30	.7115	m n	9 3	.42405E-02	9.4771	45.575	.15453E-02	
	<b>\</b> -	4776	7521	n 14			, .	45,573	*15640E-02	
	761	4.00.00	.7726	n en	5225	ויון ש	9,6320	45.571	.15730E-02	
	771	4694		m	N.		•	45.573	.158196-02	
	1780.6	. 4629		m.	₩.	,,,	9.7368	45.568	*15909E-02	
	1790.3	.4655		m (	٠n.	.,, .	9682.6	45.567	• 16003E-32	
	1800.1	4680		m r	Ω		42426	42,263	.16091E-02	
	7.00	1674		* *	0 2	r 4	9.5495	45,562	*16275E-02	
	1879.7	4756		, m	۰.	-	10.004	45,561	•16368E-02	
5.7	1839.7	4782			-Ω	w.	10.058	45.559	.16461E-02	
	1849.7	.4807		m.	-0	.45389E-02	10.112	45.557	•16555E-02	
	1859.8	.4832		m.	~	wn.	•	45.555	• 16649E-02	
	1870.0	. 4858	\$500.	m (	_	ч,,	10,222	45,556	.16744E-02	
	1680.2	.4883		ก็ก	1007	20-32-65 70-32-07	<b>っ</b> c	47,773	169356-02	
	1400.7	4034		'n	80 15	, w	10.389	45.549	.17031E-02	
	1911.1	4959	.0938	'n	9225	. 46955E-02	. 0	45.548	+17128E-02	
	1921.5	4985	4.1162	m	8431	,-	0.502	45.545	-17225E-02	
	1932.0	.5013	1387	m r	8641	( -	900	. 45,545	*17323E-02	
	1942.0	0.30	.1013	ก็เก็	1000	20-38-01-5 68078F-02	36	45.54 545.54	1752)E-02	
	1953.8	.5086	•2069	m	9226	.48300E-02	16.732	45.540	.176235-02	
	6	-5112	4.2299	m	0 (	w .	10.793	'n,	.17723E-02	
	9 G	1333	35 47	ν, ι	<b>3</b>	υ,	10.64d	47,733	20-312071	
	1996.1	1 57103	, ,	ก็ส	· •	201342444	10.956	יני	-14023E-02	
	3 3	5713	22.33		· -		11.026	, ,	18126F-32	
	2029.0	5239		,		· (r	11.085	5.5	.182285-02	
	2040.1	5264	۳.	4	Ċ	w	11.146	45.528	.18332E-52	
	S	• •	•	4.	_	.50526E-C2	11.200	52	-184366-02	
	2	5315	. 4183	4	124	.50813E-ft2	11.267	425.554	*18540E-02	
	2073.5	.5340	•	<b>.</b> .	1473		11.328	45.523	.18645t-02	
	ָבָּי בָּי	200		÷.	6 7	٠,	• -		70-3761074	
	6.50	1961	•		777	-		7 5	-16854E-02	
		.5447	.5403	r		.52264E-02	11,575	5.51	196716-62	
	130	. 5467	5651		14	, ,,	-	5.51	20-367191	
	, <b>~</b>	5493	1065.4		284	, .,	11.761	5.51	.19288E-02	

processed the process according to the process of t

		-02	2 G	20.	20.5	2 6	2 0	200	20-	-02	-05	-05	<b>7</b> 0	20.	200	, c	20	-0.5	.02	-05	20.5	70-	20	70.	-02	70.	20.	20.	7 6	1 20	-0.2	-95	<b>2</b> 6.	- - -	ن ان	70.	2 6	70.0	20.0	7.	70-	, c:	35
	/8/	19397E-02	•19506E-	-19617E-	-19723E-	-19833E-	-13435LE	-20177F-	-20291E-	-20406E-	.20521E-	.20637E-	-207546-	-20871E-	- 23 485E-	-312216	-21346E-	-21465E-	•21587E~	-21703E-	.21831E-	-27074E-	-22202E-	-22327E-	.22453E-	-225796-02	•22706E-	-358346-	-220025		-23352E-	-3584636-	•23615E-	3748E	-23882E-	40104	4151t	47856	-367473	-2435JE-	-24648E-		.25115E-
•	12.1	45,513	45, 508	45.535	45.505	45.503	100.00	15.607	45.495	•	4	•	45.487	, .	47.484			4	42.474	45.472	45.469	43,40%	45.453	45.461	•	45,457	j	•	47.471			45-442	•	45.438	45,435	•		2	2	, (	774-67	-	45.415
·	19 1	~	11.628	11.892	11.956	0 1	<b>~</b>	4 -	12.2	12.	12.4	12.	12	21:		17	12.	12.	13.0	13.1	13.17	13.248	13.	13.4	13,	13.61	13.6	13.75	7	Ė	14.05	14.	14.21	14.28	14.3	14.44	14.52	AC	14.67		14.03	14.99	15.0
6RCH TIME PDOT BPL1 MTB11 MTBR SRF(1)	151	3153	3452E-	3754E	4055	361E	455 (E	- 0	1 10	06	622	6539		717	747		84.7	8801	9131	.59463E-02	9797	-50133E-02	6080	1150	Ξ.	1838	2184	253	200	3593	3946	304	4564	5026	5390	77.	216	7 4	5565	,,,,,	-57947E-02	3372	8754
TRAJ 11 TRAJ 1	/+ /	4.3083	.331	4.3	4.37	1	ď.	7 4	• •	· sc	ı,	4.5740	'n	4.5241	4.6443	4.07.1 7.07.2	4.7259	4,7515	4.1776	.80	•	7000-1			4.9631		۰ ت	404	6000	5.1279		7	• 212	Ç,	7	٠	י ני	ייני. מיני	Ď.	4	17.7	5.3	5.5339
118462	181	4.6152	4.6494	4.5657	4.5912	4.7169	4.7426	7000	- =	. 647	.873	£006* <del>+</del>	•	4.9540	•	5,0003	5-0632		5.1187	5.1467	•	5.2315		. 2		5.3469	•	5.4055	7 4 4 4 5 5 5	5.4945	5,5247	5.5549	5,5853	5.6158	5.8465	5-6775	•	•	•	07/10 *C	5.3542	1,000 s.c.	5.4335
RAJECTORY VARIABLES	121	1.5518	r	5	Ŝ	ŝ	1.5645	v.	) r	· K	57	25	•	57 i		1.5025	1.5950	1.5975	1.6001	1.6025	1.6052	1.6507	1.6128	1,6153	1.6179	1.6204	1.6229	1.6255	1.6200	1.6331	1.6356	1.6382	1.6407	1.6433	1.6458	1.05483	1.650 1.634	1.0034		0 1	1.0010	1.6661	
TR. 4E.	/ 1/	2154.1	2165.9	2177.7	2189.6	2201.5	2213.6	0.6222	2250.0	2262.3	2274.6	2287.0	556622	2312.0	2324.7	6357.3	7367.97	2375.8	2388.8	2401.6	2414.9	7428.1	4.7.4	2468.1	8	495	508	522.	2.0562	2563.9	577.	2592.0	2605.1	2620.4	2634.7	2644-3	2003.7	0.8742	7.2697	27.07	2737.0	2751.6	2767.0

CLOSED BOMR	*** NO AIR	* *			181	8HVG2.228	14-001-86		10:
TRAJEC	JECTORY VARIABL	ES: / 1/	TRAJ	~1 pr =	84CH 11 ME POOT				
			TRAJ	4	1000		·		
		19 /	TRAJ	<b>-</b>	MTBR				
		/8 /	TRAJ		SRF(1) D8-1(1)				
/1 /	12 1	18 1	`	7	15 1	19 1	11 11	/8 /	
2782.1	1.6712	5.9630	ห้า	- ∿	111	15.161	7	.25257E-02	
2797.2	1,6737	0	3	5945	39524E	15.243	7	3996-0	
2812.5	1.6763	6.0284	ķ	9529	912E	15.325	9	ė,	
2827.9	1.6788	6.0613	יע א	5.0557	5.5	15.408	45.405	.25685E-02	
2658.3	1.00°14	6.1278	r v	7176	9060	15.575	9	ç	
2874.4	•	. 19	, un	7483	m	15.659	~	.26119E-02	
2890.I	689	6.1950	ay i	7802	3688	15.744	33	*26265E-02	
5305.9	9	6.2289	יא ו	6118	4	628-61	40, 343	20-3614020	
2921.8	1,6941	0692.9	r, r	8754	u	10.01	47,388	.25709E-02	
2953.7	1,6991	6.3317		9075	·w	16,087	45.385	.26857E-02	
5469.5	1.7017	6.3663	vň.	2666	u,	16.174	45,383	.27013E-02	
2986*1	1,7042	6.4011	Ň	7226	323E	16.261	45,381	.27161E-02	
3002.4	1.7068	6.4362	٠ ف	0.048	376747	16.349	45.378	27456E-02	
3018,8	1.7093	61/4-9	٠.	0.1.0	75574E	10.431	610°CF	20-306-12°	
3035.3	1.7144	6.5424	ė ė	1037	363E	16.616	45,370	.27774E-02	
3068	1.7169	6.5781	ۇ ق	1370	416E	£6.705	45.368	.27930E-02	
3085.2	1.7195	6.6141	•	1705	342E	16.795	45,355	.28086E-02	
3102.1	1.7223	6.6503	ģ	2045		15.886	45,383	.28243E-02	
3119.0	1.7245	40	٠ ف	6-2381		16.977	45.360	. 28401E-02	
3136.1	1.7271	6.7233	٠ ف	12724		17.069	100.004	70-366670	
3153.2	1.7372	6.7971	عُ مُ	\$ 0.00 \$	.79004E-02	17.254	45,352	.28852E-02	
3187.7	1.7347	6.8342	ف ف	3754	.79443E-02	17.347	45,349	-29042E-02	
3205.1	1.7372	6.8716	<b>•</b>	4102	.79885E-02	17.441	. 45,347	*29204E-02	
3222.5	1.7398	0	ę	7445	. 50329E-02	17.535	45.344	-29367E-02	
3240.2	1.7423	6.9470		4604	.80776E-02	17.630	4	9532E	
3257.9	1.7448	6.9851	٥	5158	367712	17 823	47,333	208635-02	
36120	1 7403	7-0617		5877	82133E-02	17.917	, (	023E	
367360	1.7575	7.1004		6231	3258aE		45,330	3261	
3329.6	1,7553	7.1392	•	6563	33045	111.11	32	558	
3347.8	~	7.1783		ď	.83500E-02	٠,2	32		
3366.1	1.7691	7.2176		7325	\$ 3973 E-02	4	45.322	.30705E-02	
2364.5	7	7.2571		~	.84436E-02	4	45,319	.30877E-02	
3463•6	1.7652	7.2968		30	*84905E-02	٠	45.315	*31050E-02	
3421.6	1-7677	7.3367	<b>.</b>	23 4	.85376E-02	١٠	45.313	312235	
3440.5	1.7732	7,3769		88		•	45.317	313976	
3459.0	1.7728	7.4173	•	<b>-</b> 4		18.800	47.300	317735	
3466	1.173	,	ŏ	0000				, ,	
9646	1.///¥	786447	Č r	מינית: היקוני:	73-312724	•	47.304	307676	
371600	1.7829	7.581	- 1-	2000	-88757F-02		. 0	.32283E-02	
4 4 4 4 6	7 8 5	7.6225		000	-8X747F-07		0.0	щ	
3573.9	1.7880	7.6642		7.1479	.89239E-02	19.423	45.289	4.4	

		/ 8/	Q.	33009E-02	ò	33564E-0	33943E-0	o,	343175-0	ò	34895E-0	Ģ،	5 Ġ	Ö	358785-0	5 ن	36483E-0	Ö,	òå	37239E-0	37505E-0	ပ် ပုံ	38136E-0	38348E-0	38775E-0	Ö	392076-3	39425E-0	0	40085E-0	3095-0	7 9	984E-3	212E-0	415-0	0-17104
14-0CT-86		11.1	.2	45.283	.: 122.64	5.274	- en	5.2			252.5	5.249	45,242	5.2	45,235	5.226	5,225	2,222	5 15	5.212	5.203	5 E	5.198	**	5,187	5.183	5.180	9.2	5.169	5.155	5.	40.158	5.15	•	45.143	
BHVG2.228		/9 /	.52	19-633	19.846	19.953	20-169	20.277	20.387	20.607	20.718	20.830	21.055	21.168	21.262	21.39 <i>f</i> 21.512	21.628	21.745	21.862 21.983	22.098	22,217	22.337	22.578	22.700	22.945	23.068	23.193	23,317	23.569	23.696	23.823		~	m	4.4	3
H81	BRCH TIME POUT BR-L WTB(1) WTBR SRF(1)	151	7338	0231	1233E	1739	27575	3271E	37885	48295	5354E	5881	5412E 49456	7481E	ш	85524	9655E	0021E	9076E	0188	0244E	.10300E-01			2 2 2 2	646E	705E	.10764E-01	08835-0	0943E-	<u>.</u>	7 -	1187E-	12485-	113176-01	176764
	RAJ RAJ RAJ RAJ RAJ RAJ	151	٦.	226 265	.305	.345	. 4 d 5	7.4662	507	589	6630	672	714	٠.	30.		97	9	60.	146	.190	~ ^	. ~		* 1		ς,	•	•	7.	. 791	10 X	ָס כָּ	.985	٠,	2
* * *	ES: / 1/ TR / 3/ TR / 3/ TR / 3/ TR / 5/ TR /	1 31	7.7062	7.7484	7.8334	7.8763	7.9678	8.0064	6.0502	8-1386	8.1832	8.2283	8.2731	6.3539	8.4097	8.4778	8.5487	8.5955	8.5426	8.7375	8.7454	8,8335	8.9305	8.9794	9-0246	9.1278	9.1778	9.2281	9-3795	9.3806	9.4320	9.4857	C885.6	9.6405	9.6933	701-61
*** NO & IR	V AR I ABL	12 1	1,7905	9.6	ro	80	D 0	3	6	, ~	4 ~4	82	82	82	1.8312	63	رسا ر	84	1.8439	9 0	85	r, v	, ec	.85	1.8662	9 50	.8.	£.	1.8795		æ.	ထားစ	1.8922	۰	1.8972	T+0110
CLOSED BORS	TRA JECTORY	111	593.	3613.1		3672.6	3542.1	3733.1	3753.5	3794.6	3815.3	3836.2	3857.1	3899.4	3920.7	3942.1	3985	4007-1	4029.0	4073-1		4117.7	4162.8	4185.6	4208.5	4254.6	4277.8	4301.2	4364.4	4372.1	4396.0	2	1 0	•		

CANANA CONOLOR DISERBOR CONOCOR DISERBOR CONOCORDI DISERBOR DISERB

ひとととい

OSED BOMB ***	NO AIR CO				1 84	BHY G2. 228	14-0CT-86		10:38:20
TRAJECTORY	RAJECTORY VARIABLES:	# 1 6 M 2 M N H	TTRAL TRAL TRAL TRAL TRAL		88.CH 11.ME PD0T 68.PL MTB(1) MTBR SPF(1) 06.PL(1)				
, ,,	12 1	/8 /	`	/+	15 1	19 1	11.1	181	
			,		1			60-070767	
	<b>~</b> 1	9.9619	9.2	2844	*11625E-01	65.136	454163	42840F-02	
	9125			9.3331	700	217477	45,115	.43078E-02	
4693.1 I.	1150	177		4.5374	11818F-01	25,545	45,111	.43317E-02	
-		0.182	6	990	.11883E-01	5.68	45.107	.43557E-02	
	_	10.236	6	6045*6	=	25.820	45, 103	.43799E-02	
1	_	.0.294	6	9.5930	.12015E-01	25.958	45.099	.45042E-02	
822.7	_	.0.351	6.6	9-6455	.12081E-01	26.098	45.095	*44285E-02	
_		10.407	0.0	2865	121476-01	å.	450.041	30-32644	
9.	9328	0.464	0 0	9.7512 0.8065	122816-01	26.521	45,083	.45027E-02	
7.206.4	4333	226 -03		9.8581	123495-01	26.663	45.079	.45277E-02	
0.0	4040	0.637		9,9123	12417	26.807	45.075	.45528E-02	
1 ~	9430	69.01		9.9662		26.951	45.073	.45783E-D2	
1	9455	0.754	10.	10.01	.12553E-01	560.72	45.065	.46034E-02	
5037.7 1.	0480	10.813	10.	. 075	.12622E-01	27.241	45.062	.46289E-02	
		10.873	0	0.130		27.387	44.076	20-105.7	
	1.9531	10.932	C :	- 1	12762E	27.534	47,073	-40804E-02	
		266.01	01.	747.0	120025-01	200-17	45.045	47374F-02	
	7846	250-11		256	10-35651	27.980	45.043	47586E-02	
-1 -	4601	11.174	G.	7 3	130446-01	26,131	45.035	.47853E-02	
5233.7		1.235	01	0.467	.13116E-CI	28.282	45.031	.48115E-02	
4	9684 1	1.297	101	525	.13188E-01	28.433	45.027	.45382E-02	
291.1	6026	11.359	10	10.582	*13260E-01	28.585		448650E-02	
, , <b>-</b> 1	9734	11.4421	01	6+0	.133338-01	28.739	45.019	.48919E-02	
	~4	11.484	01	0.698	1	28.894 20.00	45.013	.49196E-02	
	9785	11.547	01	767.	194908461.	20 205	40.004	447463E-02	
70707	7811	11.013	0 0	0.017	13-345-01	23.361	45.030	.50012E-02	
5467.0		11.738	10	. 6	.13703E-01	29.519	44.995	.50284E-02	
		12.802	CI	166 °C	+13778E-01	29.677	166.44	.50568E-02	
	7.5	11.867	=	1.654	.13854E-01	29.636	44.986	* 508485-02	
7		766*11	11	11-114	.13930E-01	29.996	44.981	.51129E-02	
_		11.998	11	11.175	.1+000E-C1	0.15	44.976	*51412E-32	
618.2	1 8866°	12.064	Ξ;	11.235	14083E-01	. ·	44, 972	.51697E-02	
648.9	. 0G	12.130	Ξ:	11.298	.14163E-01	30.482	44.401	. 21.98.5E=0.2 5.2.21.E=12	
579.8	.0039	12,196		11.367	14238E-01	30.00	20.44	.52563F=02	
7.0.0	900	£07.71		9 0	3046		44.052	. 57.851F-02	
2 1.74/6	75.00	10 00 CI	1 :	11.567	19-7526-21	31-140	840.44	.53143E~02	
	1 1	12,466	-	019011	14553F-01	31.307	44.943	.534375-02	
۰, ۰	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26.7.71	: =		14632E-01	31.475	44.938	. 53 733E-02	
· ~	10101	12.694		737	.14712E-01	31.644	44.973	.54033E-32	
J 12	(:213	12.673	11	11.602	.147936-01	-	44.928		
		12.742	1.1	11.855	14874E-91	31.984	44.923	.54633E-02	
5965.5	.6268	12.812	1.1	11.931	149555-01	7	44.918	.549326-02	

BOOKER WORKER WOODER BOOKER BOOKER WORKER WORKER WORKER

F. Sec. S

CLUSED BOMB	8 *** ND AIR ***				ж ж	BHV62.228	14-0CT-86		13: 38:20
1 R & J E C	JECTORT VARJABLES:	2222	TTR P 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		BRCH TIME PD01 BR-L MT8(1) MT8K SRF(1) DB-L(1)				
/ 1/	121	131	* '	>	15 1	/9 /	11.1	/8/	
•	ć		-	į	-	,	2 10 77	346	
מיק קיים קיים		120 023	13.0	0,40	151206-0			541E	
•	150.	13.024	12.1	7 0 0	1520251	2 - 6 - 7	44.933	558496	
697	0.33	13.096	12.1	4	152866	2 . 8	44.897	56158E	
130	6365	13.168	~	7	153596	3.02	44.892	468E	
6164.0	.2420	13.240	~	971	154536	3.20	44.887	56780E	
•	.054	13,313	~	395	155386	38	44.852	570946	
•	740	13.386	12.4	63	15623E	3.55	44.877	5/4 IUE 57277	
•	040	13.459	, ,	3.5	200/61		14004	317117 88047F	
6300.0	2250*2	12.533	12.6	. 60.0		•	44.000		
6.046.4	657	13.682	. ~	. ac	159686	4. 28	44,855	58690E	
	0.59	13,758	. ~	80	16055	4.4	44.653	59014E	
6439.0	790	13.833	12.8	178	161438	4.65	44.8.4	341E	
•	.064	13.909	~	640	16291	4.83	44.833	569E	
	نځ	13,985	13.0	610	163208	5.02	44, 833	3966	
6545.3	6	14.062	ا ريما		366791	<b>5 • 2</b>	578-44	33.00	
6581.1	.0725	14.140	13.1	2 6	44490	n u	44.562 44.817	360000	
65II	6770	117.41	٦,	102	16767		44.01.01.0	365	
	֓֞֜֜֜֜֓֓֓֓֓֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	14.374	E . E	62	167731	5.9	44.803	61674E	
726	0		13.4	53	16862E	6.1	44.800	62015E	
763.	90	•	13.5	929	16954	5.3	44.794	. 52358E-02	
800.	Š	14.612	13.6	000	17047E	\$ 2 1	44.788	35E	
837.	Š	14.692	13.6	575	171406	٠. ر د	44.783	.63049E-02	
6874.8	<b>c</b> (	14-773	13,750	96	-	30.440	111.44	63.5	
717	200	400-41	2.51	30	17477	4 P	44-765	346	
6470.4	-	15.018		2.2	75178		44,759	64453E	
		15.100	14.0	53	17613E	7.7	44.753	346	
7365.0	.1055	15.193	14.1	33	117096-01	6.9	440747	. 65167E-02	
	.1080	15.267	14.2	٠ : د	17805	<b>→</b> (	i.		
•	Ξ:	106.01	7.41	687	1 4000		44.133	67007E	
7220.0	-	15.520		46.7	4098			5 1 KE	
•	: :	15.605		121	16197	8.9	•	<b>66986E</b>	
•	, 12	15.691	•	C	8295	9.1	44.711	356	
•	21.	15.777	14.6	685	14396	9.3	44.705	72 BE	
C	.1258	15.864	14.7	191	18495E	J. 5		102E	
450.	.1284	15.451	•	249	8597E	7.6	•	0476E	
461.	Ξ	15.039	•	623	8698	9.0	•	855E	
ت	=	$\sim$	•	و ا ا	138905	· ·	Ε,	76125	
543	• 136	7		عث د	18903	•	٠,	69618E	
50 c	-: -	16.309	15.1	ي ټ	200	٠.	c 4	377604	
070	*			•	100126	•	44.000	7775	
7776	4 4	15.575	• (	י מילו מילו	76175 9318F	•	. 4	1678	
•	) •	`	1	<b>,</b>	1	1			

LOSED BOMB	*** NO AIR **			H8 I	18HVG2,228	14-001-86		Ċ
TRA JECTORY	TORY VARIABLES:	265	TRAJ TRAJ TRAJ TRAJ TRAJ TRAJ	83.CH TIME P3.OT BR-L WT8 (1.1) WTBR SRF(1.1)				
/1 /	/ 5/	18 1	14 1	15 1	/9 /	11.1	/8/	
7752.1	2.1487	16.667	15.504	.19423E-01	41.527	149.641	.71563E-02	
7794.5	2,1512		•	19529E	41.748	5	.71955E-02	
7837.2	2,1538	16.851	•	•	41.971	44.627	.72352E-02	
7880.1	2.1563	16.943	15.760	9742E	42.194	44.621	20-315727	
7923.3	2,1588	17.037	er c	10-264861.	42.445	44-607	735555	
7756. 7 8010.3	2,1639	17.224	2 2	0065E	42.872	44.601	.73962E-02	
8054.2	2,1665	17.319		0175E	43.103	44.594	.74373E-02	
8098.3	2.1690	7	Cr.	0285E-	3	•	.74783E-02	
8142.6	2.1715	17.510	~		'n.	44.583	.75133E-02	
8167.2	2,1741	17.607	16.374	204185-01	43.192	44,565	25024E-02	
8232.1 8272.1	2.1792	17.801		.20733E-01	44.259	44.559	20-344402"	
8322.5	2.1817	17,899	۰.		464.94	44.552	.76865E-02	
8368.1	2.1842	17.997	73	.20956E-01	44.731	44.545	.77289E-02	
8413.9	∹	18.096	16.928	070E	44.963	44.538	.77715E-02	
8+60.0	٦.	•	~ .	21184E	45.208	44.531	./8144E-32	
8506.37	6161.2	367.91	17 104	. 21299E=01	45.440	44.517	790985-02	
8599.8	<u> </u>	14,498		715316	45.932	44.509	.79446-32	
646	1 ~	9	17.294	21648E	46.176	44,502	. 79882E-02	
8694.3	~	18,702	•	21766E	46.422	44.495	. 803226-02	
-	~	18.805	17.484	.21884E-01	46.668	44.487	.80755E-02	
	~	18,909		w	46.916	44.480	.81212E-02	
8837.9	~ '	19.013	17.676	.22123E-61	47.4165	7/4-54	.81676F-UZ	
8635.4	2,2147	14.223		.223645C1	47.667	44.457	.82561E-02	
8984.0	2.2173	19,329		22485E	47.923	44.453	.83015E-02	
9033.2	2.2198	19.435	18.056	3607E	48,175	244*44	.83473E-02	
9082.7	2.2223	4	٦.	3622	æ	44.434	.83934E-02	
9132.5	2.2249	19.650	•	22853E		44.427	.84396E-02	
9182.5	2.2274	19.758	18,355	331015-01	404,443	44.41.4	20-10040*	
763634	•	10.01	18.100	32222		24.4.4	857995-02	
0.4660	2,2353	20.086	16-669	3454E		44,395	.86272E-02	
9385.5	: `	0.19	2			44.388	.86743E-02	
9436.9	2		18.874		50.257	44.380	.87226E-02	
7.88.6	~	0.42	•		50.523	44.372	.8770bE-32	
ċ	•	0.53	19.041	.23863E-01	ċ	44.364	-84195E-02	
593.	C.1	ċ	~ .		<b>:</b> .	44.355	. 88670E-02	
6+5	~ '	6. 75 1. 15 1. 15	5 (	241	å,	-	20-140168 ·	
9	672	٠, د	~ 4	242735	21. 826	44 334	0.1870	
9.167	76797 CF3C (	21 106	14.01	2453526	•	166.44	- 90130E-02	
4848.8	4167.7	1.22	19.718	24550E-01	2.42	44,314	.91146E-02	
9917,8	2.2633	33.	19.826	24783E-	52.703	44.325	.91649E-32	
2.7066	2.2655	21.455	19.934	.24917E-01	52.982	24.297	.921536-02	

LOSED BOMB	*** NO 41R *	*			H81	EBHVG2.228	14-001-86		13:3
TRA JECTORY	TORY VAKIABLES:	1 2	TRAJ		BRCH TIME				
		1 3/	TRAJ		P00T BR-L				
		151	TRAJ	٦.	WT8(1)				
		19 1	TRAJ		MISK SRF(1)			•	
		/8/	TRAJ	-	DB-L(1)				
/1/	12 1	18 1		141	151	191	121	18 7	
13022.		21.574	~	40	5052	53.263	44.289	.92663E-02	
10377.	7.	21.693	2	_	5188	ë.	44.280	.93171E-02	
10132	2.	21.812	N	0.264	5324	'n.	44.272	.93684E-02	
10188.	,,	21.932	7 ^	0.57	.25599F-01	54.398	44.255		
10300.		22.175	. ~	665*0	5738	;	44.246	.95241E-02	
10356.	• 2	22.297	2	0.712	5877E-	54.975	4.23	.95765E-02	
10413.	2.2858	22,420	~ ~	0.826	.26017E-01	55.265	44.228	.96293E-02	
10527	•	22.553	7 2	2.055	!.	55.851	44.211	.97357E-02	
10585.	. 2	22.793		21.17)	.26441E-01	56.145	44.232	-97693E-02	
10643.	~	22.919		1.286	-26584E-01	56.442	•	.98432E-02	
10701.	7	23.045	~ (	1.403	١	56.740	44.164		
10760.		23.172	7 ~	1.520	220185-01	57.360	44.165		
10819	•	23.450	<b>,</b> (			57.643	) IO	*10062E-01	
17038		73.558	, ~	1.875	.27311E-01	57.947	44.147	-10117E-01	
10998		23.688	7	1.996	.27458E-01	58.252	~	.13173E-01	
11059.	•	23.818	2	~	.1.	58.563	•	.10223E-01	
11119.	•	23.950	~	2.238		58.858	44.119	.10285E-01	
11180.	•	24.082	2	~ 1		59.179		•10342E-01	
11242.	•	24.215	2	2.483	8056	064.46	4. ECC	10-3446-01	
11303	•	24. 348	7 (	230	36767	29.804	. ~	10514691	
11557	2,3263	74-618	. ~	2.855	785138-01	63.435	20	.10572E-01	
11490		24.754	2	2.981	8667		44.062	. 10630E-01	
11553.		24.890	2	3.107	8822E-0	61.673	44.052	.10688E-01	
11617.	•	25.028	2	3.233	3977	61.395	240*55	.10747E-01	
11680.		25.166	2	3.361	91346-0	61.716	44.032	. 10 80 6E - 31	
11745.	•	25-305	2	3.489	92916	62.043	2		
11809.	•	27. 444 26. 58.	~ ^	3.616	10-344467	62.497	44.012	10-348601	
11939		25.726	7 2	3.878	9767E	63,026	6	4	
12004.		25.868	. ~	4.009		å	98	.11107E-01	
12070.	٣.	26.011	2	4.141		63.691	43.972	_	
12137.	2,3569	26.154	7	4.273	.30251E-01	64.025	43.962	.11230E-01	
122634	٣.	6°9	~	•	Ç	64.362	5	292E	
12270.	٠,	å.	~ ~	4.540	.30578E-01	•	43.941	1113545-01	
16330	•	066.02	,	4.07.0		65.033	<u>.</u>	114735-01	
12473	•			7.047	755-0	7.7	43,410	- 5	
12542	) (	7.03	. ~	5.084	··	; ;	6	909	
12611.	٠.	7.18	2	5.221	111	٥	43.858	670E	
12080.		27.333	2	.36	.31580E-91	66.764	~	.11734E-01	
12749.	.37	27.484	2	2.499	.31753E-01	<b>~</b> ∶	92	~	
12019.		27.635	7	•	.31921E-01	•	43.85b	.11863E-01	
12890.	2.3849	27,798	ζ.	5.785	.32093E-CI	67.819	43.845	•11929E-01	

OSED BOMB	*** NO AIR **	*			181	IBHVG2, 228	14-0CT-86		10:38:
	6	٠	101	-	n Lon				
IKAJECIUKT	VAKIABLES		1 4 9 2	-	32.1				
		3/	FRAJ	-	POOT		•		
		18 /	FRAJ	=	BR-L			-	
		151	TRAJ	<b>=</b> 4 ,	WT6(1)		-	•	
		16 /	TOAL		M 64 S2F(1)			:	
		8	TRAJ	· ~	DB-L(1)			•	
111	12.1	1 31		14 1	15 /	19 1	11.1		
12961	7.3874	27.942		25.921	.32265E-01	68.	43.834	.11994E-01	
13032	2006.2	28.096		26.054	.32439E-01	68.	43,823	*12060E-01	
13103	2,3925	28.251		26.207	.32613E-01	68	43.812	.12127E-01	
13175	2,3950	28.407		26.351	.32789E-01	•	43,831	121946-01	
13248	2,3976	26.544		26.495	.32965E-01	69	62	*12261E-01	
13320.	2.4001	2842		26.641	.33142E-01	69.97	43.779	123285-01	
13394.	2.4027	28.881		26.787	*33321E-01	9 9	436.707	uu	
13467.	2.4052	29.040	_	26.934	. 3 3500 E-01	•	43,765	533E	
13541.	2.4077	207.67		27 221	133861 F-01		43,733	, L	
13615.	2.4103	795 - 67		167.77	10-11006.		43,721	.12671E-01	
13690	2.4128	24.02		27.531	342265	2	43.710	.12741E-01	
13765.	2.4124	200 4 7		27.682	344096-01	72	43.698	.128116-01	
13011	2.4204	30.017	•	27.834	.34594E-01	72.	43,686	.12881E-DI	
13003.	2.4230	30,183		27.987	.34780E-01		43.675	.12952E-01	
14070	2,4255	30,350		28.141	.349676-01		43.653	.13024E-01	
14148.	2,4281	30.518		28.295	.351556-01		43.651	•13095E-01	
14225	2,4306	30.686	_	28,451	.35343E-01	7.	43.639	.13167E-01	
14364.		30.856	_	28.607	.355336-01	_	43.627	• 13240E-DI	
14382.	2,4357	31.027	_	28.764	5724E	75.272	43.615	7	
14461.	•	31.198	_	28.922	.35915E-01	75.665	43.502	• 133 85E - U1	
14541.	2.4403	31.371		29.081	.36108E-01	76.059	43.540	10+10+01+ 10+046-01	
14620.	4.	31.544		29.241	•36302E-01	(0.407	936040	TO LUCK TO THE	
14701.	•	31.719	_	204-62	10-364486.	77 254	43,553	136835-01	
14782.	*	31.894		29.793	10-375000	77. 656	47.54	137586-01	
14863.	2.4503	32.041		20.440	37087F-01	78.060	43.528	•13834E-01	
14440.	2 4540	37.426		30.053	37285E-01	78.466	43,515	.139126-01	
15100.	7.4.00	32.506		30,218	.374856-01	78.87	43.502	•13987E-01	
15192	2,4611	32.786		30.385		79.284	43.489	.14064E-01	
15276.	2.4636	32-961		30.552	.37888E-01	79.696	43.477	.14141E-01	
15360.	2,4662	33,150	_	30,719	8091E-0	111	43.464	*14219E-01	
15444.	2.4687	33, 333		30.688	.38295E-01	176.08	43.430	10-316211	
15529.	2-4712	33,518		31.058	10-100686.	80.747	43.431	10-355771	
15614.	2,4738	134 6	<b>.</b> .	21.463		07. Ta	43.611	145346-01	
15700.	2.4763	35.840	~ ^	31.401	136171E-01	H7.212	43.398	.14614E-01	
15/8/.	4014.5	340010		•	1250		43,386	.14695E-JL	
15063	2.6830	, ,		: :	9541	83.067	43.37I	.14775E-01	
15761	7.4863	34.646	. ^		753	83.497	43.357	w	
15137	2.4890	34. 838	~~		.39965E-01	83.930	43,344	.149396-01	
16275	2,916,	,		32.451	. +0179E-01	•	43,333	.15021E-01	
15315	2,4941	35.225	. ~	32.629	. 0394E-01	84.802	43,316	.15103E-01	
16404	2.4966	35.42	6	2.8	.406136-01	85.241	43.332	.151876-01	
16494.	2664.2	35.616	^	32.989	.40827E-CI	ż	43.288		
16585.	2.5017	35.813	•	33.173	. 41045E-01	86.12t	43.274	.153545-01	
16676.	2,5043	36.011	_	33•353	.41264E-01	86.571	43.263		

LUSED BOMB	*** NO AIR	* * *		H8.1	BHVG2.228	14-001-86		10:38:20
TRAJECTORY	v ar 1 a B L	ES: 11/2/2/11/2/11/2/11/2/11/2/2/2/2/2/2/2/	TRAJ TRAJ TRAJ TRAJ TRAJ TRAJ TRAJ	6RCH IIME PUOT 8R-L WT 8(1) WT 8R SRF(1)				• •
/1/	12 1	18 1	/+ /	151	19 1	11.1	/ 8/	
16768.	506	36.211	3.53	485	- 10	43.246	4E0	
. <b>3</b> 0	503	-	3.72	1705E	4	•	0-3E0	
5	511	7	3.90	1929E	92	21	95E-0	
704	514	$\equiv$	4.09	2153E	37	43.203	81E-0	
4 4	517	~ .	4.28	2378E 2404E	۳ م 20 م	43.189	55E-0	
732	2.5223	37.431	34.658	.42832E-01	89.750	43,159	ш	
7424	.524	Ę,	4.84	43060E	27	43.145	31E-0	
2	527	* 1	5.04	3290E	₹:	43.130	20E-0	
5,5	.52	Ž,	5.23	43521E	¥ ;	43.115	2014	
<u> </u>	534	۰ ۱۰	5.67	3986F	1 6	43.085	0-264	
7909	, 10 . W	٠٠	5.81	44221E	5.6	43.073	936-0	
8008	.539	õ	6.01	4456	9	43.055	71E-0	
018	5 45	2	6.21	4693E	21	43.043	53E-0	
8206	5.54	<u>m</u> :	ġ.	931E	ο.	43.024	55E-0	
) C		Ū.	10.0	7177 5411F	9 4	43,063	10110	
18409		39.997	10.7	3653E	5.0	42.978	358-0	
6611	555	-	7.22	5896E	*	42,962	29E-0	
8713	55	4	7.42	96419	3	45.946	24E-0	
-4	.55	ō	7.63	6386E	93	45.933	0-367	
20	. 56	₾.	7.83	6633E	Ğ,	45.914	158-0	
4 0	.56	-	3O 0	ייי	97.529	42.898 5.00 C.	0-271	
971	979	5 1	67.0	73816	764431	700*74	200	
. ~	575	41.000	38.67	.476336-01	99.442	42.843	179046-0	
9446	575	42.037	34.89	7886E	99.952	42.833	130025-0	
9553	. 57	42.273	39.10	8140E	100.46	42.816	18101E-0	
5.6.1	.58	42.504	39.32	339¢E	٥.	42.800	0-310	
6926	٤,	42.740	36.	68653E	4	42.783	01E-0	
2000		416.67	14. CL	12168	10.201	992 - 24	0-175	
, 0	9 10	43.654	27.47	3 1 1 1 6 3 6 4 3 5 E	,	627-23	20110	
9208	, r.	43,695	43.41	9695E		42,715	076-0	
0319	59	43.938	40.63	9959E	7	42.698	188105-0	
O	.59	44.181	40.86	0224E	9	189*24	0-341	
95	.60	4.42	0.8	306+O	4	56	186-3	
0657	٠,	4.67	~	0758	105.71	-21	25E-0	
0771	09.	4.92	ν,	1027E	?	<u>ب</u>	9228E-0	
2000	<u>.</u> و	9. Lo	- (	1272L	, ,	7 5	93335-0	
7	10.	7 7	יי⊊	0-30701	, ,	, ,	440010	
1232	919	5.92	1 1	2118E	4 4		548-0	
21349.		•	42.598	4 E-0	108.98	42.543	9762E-	
1467	.62	. 43	ο.	2571E-C	9.6	2	871E-0	
158	Ĉ.	5.69	~	2953E	3	2	9981E-0	

LOSED BOMB	*** NO AIR ***				¥81	18HYG2.228	14-001-66		10:38:23
TRAJECTORY	ORY VARIABLES:		TRAJ TRAJ TRAJ TRAJ TRAJ		BRCH TIME PDDT BR-L WTB(1) MTBR SRF(1) DB-L(1)				
11 /	1 25	18 1		14 1	15 1	/9 /	11.1	/8 /	
4				,			٠	7.00	
170	• 62	46,953		•		111. 21	42.405	202015-01	
1873	•	v	, r	30046	53796 E-01	2071	4	9	
1744	2.6338	67.738	. 4	2 2	40.80	117.34	7	•	
22186	636	. 0	3	4.372	4366	112.91	42.411	9	
2308	.638	48,269	7.7	79	465	4	42.392	P	
22431.	• 64	ø.	3	4.863	943	0 .	42,373	. 20763E-01	
2555	643		4	1 2	25233	116.03	45,334	20025-01	
26.79	۰	•	•	7.50%	77727 55818	115.61	; ;	71:085	
22930	• 1	44.644	. 4	5.863	5113	16.3	,	224E-01	
23056.			4	6.113	C149	116.97	2.2	213416	
3183	•	0.1	Ť	6.367	56707	17.5	42.257		
3311	•6592	50.454	4	6.622	7007E-	118.15	2.2	2	
23440.	.6617	50.734	4.	45.679	7308	118,75	2.2	.21695E-01	
23569.	.6643	51.015		7.138	5 76 13 E	119.35	7 ° 7	Ĩ	
36.79.	.6668	51,296	- r	. 348	7777	176.47	011-24	220555-01	
ب چ	.6693	51.585	<i>-</i> 3	47.603	2 Y	121-15	* * 7	.221755-01	
2403	6744	57.157			.58835E-01	121.77	2.11	.22298E-01	
4226	6770	52,446	•			122.38	45.095	.22421E-01	
4359	6795	52,737		8.713	.59456E-01	122.99	45.078	.22545E-01	
24494.	.6820	53.030			.597695-01	153.61	45.055	_22669E-01	
24629.	•	53.324	40	9.258	.50084E-01	124.23	45.034	_22793E-01	
24765.	89	53.620	<b>.</b>	49.529		124.65	410°74	220455-01	
) (C	9 0	54.216	ru	50.027	10-385015	126-11	41.971		
25177.	•	54.517	3	50.353	51359	126.74	41.953	.232996-01	
25315.	9	54.823	<u>5</u>	50.631	82E	127.37	41.929	.23428E-01	
25455.	÷.	55.124		50.910	2005 E	128.01	41.907	3557E	
25595.	2,7024	55,430		51.191	2332E	124.65	41.886		
573	•	55. (31		51.475	10-36224 42080E-01	129.04	4 Le 00 4	*2301/E-01	
000		3 2		52.047	, "	136.59	41.820	.24079E-01	
	``	9		2,333	53	31.2	41.798	24212E-0	
26309.	2.7151	56.984	55	52.616	39	131.83	41.776	24345E	
26454.	~	57,300	5.2	90	.64322E-01	132 + 55	41,753	•	
26600.	7	57.618	53	3.200	<b>3</b> 66	133.21	41.731	.24614E-01	
26747.	. 7	7.9	53	6	4999E-0	133.87	41.708	90-309	
26894.	. 72	54.259	53	78	5339E	134.53	41.686	ç,	
27043.	.72	ထိ	<u>.</u>	54.185	682E-0	135.20	œ.	5023E	
9	. 730	۵. د	2	38	. 66025E-01	135.87	41.64)	5151E-0	
734	.732	2.6	<u>,</u>	9 9	6372E-0	•	2 2	5299E-0	
φ,	2.7354	59.563		54.985	.56723E-0i	137.22	41.594	.25438E-01	
0 1	10.0	0 F	n 4	9 0	1000	•	. 4	7135-7	
27951.	2.7430	, 5		106.5	35-0	. ~	. 52	2861E-	

PARTIES SERVER DOSCUES

	18 /	Ó	.261466-01			.267276-01	.26874E-01	.27022E-01	.27171E-31	.27320E-01	27471E-01	10-337077	27927E-01	-280816-01	.28235E-01	.28391E-01	*28547E-01	.28709E-31	.28862E-01	291215-01	.29342E-01	.29504E-01	.296666-31		.29994E-31	.30159E-01	9	P	.30829E-01	.309976-01	169E	10-371516	31687E-01	.31852E-01	037E	2 14E-	391E-	*32570E-01	.32744E-01	.329296-01	10-311166.	.33477E-01
	11.1	4I.499	41.475		41.403	37	35	33	41.305	80 1	41.625	41.234	2	41.153	41,127	41.102	41.075	41.049	41.023	40.493	40,943	40.918	40.889	40.652	40.834	40.807	40.751	40.723	40.695	40.667	40.638	40.013	40,552	40,523	0	40* 404	40.435	40, 435	+0+375	40,345	7 6	40.254
	19 1	39.9	140.65	141.35	142.74		144.15	144.86	145.57	146.29	10.7.1	148-45	149.16	16.841	150.64	151.38	152-12	152.86	153.61	155.11	155.80	156.62	157.38	158-14	158.91	159.68	161,73	162.01	162.79	1.63.57	164,36	165 05	106.74	167.54	168.35	169.15	159.95	170.78	171.59	172.41	113.63	174.63
икси 11ИЕ 1201 184—L 478(1) 478 878(1)	151	.581286-01	84	8842	10-370765	9927	2	.70659E-01	.71028E-01	.71399E-01	23144 E-01	725226-01	•72900E-01	.73280E-01	.73661E-01	ш	.74430E-01	.74817E-01	.75207E-01	. 75991 E-01	.76386E-01	6782	.77181E-01	.77582E-01	1	783895-01	.79204E-01	.19615E-01	.80027E-01	.90441E-01	085	10-3757718	. \$2119E-01	2544	2970	3399E	LLI I	4262E	4697E	.851345-01		.36457E-01
RAJ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	141	•	52	. 0	57.461	57.778	58.697	58.417	58.743	59.064	24.343	50.047 50.047	60,379	60.712	61.047	61.384	61.723	62.064	62.407	62.098	63.446	63.796	64.149	64.503	64.853	65.217	65, 939	66.303	69.99	67.038	67.408	68.154	68.531	606.89	69.293	229.69	76.057	70.444	70.833	71.224	710-17	72.411
	18 1		61.233	•	62.258		N	3.29	m	64.003	<b>.</b>	65.073	5.43	5.7	÷	6.5	<b>ب</b>	7.2	67.640	68.397	8	9.15	()	69.920	70.367	73.696	71,481	71.877	72.275	72.675	73.077	73-888	74.297	74.708	75.121	53	5	37	62.	77.229	1 6	76.507
RAJECTORY VARIABLES	12 /	۲.	•	•	• •	٠.	~	۲.	~	`•'	<u>,</u> ,	• •	`	. 7.9	۲.		~	~ '	•	• ^	801		5908-2			2.8141			.824	. 82	•	9 7		2.8395	•	æ)	æ :	.849	<b>30</b> :	2.8547	9 1	2.8624
TRAJECT	/1/	28105.	28260.	28416.	28730	28889	29048.	29209.	29370.	29532	20:05	30024.	30189	30356.	30524.	30692.	30862	31632.	31203.	31540.	31723	31898.	32074.	32251.	32429.	32508.	32970	33152.	33335.	33519.	33764.	34070	34265	34455.	34645.	34836.	35028.	35222.	35416.	35612.	37007	36205.

OSED BOMB	*** NO AIR **	*			IBH	BHW G2+228	14-001-86		10:38:20
TRAJECTORY	TGRY VARIABLES		TRAJ TRAJ TRAJ TRAJ TRAJ		8RCH 11ME PDOT PDOT BR-L #18(1) #78(1) 09-L(1)				
/1 /	12 1	1 31		14 1	151	19 1	11.1	18 1	
				•	4	•			
\$	. 864	18.941		Ξ:	.86902E-01	27.671	£27°04	561E-0	
900	•	T) :	-	٠.	10-372FF		40.192	471204040	
ž		D f	: ``	~ ·	10-366/19*	176 33	40.151	-34033E-01	
2 7		<b>NI</b> -	*	'nι	10-314786	7.87	061-04	16-202746	
2 2	•	446		י פ		7 0	40.04	345085-01	
. *		81.592		, ic	.89618F-01	۸ ۸	40.035	.34789E-01	
. 2	. 6	82.042		7	.90079E-01	81	8	.34981E-01	
င္ဆ		82.495		õ	.90541E-01	182,48	9,97	.35173E-01	
5	2.8873	82.950	~	76.510	.91006E-01	83.3	39, 933	.35367E-01	
4	ေ	83.407		ლ.	.91472E-01	184.21	39,906	.35562E-01	
æ.	8	3.867		ა.	.91941E-01	185.07	9.87	.35758E-01	
an 6	8	44.329		<b>90</b>	.92412E-01	185.94	39.841	.3595E-01	
7017	æ (	462 ° 48	• 1	٠,	.92885E-01	186.51	29,800	10-36196.	
22.3	•	102.58	- r	٥	10-355EC	101.07	37. 6.2	10-32326	
9759		86.203	• ~	4.517	443196-01	189.45	39.708	36754F-01	
260	•	86.678		955	9	190,33	39.67	.36957E-01	
5	0	87.155		80.398	95286E-0	191.22	39.640	.37160E-01	
_	913	87.634		248*	95773E-0	192.11	39.606	.37365E-01	
40644.	.915	88.117		.288	36262	193.00	39.572	.37571E-01	
43868.	91	83.601		.737	9	193.50	39.537	.37778E-01	
ഠ	920	89.088		985	9	194.60	39,562	.37986E-01	
321	923	89.578		2642	377436-0	195.70	39,457	•38195E-01	
41549.	626.	90.971		960.		196.61	39,432	•38406E-01	
41/79	2 5	47.567		34.0.48	78/41E	10.76	39,347	3861/E-01	
J ~		91.563		487	39749F-01	199.34	39, 375	390465-01	
\$2.57	936	92.066		646	j	200.26	39,290	*39259E-01	
2709	986.	92.571	85	.418	1007	231.18	39.254	.39475E-01	
42945.	941	93.079	85	688.	~	202.10	39.218	• 39 593E - 01	
43182.	943	93.590	86	.363	.10179	203.03	39.181	• 34912E-01	
43420.	<u>.</u>	94.103	96	.640	02	203.95	39.145	9	
43660.	8,0	94.619	87	£1E*	$\sim$ 1	234.89	39.108	40353E-0	
4390I.		161.66	/ 90	109.	Š	£8.462	39.07		
414	553	95.658	æ 6	682.	10387	206.77	39.033	0 1	
D C	•	791 -96	10 G			70.707	38.445	410246	
0 1	007	2 6	6 0	276	tu	200.00	50.478	416535	
9 -	2.0647	97. 77	000	75.	04401	210 65	38.943	**I**(FE-C)	
J r	170	- (	0 6	765	7 4	211	300000		
4004	٠		2 6	70.144	10701	212 44	# f 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	417356	
707	•	200		4 1	10361	• •	0.0000	מינים ב	
9 5		706 866		250	0 0	21.5.42	304.151	44634 44634	
4 4	0.7	100.67	. 0	, ,	1 A		. 4	38607	
4		3 5	. 0	•	5	1	9 4	3000	
4664C.	9	ľ	6.0		08001	717.28		1	
,	-	4	?	•	2	•		33765	

č	١	
		•
	ļ	
٠	•	•
L		)
C	i	)
٠	ı	•
٠		ŧ
٠	ï	١

1-86	
14-00	

*
A I R
2
07 ***

No. of Copies	Organization	No. of Copies	Organization
12	Administrator Defense Technical Info Center ATTN: DTIC-FDAC Cameron Station, Bldg 5 Alexandria, VA 22304-6145	5	Project Manager Cannon Artillery Weapons System, ARDC, AMCCOM ATTN: AMCPM-CW, AMCPM-CWW AMCPM-CWS
1	Commander USA Concepts Analysis Agency ATTN: D. Hardison 8120 Woodmont Avenue Bethesda, MD 20014-2797		M. Fisette AMCPM-CWA H. Hassmann AMCPM-CWA-S R. DeKleine Dover, NJ 07801-5001
1	HQDA/DAMA-ZA Washington, DC 20310-2500	2	Project Manager Munitions Production Base
1	HQDA, DAMA-CSM, Washington, DC 20310-2500		Modernization and Expansion ATTN: AMCPM-PBM, A. Siklosi
1	HQDA/SARDA Washington, DC 20310-2500	•	AMCPM-PBM-E, L. Laibson Dover, NJ 07801-5001
1	C.I.A. OIR/DB/Standard GE47 HQ Washington, D.C. 20505	3	Project Manager Tank Main Armament System ATTN: AMCPM-TMA, K. Russell AMCPM-TMA-105 AMCPM-TMA-120 Dover, NJ 07801-5001
1	Commander US Army War College ATTN: Library-FF229 Carlisle Barracks, PA 17013	1	Commander US Army Watervliet Arsenal ATTN: SARWV-RD, R. Thierry Watervliet, NY 12189-5001
1	US Army Ballistic Missile Defense Systems Command Advanced Technology Center P. O. Box 1500 Huntsville, AL 35807-3801	1	Commander U.S. Army ARDEC ATTN: SMCAR-MSI Dover, NJ 07801-5001
1	Chairman DOD Explosives Safety Board Room 856-C Hoffman Bldg. 1 2461 Eisenhower Avenue	1	Commander U.S. Army ARDEC ATTN: SMCAR-TDC Dover, NJ 07801-5001
•	Alexandria, VA 22331-9999	4	Commander US Army Armament Munitions and Chemical Command
1	Commander US Army Materiel Command ATTN: AMCPM-GCM-WF 5001 Eisenhower Avenue		ATTN: AMSMC-IMP-L Rock Island, IL 61299-7300
	Alexandria, VA 22333-5001	1	HQDA DAMA-ART-M Washington, DC 20310-2500
1	Commander US Army Materiel Command ATTN: AMCDRA-ST 5001 Eisenhower Avenue Alexandria, VA 22333-5001	1	Commander US Army AMCCOM ARDEC CCAC ATTN: SMCAR-CCB-TL Benet Weapons Laboratory
1	Commander US Army Materiel Command ATTN: AMCDE-DW 5001 Eisenhower Avenue Alexandria, VA 22333-5001		Watervliet, NY 12189-4050

No. of Copies	Organization	No. of Copies	Organization
3	Commander US Army ARDEC ATTN: SMCAR-MSI SMCAR-TDC SMCAR-LC LTC N. Barron	1	Commander US Army Communications - Electronics Command ATTN: AMSEL-ED Fort Monmouth, NJ 07703-5301
_	Dover, NJ 07801-5001	1	CECOM R&D Technical Library
7	Commander US Army ARDEC ATTN: SMCAR-LCA A. Beardell		ATTN: AMSEL-M-L (Report Section) B.2700 Fort Monmouth, NJ 07703-5000
	D. Downs S. Einstein S. Westley S. Bernstein C. Roller	1	Commander US Army Harry Diamond Lab. ATTN: DELHD-TA-L 2800 Powder Mill Road Adelphi, MD 20783-1145
	J. Rutkowski Dover, NJ 07801-5001	1	Commander US Army Missile Command
3	Commander US Army ARDEC ATTN: SMCAR-LCB-I D. Spring SMCAR-LCE		ATTN: AMSMI-RX M.W. Thauer Redstone Arsenal, AL 35898-5249
	SMCAR-LCM-E S. Kaplowitz Dover, NJ 07801-5001	1	Commander US Army Missile and Space Intelligence Center
4	Commander US Army ARDEC ATTN: SMCAR-LCS		ATTN: AIAMS-YDL Redstone Arsenal, AL 35898-5500
	SMCAR-LCU-CT E. Barrieres R. Davitt SMCAR-LCU-CV C. Mandala Dover, NJ 07801-5001	1	Commander US Army Missile Command Research, Development, and Engineering Center ATTN: AMSMI-RD Redstone Arsenal, AL 35898-5245
3	Commander US Army ARDEC ATTN: SMCAR-LCW-A M. Salsbury SMCAR-SCA	1	Commandant US Army Aviation School ATTN: Aviation Agency Fort Rucker, AL 36360
	L. Stiefel B. Brodman Dover, NJ 07801-5001	1	Commander US Army Tank Automotive Command
1	Commander US Army Aviation Systems Command		ATTN: AMSTA-TSL Warren, MI 48397-5000
	ATTN: AMSAV-ES 4300 Goodfellow Blvd. St. Louis, MO 63120-1798	i	Commander US Army Tank Automotive Command ATTN: AMSTA-CG
1	Director US Army Aviation Research and Technology Activity Ames Research Center Moffett Field, CA 94035-1099		Warren, MI 48397-5000

No. of Copies	Organization	No. of Copies	Organization
1	Project Manager Improved TOW Vehicle ATTN: AMCPM-ITV US Army Tank Automotive	1	Commander US Army Logistics Mgmt Ctr Defense Logistics Studies Fort Lee, VA 23801
2	Command Warren, MI 48397-5000	1	Commandant US Army Infantry School ATTN: ATSH-CD-CS-OR
2	Program Manager M1 Abrams Tank System ATTN: AMCPM-GMC-SA, T. Dean	1	Fort Benning, GA 31905-5400 Commandant
1	Warren, MI 48092-2498 Project Manager	-	US Army Command and General Staff College Fort Leavenworth, KS 66027
-	Fighting Vehicle Systems ATTN: AMCPM-FVS Warren, MI 48092-2498	1	Commandant US Army Special Warfare
1	President US Army Armor & Engineer		School ATTN: Rev & Tng Lit Div Fort Bragg, NC 28307
	Board ATTN: ATZK-AD-S Fort Knox, KY 40121-5200	3	Commander Radford Army Ammunition Plant ATTN: SMCRA-QA/HI LIB
1	Project Manager M-60 Tank Development ATTN: AMCPM-M60TD	1	Radford, VA 24141-0298  Commander
1	Warren, MI 48092-2498 Director		US Army Foreign Science & Technology Center ATTN: AMXST-MC-3
	US Army TRADOC Systems Analysis Activity ATTN: ATOR-TSL		220 Seventh Street, NE Charlottesville, VA 22901-5396
1	White Sands Missile Range, NM 88002	2	Commandant US Army Field Artillery Center & School
1	Commander US Army Training & Doctrine Command ATTN: ATCD-MA/ MAJ Williams		ATTN: ATSF-CO-MW, B. Willis Ft. Sill, OK 73503-5600
2	Fort Monroe, VA 23651  Commander	1	Commander US Army Development and Employment Agency
	US Army Materials and Mechanics Research Center ATTN: AMXMR-ATL		ATTN: MODE-ORO Fort Lewis, WA 98433-5099
	Tech Library Watertown, MA 02172	1	Office of Naval Research ATTN: Code 473, R. S. Miller 800 N. Quincy Street Arlington, VA 22217-9999
1	Commander US Army Research Office ATTN: Tech Library P. O. Box 12211	3	Commandant US Army Armor School
	Research Triangle Park, NC 27709-2211		ATTN: ATZK-CD-MS M. Falkovitch Armor Agency
1	Commander US Army Belvoir Research and Development Center ATTN: STRBE-WC Fort Belvoir, VA 22060-5606		Fort Knox, KY 40121-5215

No. of Copies	Organization	No. of Copies	Organization
2	Commander Naval Sea Systems Command ATTN: SEA 62R SEA 64 Washington, DC 20362-5101	2	Superintendent Naval Postgraduate School Dept. of Mech. Engineering Monterey, CA 93943-5100
1	Commander Naval Air Systems Command ATTN: AIR-954-Tech Lib Washington, DC 20360	1	Program Manager AFOSR Directorate of Aerospace Sciences ATTN: L. H. Caveny Bolling AFB, DC 20332-0001
1	Assistant Secretary of the Navy (R, E, and S) ATTN: R. Reichenbach Room 5E787 Pentagon Bidg. Washington, DC 20350	5	Commander Naval Ordnance Station ATTN: P. L. Stang L. Torreyson T. C. Smith D. Brooks
1	Naval Research Lab Tech Library Washington, DC 20375		Tech Library Indian Head, MD 20640-5000
5	Commander Naval Surface Weapons Center	1	AFSC/SDOA Andrews AFB, MD 20334
	ATTN: Code G33, J. L. East W. Burrell J. Johndrow Code G23, D. McClure Code DX-21 Tech Lib Dahlgren, VA 22448-5000	3	AFRPL/DY, Stop 24 ATTN: J. Levine/DYCR R. Corley/DYC D. Williams/DYCC Edwards AFB, CA 93523-5000
2	Comander US Naval Surface Weapons Center	1	AFRPL/TSTL (Tech Library) Stop 24 Edwards AFB, CA 93523-5000
	ATTN: J. P. Consaga C. Gotzmer Indian Head, MD 20640-5000	1	AFATL/DLYV Eglin AFB, FL 32542-5000
4	Commander Naval Surface Weapons Center	1	AFATL/DLXP Eglin AFB, FL 32542-5000
	ATTN: S. Jacobs/Code 240 Code 730 K. Kim/Code R-13	1	AFATL/DLJE Eglin AFB, FL 32542-5000
2	R. Bernecker Silver Spring, MD 20903-5000	1	AFATL/DOIL ATTN: (Tech Info Center) Eglin AFB, FL 32542-5438
2	Commanding Officer Naval Underwater Systems Center Energy Conversion Dept. ATTN: CODE 5B331, R. S. Lazar Tech Lib Newport, RI 02840	1	NASA/Lyndon B. Johnson Space Center ATTN: NHS-22, Library Section Houston, TX 77054
4	Commander Naval Weapons Center ATTN: Code 388, R. L. Derr C. F. Price T. Boggs Info. Sci. Div. China Lake, CA 93555-6001	1	AFELM, The Rand Corporation ATTN: Library D 1700 Main Street Santa Monica CA 90401-3297

No. of Copies	Organization	No. of <u>Copies</u>	Organization
1	General Applied Sciences Lab ATTN: J. Erdos Merrick & Stewart Avenues Westbury Long Isld, NY 11590	1	Hercules, Inc. Radford Army Ammunition Plant ATTN: J. Pierce Radford, VA 24141-0299
2	AAI Corporation ATTN. J. Hebert J. Frankle D. Cleveland P. O. Box 6767 Baltimore, MD 21204		Honeywell, Inc MN64 2200 Defense Systems Division ATTN: C. Hargreaves 6110 Blue Circle Drive Minnetonka MN 55436
1	Aerojet Ordnance Company ATTN: D. Thatcher 2521 Michelle Drive Tustin, CA 92680-7014	1	Lawrence Livermore National Laboratory ATTN: L-355, A. Buckingham M. Finger P. O. Box 808
1	Aerojet Solid Propulsion Co. ATTN: P. Micheli Sacramento, CA 95813	1	Livermore, CA 94550-0622  Lawrence Livermore National
1	Atlantic Research Corporation ATTN: M. K. Ling 5390 Cheorokee Avenue Alexandria, VA 22312-2302		Laboratory ATTN: L-324/M. Constantino P. O. Box 808 Livermore, CA 94550-0622
1	AVCO Everett Rsch Lab ATTN: D. Stickler 2385 Revere Beach Parkway Everett, MA 02149-5936	1	Olin Corporation Badger Army Ammunition Plant ATTN: R. J. Thiede Baraboo, WI 53913
2	Calspan Corporation ATTN: C. Morphy P. O. Box 400 Buffalo, NY 14225-0400	1	Olin Corporation Smokeless Powder Operations ATTN: D. C. Mann P.O. Box 222 St. Marks, FL 32355-0222
1	General Electric Company Armament Systems Dept. ATTN: M. J. Bulman, Room 1311 128 Lakeside Avenue Burlington, VT 05401-4985	1	Paul Gough Associates, Inc. ATTN: P. S. Gough P. O. Box 1614, 1048 South St. Portsmouth, NH 03801-1614
1	IITRI ATTN: M. J. Klein 10 W. 35th Street Chicago, IL 60616-3799	1	Physics International Company ATTN: Library H. Wayne Wampler 2700 Merced Street San Leandro, CA 94577-5602
1	Hercules Inc. Allegheny Ballistics Laboratory ATTN: R. B. Miller P. O. Box 210 Cumberland, MD 21501-0210	i	Princeton Combustion Research Lab., Inc. ATTN: M. Summerfield 475 US Highway One Monmouth Junction, NJ 08852-9650
1	Hercules, Inc. Bacchus Works ATTN: K. P. McCarty P. O. Box 98 Magna, UT 84044-0098	2	Rockwell International Rocketdyne Division ATTN: BA08 J. E. Flanagan J. Gray 6633 Canoga Avenue Canoga Park, CA 91303-2703

No. of Copies	Organization	No. of Copies	Organization
1	Science Applications, Inc. ATTN: R. B. Edelman 23145 Cumorah Crest Drive Woodland Hills, CA 91364-3710	1	University of Illinois Dept of Mech/Indust Engr ATTN: H. Krier 144 MEB; 1206 N. Green St. Urbana, IL 61801-2978
3	Thiokol Corporation Huntsville Division ATTN: D. Flanigan R. G'ick Tech Library Huntsville, AL 35807	1	University of Massachusetts Dept. of Mech. Engineering ATTN: K. Jakus Amherst, MA 01002-0014
2	Thiokol Corputation Elkton Division ATTN: R. Biddle Tech Lib.	1	University of Minnesota Dept. of Mech. Engineering ATTN: E. Fletcher Minneapolis, MN 55414-3368
2	P. O. Box 241 Elkton, MD 21921-0241	1	Case Western Reserve University Division of Aerospace Sciences
2	United Technologies Chemical Systems Division ATTN: R. Brown Tech Library	_	ATTN: J. Tien Cleveland, OH 44135
1	P. O. Box 358 Sunnyvale, CA 94086-9998 Veritay Technology, Inc.	3	Georgia Institute of Tech School of Aerospace Eng. ATTN: B, T. Zinn E, Price
	ATTN: E. Fisher 4845 Millersport Hwy. P. O. Box 305	1	W. C. Strahle Atlanta, GA 30332 Institute of Gas Technology
1	East Amherst, NY 14051-0305 Universal Propulsion Company ATTN: H. J. McSpadden Block Conversion	1	ATTN: D. Gidaspow 3424 S. State Street Chicago, IL 60616-3896
	Black Canyon Stage 1 Box 1140 Phoenix, AZ 85029	1	Johns Hopkins University Applied Physics Laboratory Chemical Propulsion
1	Battelle Memorial Institute ATTN: Tech Library TOS King Avenue Columbus, OH 43201-2693		Information Agency ATTN: T. Christian Johns Hopkins Road Laurel, MD 20707-0690
l	brightam Young University Dept. of Chemical Engineering ATTIN: M. Beckstead Provo, UT 84601	1	Massachusetts Institute of Technology Dept of Mechanical Engineering ATTN: T. Toong 77 Massachetts Avenue
4	Casifornia Institute of Tech 204 Karman Lab Main Stop 301-46	1	Cambridge, MA 02139-4307  G. M. Facth
	ATTN: F. E. C. Culick 1201 E. California Street Pasadena, CA 91109		Pennsylvania State University Applied Research Laboratory University Park, PA 16802-7501
i	California Institute of Tech Jet Propulsion Laboratory ATTN: L. D. Strand 4800 Oak Grove Drive Pasadena, CA 91109-8099	1	Pennsylvania State University Dept. of Mech. Engineering ATTN: K. Kuo University Park, PA 16802-7501

No. of Copies	Organization	No. of Copies	Organization	
1	Purdue University School of Mechanical Engineering ATTN: J. R. Osborn	Cdr,	USATECOM ATTN: AMSTE-SI-F AMSTE-CM-	F, L. Nealley
	TSPC Chaffee Hall West Lafayette, IN 47907-1199	Cdr,	CSTA ATTN: STECS-AS-H	, R. Hendricksen
1	SRI International Propulsion Sciences Division ATTN: Tech Library 333 Ravenswood Avenue Menlo Park, CA 94025-3493	Cdr,	CRDC, AMCCOM ATTN: SMCCR-RSP- SMCCR-MU SMCCR-SPS-	
1	Rensselaer Polytechnic Inst. Department of Mathematics Troy, NY 12181			
2	Director Los Alamos Scientific Lab ATTN: T3, D. Butler M. Division, B. Craig P. O. Box 1663		·	
_	Los Alamos, NM 87544			
1	Stevens Institute of Technology Davidson Laboratory ATTN: R. McAlevy, III Castle Point Station Hoboken, NJ 07030-5907			
l	Rutgers University Dept. of Mechanical and Aerospace Engineering ATTN: S. Temkin University Heights Campus New Brunswick, NJ 08903			
1	University of Southern California Mechanical Engineering Dept. ATTN: 0HE200, M. Gerstein Los Angeles, CA 90089-5199			
2	University of Utah Dept. of Chemical Engineering ATTN: A. Baer G. Flandro Salt Lake City, UT 84112-1194			
1	Washington State University Dept. of Mech. Engineering ATTN: C. T. Crowe Pullman, WA 99163-5201			

Aberdeen Proving Ground

Dir, USAMSAA ATTN: AMXSY-D AMXSY MP, H. Cohen

### USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. BRL Rep	ort Number	Date of Report			
2. Date Re	eport Received				
3. Does this report satisfy a need? (Comment on purpose, related project, other area of interest for which the report will be used.)					
4. How spedata, proce	ecifically, is the report edure, source of ideas, et	being used? (Information source, design			
as man-hou:	rs or dollars saved, opera	ort led to any quantitative savings as far ting costs avoided or efficiencies achieved,			
		chink should be changed to improve future ization, technical content, format, etc.)			
	Name				
CURRENT	Organization				
ADDRESS	Address				
	City, State, Zip				
7. If indi New or Corr	cating a Change of Address ect Address in Block 6 abo	s or Address Correction, please provide the ove and the Old or Incorrect address below.			
	Name				
OLD ADDRESS	Organization				
ADDRESS	Address				
	City, State, Zip	<del></del>			

and become the second and the second of the

(Remove this sheet, fold as indicated, staple or tape closed, and mail.)